Section	IS	[INTERVIEW SETUP]		Sequence
IS1		IS1	NOT ON FILE	
QUESTION TE	XT:			
•		SELECTED CASE {CASED ID} FOR {SP	}.	
	IF THIS IS CO	DRRECT, PRESS 1 AND ENTER TO CO	NTINUE	
	TO SELECT A	ANOTHER CASE, BREAKOFF AND SE	LECT THE CORRECT CAS	E ID FROM THE IMS.
ENTER TEXT				
		Length	1	
IS2		is8resptype	R8 IS2 TYPE OF I	RESPONDENT
		op8proxy	R8 IS2 PROXY	
QUESTION TE				
	SELECT TYPI	E OF RESPONDENT		
CODES				
1		SAMPLE PERSON (SP)	BOX IS2C	
If IS2=2		PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA	AY APROPRIATE PROXY	DISPLAYS FOR ALL
PROGRAMME If IS2=: QUEST If PREL	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS	PROXY <b>ONS:</b> T PROXY FLAG = 1 (YES) AND DISPLA EMS. ED flag = 1 (YES) and code 1 selected	l, display soft error mess	sage "SP WAS PREVIOUSLY
PROGRAMME If IS2=: QUEST If PREL	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS.	l, display soft error mess IVING. IF SP IS DECEASI	age "SP WAS PREVIOUSLY ED, SELECT CODE 2 FOR PROXY.
PROGRAMME If IS2=: QUEST If PREL IDENTI	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. SED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L is8reasnprx7	l, display soft error mess IVING. IF SP IS DECEASI	sage "SP WAS PREVIOUSLY
PROGRAMME If IS2=: QUEST If PREL IDENTI	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE XT: SPECIFTY	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. SED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L is8reasnprx7 YREASON FOR PROXY	l, display soft error mess IVING. IF SP IS DECEASI	age "SP WAS PREVIOUSLY ED, SELECT CODE 2 FOR PROXY.
PROGRAMME If IS2=: QUEST If PREL IDENTI	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE XT: SPECIFTY	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. SED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L is8reasnprx7	l, display soft error mess IVING. IF SP IS DECEASI	age "SP WAS PREVIOUSLY ED, SELECT CODE 2 FOR PROXY.
PROGRAMME If IS2=: QUEST If PREL IDENTI IS2A QUESTION TE	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE XT: SPECIFTY	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. SED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L is8reasnprx7 YREASON FOR PROXY	l, display soft error mess IVING. IF SP IS DECEASI	age "SP WAS PREVIOUSLY ED, SELECT CODE 2 FOR PROXY.
PROGRAMME If IS2=: QUEST If PREL IDENTI IS2A QUESTION TE	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE XT: SPECIFTY	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. SED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L is8reasnprx7 REASON FOR PROXY LLL THAT APPLY DEMENTIA/COGNITIVE/MENTAL	l, display soft error mess IVING. IF SP IS DECEASI R8 IS2A PI	age "SP WAS PREVIOUSLY ED, SELECT CODE 2 FOR PROXY.
PROGRAMME If IS2=: QUEST If PREL IDENTI IDENTI IS2A QUESTION TE	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE XT: SPECIFTY	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. GED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L is8reasnprx7 Y REASON FOR PROXY LLL THAT APPLY	l, display soft error mess IVING. IF SP IS DECEASI R8 IS2A PI	sage "SP WAS PREVIOUSLY ED, SELECT CODE 2 FOR PROXY. ROXY REAS DECEASED
PROGRAMME If IS2=: QUEST If PREL IDENTI <b>IS2A</b> QUESTION TE CODES	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE XT: SPECIFTY	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. SED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L IS8reasnprx7 TREASON FOR PROXY LLL THAT APPLY DEMENTIA/COGNITIVE/MENTAL REPORTED BY PROXY	l, display soft error mess IVING. IF SP IS DECEASI R8 IS2A PI	Bage "SP WAS PREVIOUSLY ED, SELECT CODE 2 FOR PROXY. ROXY REAS DECEASED BOX IS2C
PROGRAMME If IS2=: QUEST If PREL IDENTI IS2A QUESTION TE CODES 1 2	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE XT: SPECIFTY	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. ED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L IS8reasnprx7 REASON FOR PROXY LLL THAT APPLY DEMENTIA/COGNITIVE/MENTAL REPORTED BY PROXY SP TOO ILL/MAJOR PHYSICAL H	l, display soft error mess IVING. IF SP IS DECEASI R8 IS2A PI	BOX IS2C
PROGRAMME If IS2=: QUEST If PREL IDENTI IS2A QUESTION TE CODES 1 2 3	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE XT: SPECIFTY	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. GED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L IS8reasnprx7 REASON FOR PROXY LLL THAT APPLY DEMENTIA/COGNITIVE/MENTAL REPORTED BY PROXY SP TOO ILL/MAJOR PHYSICAL H SP SPEECH IMPAIRED	l, display soft error mess IVING. IF SP IS DECEASI R8 IS2A PI	BOX IS2C BOX IS2C BOX IS2C
PROGRAMME If IS2=: QUEST If PREL IDENTI IS2A QUESTION TE CODES 1 2 3 4	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE XT: SPECIFTY	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. GED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L IS8reasnprx7 TREASON FOR PROXY LLL THAT APPLY DEMENTIA/COGNITIVE/MENTAL REPORTED BY PROXY SP TOO ILL/MAJOR PHYSICAL H SP SPEECH IMPAIRED SP HEARING IMPAIRED	l, display soft error mess IVING. IF SP IS DECEASI R8 IS2A PI . IMPARIMENT EALTH ISSUES	BOX IS2C BOX IS2C BOX IS2C BOX IS2C
PROGRAMME If IS2=: QUEST If PREL IDENTI IS2A QUESTION TE CODES 1 2 3 4 5	2 (PROXY), SE FIONNAIRE ITI LOAD DECEAS IFIED AS DECE XT: SPECIFTY	PROXY ONS: T PROXY FLAG = 1 (YES) AND DISPLA EMS. GED flag = 1 (YES) and code 1 selected EASED. CONFIRM THAT SP IS STILL L IS8reasnprx7 REASON FOR PROXY LLL THAT APPLY DEMENTIA/COGNITIVE/MENTAL REPORTED BY PROXY SP TOO ILL/MAJOR PHYSICAL H SP SPEECH IMPAIRED SP HEARING IMPAIRED LANGUAGE BARRIER	l, display soft error mess IVING. IF SP IS DECEASI R8 IS2A PI . IMPARIMENT EALTH ISSUES	BOX IS2C BOX IS2C BOX IS2C BOX IS2C BOX IS2C BOX IS2C BOX IS2C BOX IS2C BOX IS2C

Allow select all that apply.

If IS2A = 7 (DECEASED), display soft error message "YOU HAVE SELECTED SP DECEASED. IF SP IS STILL LIVING, SELECT A DIFFERENT OPTION. IF SP IS DECEASED, SELECT SUPPRESS TO CONFIRM."

If IS2A = 7 (DECEASED) AND 1-6 OR 91, display error message "INCONSISTENT ANSWER. SP DECEASED CANNOT BE SELECTED WITH OTHER PROXY REASONS."

IF PRELOAD DECEASED flag = 1 (YES) and code 7 not selected, display soft error message "SP WAS PREVIOUSLY IDENTIFIED AS DECEASED. CONFIRM THAT SP IS STILL LIVING. IF SP IS DECEASED, SELECT CODE 7, SP DECEASED."

If IS2A = 7 (DECEASED), set DECEASED flag = 1 (YES).

BOX	IS2C	BOX IS2C		NOT ON FILE	
	IF CASE IS A RESTART (( AUDIO ASSENT=2 (NO))		ND IS2=1 (SF	?) AND (SP AUDIO ASSENT=1 (YES) O	R SP
		ART (CAPI STATUS CODE - DXY AUDIO ASSENT=2 (No		=2 (PROXY) AND (PROXY AUDIO IS3.	
	ELSE GO TO IS2C.				
		15-0	NO	T ON FILE	
IS2C		IS2C	NO	I ON FILE	
	<b>INSTRUCTIONS:</b> NOT DISPLAY RESPON				
L	O NOT DISPLAT RESPON	SE CODES AND LADELS			
QUESTIC	ON TEXT:				
		lity. I'd like to continue n		me of the questions and answers for you have any questions.	
	PRESS 1 AND ENTER 1	O CONTINUE			
	IF RESPONDENT REF	JSES TO ALLOW AUDIO R	RECORDING	, PRESS 7 AND ENTER	
CODES					
1		NT TO RECORDING	_	IS3	
7	REFUSE	E CONSENT TO RECORI	J	IS2D	
PROGRA	AMMER INSTRUCTIONS:				
I	F RESPONDENT TYPE AT I	, SET AUDIORECORDING S2=1 (SP), SET SPAUDIOA S2=2 (PROXY), SET PROXY	SSENT FLAG	Б=1 (YES).	
I	F RESPONDENT TYPE AT I	O RECORD), SET AUDIOR S2=1 (SP), SET SPAUDIOA S2=2 (PROXY), SET PROX	SSENT FLA	G = 2 (NO).	
D	O NOT DISPLAY THIS SCI		STARTS (C/	ASE STATUS = 12 (STARTED) UNLESS	
IS2D	21	52D	NOT	ON FILE	
	ON TEXT:				
	That's fine. The interview	w will not be recorded.			
	PRESS 1 AND ENTER TO	CONTINUE			
ENTER T	ЕХТ				

	Length	1
IS3	IS3	NOT ON FILE
l	<b>Y INSTRUCTIONS:</b> f IS2A=7 (SP DECEASED), display "was". Otherwise, display "is".	
QUESTI	ON TEXT:	
	Before we start, I just want to confirm that {your/S NAME} {SP'S LAST NAME}. Is that correct?	SP's} name {is/was} {SP'S FIRST NAME} {SP'S MIDDLE
	SPELL OUT SP'S NAME. CONFIRM SPELLING.	
CODES		
1 2	YES NO	BOX IS8
	AMMER INSTRUCTIONS: f Breakoff at or before this screen, do not save any	v data and set case status = 11 (READY).
IS3A	IS3A	NOT ON FILE
DISPLA	Y INSTRUCTIONS:	
	Display preloaded SP name in the response fields.	
I	Display "FIRST" in bold underlined text.	
l	Display SP first name in fill as bold underlined.	
	f IS2A=7 (SP DECEASED), display "was". Otherwise, display "is".	
QUESTI	ON TEXT:	
	What {is/was} the correct spelling of {your/SP's} full the correct spelling of the spectrum $\{1,2,2,3,3,3,3,3,3,3,3,3,3,3,3,3,3,3,3,3,$	l name?
	{FIRST NAME} {MIDDLE NAME} {LAST NAME}	
	CORRECT FIRST NAME. CONFIRM SPELLING	
ENTER	TEXT	
	Length	25
	AMMER INSTRUCTIONS: Display IS3a, 3b, and 3c on the same screen.	
IS3B	IS3B	NOT ON FILE
-	Y INSTRUCTIONS:	
•	Display "MIDDLE" in bold underlined text.	
	Display SP middle name in fill as bold underlined.	
	If IS2A=7 (SP DECEASED), display "was". Otherwise, display "is".	

_		
[What {	is/was} the correct spelling of {your/s	SP's} full name?]
{FIRST N	NAME}{MIDDLE NAME}{LAST NAME	E}
CORREC	CT MIDDLE NAME. CONFIRM SPELLII	NG
PRESS E	ENTER IF NO MIDDLE NAME OR INITI	IAL
ENTER TEXT		
	Length	25
	INSTRUCTIONS: 53a, 3b, and 3c on the same screen.	
Allow en	npty.	
IS3C	IS3C	NOT ON FILE
DISPLAY INSTRU	JCTIONS:	
Display '	'LAST" in bold underlined text.	
Display S	5P last name in fill as bold underlined	1.
	7 (SP DECEASED), display "was". se, display "is".	
QUESTION TEXT		
[What {	is/was} the correct spelling of {your/s	SP's} full name?]
{FIRST N	NAME}{MIDDLE NAME}{LAST NAME	Ε}
CORREC	CT LAST NAME. CONFIRM SPELLING	
ENTER TEXT		
	Length	25
	INSTRUCTIONS: rrected SP name to the person roste	er.
Set flag t	o indicate SP name was updated.	
BOX IS8	BOX IS8	NOT ON FILE
_		
	P name (if corrected at IS3a-c) to the tionship to SP = 1 (SAMPLE PERSON)	
	۱ (SP), to Section RE - Residence. ۱۵ (PROXY), go to IS8.	
IS8	IS8	NOT ON FILE
DISPLAY INSTRU		

Display "NOT ON LIST" as first roster option.

## **QUESTION TEXT:**

What is your name?

CHOOSE PERSON FROM LIST.

### **PROGRAMMER INSTRUCTIONS:**

If existing ROSTER MEMBER selected, set PROXY RESP CURRENT INT FLAG = 1 for ROSTER MEMBER and go to IS11.

Otherwise, go to IS8A.

IS8A	IS8A	NOT ON FILE	
DISPLAY INSTRUC	TIONS:		
Display "fir	st" in bold underlined text.		
QUESTION TEXT:			
	ur first name?		
ENTER FIR	ST NAME. CONFIRM SPELLING		
ENTER TEXT			
	Length	25	
PROGRAMMER IN	STRUCTIONS:		
Display IS8A	A, IS8B, and IS8C on the same so	reen.	
Write ROST	ER MEMBER to next open posit	ion on PERSON ROSTER.	
Set PROXY	RESP CURRENT INT FLAG = 1 for	r ROSTER MEMBER.	
IS8B	IS8B	NOT ON FILE	
DISPLAY INSTRUC	TIONS:		
Display "mi	iddle" in bold underlined text.		
QUESTION TEXT:			
	DDLE NAME. CONFIRM SPELLII	NG.	
PRESS ENT	FER IF NO MIDDLE NAME OR IN	ITIAL.	
ENTER TEXT			
	Length	25	
PROGRAMMER IN	STRUCTIONS:		
Display IS8A	A, IS8B, and IS8C on the same so	reen.	
Allow empt			
i mon empe	у.		
IS8C	y. IS8C	NOT ON FILE	
IS8C	IS8C	NOT ON FILE	
IS8C	IS8C	NOT ON FILE	
IS8C	IS8C	NOT ON FILE	

ENTER LAST NAME. CONFIRM SPELLING.

Display IS8A, IS8B, and IS8C on the same screen.

IS9	is8prxyrelat	R8 IS9 PROXY RELATIONSHIP TO SP
	op8relatnshp	R8 RELASHIP TO SP UPDATE AND NEW
DISPLAY INSTRUCTION	15:	
Display PROXY	RELATIONSHIP CODE LIST.	
-1		
QUESTION TEXT:		
How are your	elated to {SP}?	
IF NEEDED: Ar	e you {his/her}?	
	- , (,	
CODE RELATIO	ONSHIP OF PROXY TO SP	

PRESS F1 FOR HELP SCREEN

### CODES

DLS	
2	SPOUSE/PARTNER
3	DAUGHTER
4	SON
5	DAUGHTER-IN-LAW
6	SON-IN-LAW
7	STEPDAUGHTER
8	STEPSON
9	SISTER
10	BROTHER
11	SISTER-IN-LAW
12	BROTHER-IN-LAW
13	MOTHER
14	STEPMOTHER
15	MOTHER-IN-LAW
16	FATHER
17	STEPFATHER
18	FATHER-IN-LAW
19	GRANDDAUGHTER
20	GRANDSON
21	NIECE
22	NEPHEW
23	AUNT
24	UNCLE
25	COUSIN
26	STEPDAUGHTER'S SON/DAUGHTER
27	STEPSON'S SON/DAUGHTER
28	DAUGHTER-IN-LAW'S SON/DAUGHTER
29	SON-IN-LAW'S SON/DAUGHTER
30	BOARDER/RENTER
31	PAID AIDE/HOUSEKEEPER/EMPLOYEE
32	ROOMMATE
33	EX-WIFE/EX-HUSBAND
34	BOYFRIEND/GIRLFRIEND
35	NEIGHBOR
36	FRIEND

- 37 SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED
- 38 CO-WORKER
- 39 MINISTER, PRIEST, OR OTHER CLERGY
- 40 PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR THERAPIST
- 91 OTHER RELATIVE
- 92 OTHER NONRELATIVE

If code = 2 (SPOUSE/PARTNER), 3 (DAUGHTER), 4 (SON), 7 (STEPDAUGHTER), OR 8 (STEPSON) selected for new addition to the roster, display soft error message, "UNLIKELY RESPONSE. REVIEW NAMES AND RELATIONSHIPS ON ROSTER AT IS8 TO MAKE SURE PERSON DOESN'T ALREADY EXIST ON THE ROSTER."

If 3 (daughter), 5 (daughter-in-law), 7 (stepdaughter), 9 (sister), 11 (sister-in-law), 13 (mother), 14 (stepmother), 15 (mother-in-law), 19 (granddaughter), 21 (niece), or 23 (aunt) selected, set IS10= 2 (female) and go to BOX IS11.

ELSE If 4 (son), 6(son-in-law), 8 (stepson), 10 (brother), 12 (brother-in-law), 16 (father), 17 (stepfather), 18 (father-in-law), 20 (grandson), 22 (nephew), or 24 (uncle) selected, set IS10 = 1 (male) and go to BOX IS11.

If IS9 = 91 or 92, go to IS9a.

Otherwise, GO TO IS10.

IS9A IS9	A	NOT ON FILE		
QUESTION TEXT: SPECIFY RELATIONSHIP OF	F PROXY TO {SP}			
ENTER TEXT				
Length		50		
IS10 is8	Bprxygendr	R8 IS10 PROXY GENDER		
	8dgender	R8 D GENDER UPDATE AND NEW		
QUESTION TEXT: CODE GENDER OF PROXY				
IF GENDER IS OBVIOUS, CO	ODE WITHOUT ASKING			
OTHERWISE ASK: Are you	umale or female?			
CODES				
1 MALE				
2 FEMALE				
BOX IS11 BO	OX IS11	NOT ON FILE		
Write PROXY relationship and gender to PERSON ROSTER.				
IS11 is8	famrrutin			
1511 150	Frammutin	R8 IS11 FAMILRTY SP DAILY ROUTIN		
DISPLAY INSTRUCTIONS: If IS2A=7 (SP DECEASED), display "were" and "in the last month of {his/her} life" and "Were" Otherwise, display "are" and "Are".				

### **QUESTION TEXT:**

How familiar {are/were} you with {SP}'s daily routine {in the last month of {his/her} life}? {Are/Were} you very familiar, somewhat familiar, a little familiar, or not at all familiar?

### CODES

1	VERY FAMILIAR
2	SOMEWHAT FAMILIAR
3	A LITTLE FAMILIAR
4	NOT AT ALL FAMILIAR
	REFUSED
	DON'T KNOW

# BOX IS12A

NOT ON FILE

If DOB MONTH, DOB DAY, or DOB YEAR is missing for ROSTER MEMBER with PROXY RESP CURRENT INT flag=1 (YES), go to IS12a.

Otherwise, go to Section RE - Residence.

BOX IS12A

IS12A	op8birthmth (Sensitive)	R8 OTHER PERSON MONTH OF BIRTH UPDATE AND NEW	
DISPLAY INSTRUCT	IONS:		
Display "MC	DNTH" in underlined text.		
QUESTION TEXT:			
	ur date of birth?		
ENTER MO	NTH		
ENTER NUMBER			
	Range	1 to 12	
	Soft Range REFUSED DON'T KNOW	1 to 12	
PROGRAMMER INS			
	A, IS12B, and IS12C on the same screen.		
IS12B	IS12B	NOT ON FILE	
DISPLAY INSTRUCT	IONS:		
	<b>IONS:</b> Y" in underlined text.		
Display "DA QUESTION TEXT:	Y" in underlined text.		
Display "DA QUESTION TEXT:			
Display "DA QUESTION TEXT:	Y" in underlined text. our date of birth?]		
Display "DA <b>QUESTION TEXT:</b> [What is yo	Y" in underlined text. our date of birth?]		

Display IS12A, IS12B, and IS12C on the same screen.

# IS<sub>12</sub>C

### op8birthyear (Sensitive)

### **R8 OTHER PERSON YEAR OF BIRTH** UDPATE AND NEW

#### **DISPLAY INSTRUCTIONS:**

Display "YEAR" in underlined text.

#### **QUESTION TEXT:**

[What is your date of birth?]

ENTER YEAR

#### ENTER NUMBER

REFUSED DON'T KNOW

#### **PROGRAMMER INSTRUCTIONS:**

Display IS12A, IS12B, and IS12C on the same screen. Hard range: CURRENT YEAR - 110. Soft range: (CURRENT YEAR - 20) - (CURRENT YEAR - 75). If IS12C violates hard range, display error message "YEAR OF BIRTH OUTSIDE OF RANGE. VERIFY WITH RESPONDENT AND RE-ENTER."

Write birth month, day, and year from IS12a, b, and c to the PERSON ROSTER for roster member.

If IS12A and IS12B and IS12C <> RF or DK, compute PERSON AGE as (CURRENT DATE - IS12a-c DOB) and prefill IS13.

Otherwise, go to Section RE – Residence.

IS13	op8age (Sensitive)	R8 OTH PERSON AGE UPDATE AND NEW
	op8dage	R8 D OP CAT AGE UPDATE AND NEW

#### **DISPLAY INSTRUCTIONS:**

For "CALCULATED AGE", display age computed at IS12.

#### **QUESTION TEXT:**

That makes you {CALCULATED AGE} TODAY. Is that correct?

#### CODES

1	YES	Section RE
2	NO	IS12A
	REFUSED	Section RE
	DON'T KNOW	Section RE

# IS12A Section RE Section RE

#### **PROGRAMMER INSTRUCTIONS:**

If IS13 = 1 (YES), write PERSON AGE to PERSON ROSTER.

Derived Variables from Items in IS Section	
is8dproxyid	R8 D PROXY OPID
op8dage	R8 D OP CAT AGE UPDATE AND NEW