NHATS Round 8: Last Month of Life

RE3 NOT ON FILE

DISPLAY INSTRUCTIONS:

RE₃

If IS2A=7 (SP DECEASED), display "at the time {he/she} died" and "lived".

Otherwise, display "lives".

Display updated IMS Address 1, Address 2, City, State, Zip.

If DECEASED flag = 1 (YES) and FACILITY flag = 1 (YES), display preloaded LAST INT Facility name or from IMS if updated.

QUESTION TEXT:

Now I need to confirm {your/SP's} address {at the time {he/she} died}. According to our records, {you live}/{he/she}{lives/lived} at [READ ADDRESS BELOW]

CONFIRM SPELLING

{Facility Name} {Address 1} {Address 2} {City}, {State} {Zip}

IF COMPLETE ADDRESS NOT DISPLAYED, ENTER 2.

[Is that correct?]

CODES

1	YES	RE4F
2	NO	
	REFUSED	
	DON'T KNOW	

BOX RE4

NOT ON FILE

QUESTION TEXT:

If DECEASED flag = 1 (YES) and LAST INT Facility Name is not blank, go to RE4.

Otherwise, go to RE4a.

RE4	RE4	NOT ON FILE

BOX RE4

DISPLAY INSTRUCTIONS:

Display preloaded SP address and facility name in the question text.

Display preloaded LAST INT facility name.

Display RE4a, 4b, 4c, 4d, and 4e on the same screen.

Display {Address 1}, {Address 2}, {City}, {State}, and {Zip} fields as lighter "grayed-out" text.

Display "facility name" as underlined text.

QUESTION TEXT:

What was {SP}'s facility name at the time {he/she} died?

CONFIRM SPELLING.

IF NO FACILITY NAME, ENTER 95.

{Facility Name} {Address 1} {Address 2} {City}, {State} {Zip}

ENTER TEXT

Length

75

RE4A

RE4A

NOT ON FILE

DISPLAY INSTRUCTIONS:

Display preloaded SP address in the question text. Display preloaded address line 1 in the response field if available. Display RE4a, 4b, 4c, 4d, and 4e on the same screen. Display {Address 2}, {City}, {State}, and {Zip} fields as lighter "grayed-out" text. Display "address" as underlined text.

Display preloaded SP address in the question text.

If DECEASED flag = 1 (YES), display "was" and "at the time {he/she} died". Otherwise, display "is".

QUESTION TEXT:

What {is/was} address {at the time {he/she} died?

CONFIRM SPELLING.

{Address 1} {Address 2} {City}, {State} {Zip}

ENTER TEXT

Length

25

RE4B

RE4B

NOT ON FILE

DISPLAY INSTRUCTIONS:

Display preloaded SP address in the question text Display preloaded address line 2 in the response field if available Display RE4a, 4b, 4c, 4d, and 4e on the same screen Display {Address 1}, {City}, {State}, and {Zip} fields as lighter "grayed out" text. Display "address" as underlined text

Display preloaded SP address in the question text.

If DECEASED flag = 1 (YES), display "was" and "at the time {he/she} died". Otherwise, display "is".

QUESTION TEXT:

[What {is/was} {your/SP's} address {at the time {he/she} died}?]

CONFIRM SPELLING.

IF NO APT/SUITE NUMBER, PRESS ENTER TO CONTINUE.

{Address 1} {Address 2}		
{City}, {State}	{Zip}	
ENTER TEXT		
	Length	50
PROGRAMMER INSTR Allow empty	RUCTIONS:	
RE4C	re8spadrscty (Restricted)	R8 RE4C SP ADDRESS CITY
Display preload Display RE4a, 4 Display {Addres Display "city" a	NS: ded SP address in the question text ded city in the response field if available. µb, 4c, 4d, and 4e on the same screen. ss 1}, {Address 2}, {State}, and {Zip} fields a as underlined text. ded SP address in the question text.	is lighter "grayed out" text.
lf DECEASED fla Otherwise, disp	ag = 1 (YES), display "was" and "at the tim blay "is".	e {he/she} died".
QUESTION TEXT: [What {is/was	s} {your/SP's} city {at the time {he/she} diec	1}?]

CONFIRM SPELLING

{Address 1} {Address 2} {City}, {State} {Zip}

ENTER TEXT

RE4D

Length

25

re8spadrsstt (Restricted) R8 RE4C SP ADDRESS STATE

DISPLAY INSTRUCTIONS:

Display preloaded SP address in the question text Display preloaded state in the response field if available. Display RE4a, 4b, 4c, 4d, and 4e on the same screen. Display {Address 1}, {Address 2}, {City}, and {Zip} fields as lighter "grayed out" text. Display "state" as underlined text.

Display preloaded SP address in the question text.

If DECEASED flag = 1 (YES), display "was" and "at the time {he/she} died". Otherwise, display "is".

QUESTION TEXT:

[What {is/was} {your/SP's} state {at the time {he/she} died}?]

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT

{Address 1} {Address 2} {City}, {State} {Zip}

ENTER TEXT

PROGRAMMER INSTRUCTIONS:

Use lookup file of state names

RE4E	RE4E	NOT ON FILE
DISPLAY INSTRU	CTIONS:	
	eloaded SP address in the questi	
	eloaded zip code in the response	
	4a, 4b, 4c, 4d, and 4e on the san	
		d {Zip} fields as lighter "grayed out" text.
Display "z	p code" as underlined text.	
Display pr	eloaded SP address in the questi	on text.
	ED flag = 1 (YES), display "was" a , display "is".	and "at the time {he/she} died".
QUESTION TEXT:		
[What {is	/was} {your/SP's} zip code {at the	e time {he/she} died}?]
ENTER A	5-DIGIT ZIP CODE	
(Addross	a)	
{Address {Address	-	
•	ate}{Zip}	
ENTER TEXT		

PROGRAMMER INSTRUCTIONS:

5-digit entry required. If less than 5 digits entered, display ErrorMessage #11.

Write updated Address 1, Address 2, City, State, and Zip fields to the IMS.

RE4F re8spadrsnew	R8 RE4F SP ADDRESS SAME OR DIFF
-------------------	---------------------------------

DISPLAY INSTRUCTIONS:

If DECEASED FLAG = 1 (YES), display "DIED", "{Facility Name}, "was", "at the time {he/she} died", "{he/she} was", and (", FACILITY NAME" if FACILITY NAME <> 95). Otherwise, display "is", "now", and "LIVES".

Display current and last address fields in 2 columns.

For CURRENT ADDRESS, display updated Facility Name, Address 1, Address 2, City, State, and Zip fields from RE4a-e.

For LAST ADDRESS, display preloaded LAST INT Facility Name, LAST INT Address 1, LAST INT Address 2, LAST INT City, LAST INT State, and LAST INT Zip fields.

QUESTION TEXT:

SPECIFY IF SP {LIVES/DIED} AT SAME RESIDENCE AS LAST INTERVIEW:

CURRENT ADDRESS:	LAST ADDRESS:
{Facility Name}	{LAST INT Facility Name}
{Address 1}	{LAST INT Address 1}
{Address 2}	{LAST INT Address 2}
{City}, {State} {Zip}	LAST INT City}, {LAST INT State} {LAST INT Zip}

IF NEEDED: Is the place {you are/SP {is/was}} living at {now/at the time {he/she} died} the same place that {you were/{he/she} was} living at the time of the last interview?

ENTER 2 IF DIFFERENT RESIDENCE, INCLUDING AN APT# OR UNIT #.

ENTER 3 IF SAME RESIDENCE WITH MINOR ADDRESS CORRECTIONS (SPELLING, ZIP CODE{, FACILITY NAME})

CODES

1	YES, SAME ADDRESS
2	NO, DIFFERENT ADDRESS
3	YES, SAME ADDRESS WITH MINOR CORRECTIONS

PROGRAMMER INSTRUCTIONS:

If RE4f = 2 (DIFFERENT ADDRESS), set NEW RESIDENCE flag = 1 (YES).

If [RE4f = 1 (SAME ADDRESS) or 3 (SAME ADDRESS WITH CORRECTIONS)], set HOTYPE flag = LAST INT HOTYPE flag.

If [RE4f = 1 (SAME ADDRESS) or 3 (SAME ADDRESS WITH CORRECTIONS)] and LAST INT FACILITY flag = 1 (YES), set FACILITY flag = 1 (YES).

If [RE4f = 1 (SAME ADDRESS) or 3 (SAME ADDRESS WITH CORRECTIONS)] and LAST INT RETIREMENT COMMUNITY flag = 1 (YES), set RETIREMENT COMMUNITY flag = 1 (YES).

BOX RE5 BOX RE5	NOT ON FILE	
-----------------	-------------	--

QUESTION TEXT:

If DECEASED flag = 1 (YES) and RE4f = 2 (DIFFERENT ADDRESS), go to BOX RE10.

Else if DECEASED flag = 1 (YES), go to RE12.

Otherwise, go to RE5.

BOX RE10

NOT ON FILE

If NEW RESIDENCE flag = 1 (YES), go to RE10.

Else if DECEASED flag = 1 (YES), go to RE11.

MAY

JUNE

Otherwise, go to Section HC – Health Conditions.

BOX RE10

RE10	re8mthmove	R8 RE10 MONTH MOVED NEW ADDRESS
QUEST	ION TEXT:	
	In what month since {LAST INT MONTH AND YI {Zip}?	EAR}, did {SP} move to {Address 1}, {City}, {State}
	ENTER MONTH	
CODES		
1	JANUARY	
2	FEBRUARY	
3	MARCH	
4	APRIL	

7 8 9 10 11 12	JULY AUGUST SEPTEMBER OCTOBER NOVEMBER DECEMBER REFUSED DON'T KNOW	RE10B RE10B	
RE10B	re8yearmove	R8 RE10B YEAR MOVED NEW ADDRESS	
		TH AND YEAR}, did {SP} move to {Address 1}, {Address	
ENTER	4-DIGIT YEAR		
ENTER NUMBER	REFUSED DON'T KNOW		
Soft Ran	INSTRUCTIONS: ge: CURRENT YEAR-1 to CURRENT YEAF nge: R1 INT YEAR to CURRENT YEAR	ί.	
Combine	d month and year cannot be before dat	a set in the set of the set of the set of the set	
		e of last interview. If date is before date of last	
interview BOX RE11	v, display error message #15. BOX RE11	NOT ON FILE	
BOX RE11	v, display error message #15.	NOT ON FILE s. R8 RE11 CARE AT NEW RESID PLACE SP	
BOX RE11 If DECE Otherw	v, display error message #15. BOX RE11 ASED flag = 1 (YES), go to RE11. vise, go to Section HC – Health Condition	NOT ON FILE s.	
BOX RE11 If DECE Otherw RE11 QUESTION TEXT Was thi	v, display error message #15. BOX RE11 ASED flag = 1 (YES), go to RE11. vise, go to Section HC – Health Condition re8placedec	NOT ON FILE s. R8 RE11 CARE AT NEW RESID PLACE SP	
BOX RE11 If DECE Otherw RE11 QUESTION TEXT Was thi	v, display error message #15. BOX RE11 ASED flag = 1 (YES), go to RE11. vise, go to Section HC – Health Condition re8placedec F: is the kind of place that provides care, su	NOT ON FILE s. R8 RE11 CARE AT NEW RESID PLACE SP DIED	
If DECE Otherw RE11 QUESTION TEXT Was thi nursing	v, display error message #15. BOX RE11 ASED flag = 1 (YES), go to RE11. vise, go to Section HC – Health Condition re8placedec F: is the kind of place that provides care, su	NOT ON FILE s. R8 RE11 CARE AT NEW RESID PLACE SP DIED	
BOX RE11 If DECE Otherw RE11 QUESTION TEXT Was thi nursing CODES 1 2	ASED flag = 1 (YES), go to RE11. ASED flag = 1 (YES), go toRE1. ASED flag = 1 (YES), go to RE11. ASED fla	NOT ON FILE s. R8 RE11 CARE AT NEW RESID PLACE SP DIED	
BOX RE11 If DECE Otherw RE11 QUESTION TEXT Was thi nursing CODES 1 2	ASED flag = 1 (YES), go to RE11. ASED flag = 1 (YES), go toRE1. ASED flag = 1 (YES), go to RE11. ASED fla	NOT ON FILE s. R8 RE11 CARE AT NEW RESID PLACE SP DIED	
BOX RE11 If DECE Otherw RE11 QUESTION TEXT Was thi nursing CODES 1 2 PROGRAMMER If RE11 = 1 RE12 QUESTION TEXT	ASED flag = 1 (YES), go to RE11. ASED flag = 1 (YES) for the condition re8placedec F: The sthe kind of place that provides care, sughts for the condition of the condition o	NOT ON FILE s. R8 RE11 CARE AT NEW RESID PLACE SP DIED ch as an assisted living facility, board and care home, R8 RE12 LIVED ALONE AT DEATH	

PROGRAMMER INSTRUCTIONS:

Go to Section PD – Place of Death.

Derived Variables From Items in RE Section		
r8dresidImI	R8 D LAST MTH LIFE RESIDNCE	
re8dcensdiv	R8 D SP CENSUS DIVISION	

Flag Variables Set in RE Section	
fl8resnew	R8 F RE NEW RESIDENCE ROUTING FLAG
fl8facility	R8 F RE ROUTING FLAG FROM RE4f HT3 5 6 7
fl8retirecom	R8 F RE HT SP LIVES IN RETIREMT COM
fl 8 hotype	R8 F RE HT TYPE OF HOME