RE3   RE3   NOT ON FILE

DISPLAY INSTRUCTIONS:

If IS2A=7 (SP DECEASED), display "at the time {he/she} died" and "lived".

Otherwise, display "lives".

Display updated IMS Address 1, Address 2, City, State, Zip.

If DECEASED flag = 1 (YES) and FACILITY flag = 1 (YES), display preloaded LAST INT Facility name or from IMS if updated.

QUESTION TEXT:

Now I need to confirm {your/SP's} address {at the time {he/she} died}. According to our records, {you live}/{he/she} {lives/lived} at [READ ADDRESS BELOW]

CONFIRM SPELLING

{Facility Name}
{Address 1}
{Address 2}
{City}, {State} {Zip}

IF COMPLETE ADDRESS NOT DISPLAYED, ENTER 2.

[Is that correct?]

CODES

1	YES	RE4F
2	NO	
	REFUSED	
	DON'T KNOW	

BOX RE4   BOX RE4   NOT ON FILE

QUESTION TEXT:

If DECEASED flag = 1 (YES) and LAST INT Facility Name is not blank, go to RE4.

Otherwise, go to RE4a.

RE4   RE4   NOT ON FILE

DISPLAY INSTRUCTIONS:

Display preloaded SP address and facility name in the question text.

Display preloaded LAST INT facility name.

Display RE4a, 4b, 4c, 4d, and 4e on the same screen.

Display {Address 1}, {Address 2}, {City}, {State}, and {Zip} fields as lighter "grayed-out" text.

Display "facility name" as underlined text.

QUESTION TEXT:

> What was {SP}'s facility name at the time {he/she} died?
>
> CONFIRM SPELLING.
>
> IF NO FACILITY NAME, ENTER 95.
>
> {Facility Name}
> {Address 1}
> {Address 2}
> {City}, {State} {Zip}

ENTER TEXT

Length	50

RE4A

RE4A		NOT ON FILE

DISPLAY INSTRUCTIONS:

Display preloaded SP address in the question text.
Display preloaded address line 1 in the response field if available.
Display RE4a, 4b, 4c, 4d, and 4e on the same screen.
Display {Address 2}, {City}, {State}, and {Zip} fields as lighter "grayed-out" text.
Display "address" as underlined text.

Display preloaded SP address in the question text.

If DECEASED flag = 1 (YES), display "was" and "at the time {he/she} died".
Otherwise, display "is".

QUESTION TEXT:

> What {is/was} address {at the time {he/she} died?
>
> CONFIRM SPELLING.
>
> {Address 1}
> {Address 2}
> {City}, {State} {Zip}

ENTER TEXT

Length	25

RE4B

RE4B		NOT ON FILE

DISPLAY INSTRUCTIONS:

Display preloaded SP address in the question text
Display preloaded address line 2 in the response field if available
Display RE4a, 4b, 4c, 4d, and 4e on the same screen
Display {Address 1}, {City}, {State}, and {Zip} fields as lighter "grayed out" text.
Display "address" as underlined text

Display preloaded SP address in the question text.

If DECEASED flag = 1 (YES), display "was" and "at the time {he/she} died".
Otherwise, display "is".

QUESTION TEXT:

> [What {is/was} {your/SP's} address {at the time {he/she} died}?]

> CONFIRM SPELLING.
>
> IF NO APT/SUITE NUMBER, PRESS ENTER TO CONTINUE.
>
> {Address 1}
> {Address 2}
> {City}, {State} {Zip}

ENTER TEXT

Length   50

PROGRAMMER INSTRUCTIONS:
Allow empty

RE4C   re2spadrscty (Restricted)   R2 RE4C SP ADDRESS CITY

DISPLAY INSTRUCTIONS:
Display preloaded SP address in the question text
Display preloaded city in the response field if available.
Display RE4a, 4b, 4c, 4d, and 4e on the same screen.
Display {Address 1}, {Address 2}, {State}, and {Zip} fields as lighter "grayed out" text.
Display "city" as underlined text.

Display preloaded SP address in the question text.

If DECEASED flag = 1 (YES), display "was" and "at the time {he/she} died".
Otherwise, display "is".

QUESTION TEXT:
> [What {is/was} {your/SP's} city {at the time {he/she} died}?]
>
> CONFIRM SPELLING
>
> {Address 1}
> {Address 2}
> {City}, {State} {Zip}

ENTER TEXT

Length   25

RE4D   re2spadrsstt (Restricted)   R2 RE4C SP ADDRESS STATE

DISPLAY INSTRUCTIONS:
Display preloaded SP address in the question text
Display preloaded state in the response field if available.
Display RE4a, 4b, 4c, 4d, and 4e on the same screen.
Display {Address 1}, {Address 2}, {City}, and {Zip} fields as lighter "grayed out" text.
Display "state" as underlined text.

Display preloaded SP address in the question text.

If DECEASED flag = 1 (YES), display "was" and "at the time {he/she} died".
Otherwise, display "is".

QUESTION TEXT:
> [What {is/was} {your/SP's} state {at the time {he/she} died}?]
>
> TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND
> PRESS ENTER TO SELECT

> {Address 1}
> {Address 2}
> {City}, {State} {Zip}

ENTER TEXT

      Length   2

PROGRAMMER INSTRUCTIONS:

    Use lookup file of state names

RE4E   **re2spadrszip (Restricted)**   R2 RE4E SP ADDRESS ZIP CODE

DISPLAY INSTRUCTIONS:

    Display preloaded SP address in the question text
    Display preloaded zip code in the response field if available.
    Display RE4a, 4b, 4c, 4d, and 4e on the same screen.
    Display {Address 1}, {Address 2}, {City}, and {Zip} fields as lighter "grayed out" text.
    Display "zip code" as underlined text.

    Display preloaded SP address in the question text.

    If DECEASED flag = 1 (YES), display "was" and "at the time {he/she} died".
    Otherwise, display "is".

QUESTION TEXT:

> [What {is/was} {your/SP's} zip code {at the time {he/she} died}?]
>
> ENTER A 5-DIGIT ZIP CODE
>
> {Address 1}
> {Address 2}
> {City}, {State} {Zip}

ENTER TEXT

      Length   5

PROGRAMMER INSTRUCTIONS:

    5-digit entry required. If less than 5 digits entered, display ErrorMessage #11.

    Write updated Address 1, Address 2, City, State, and Zip fields to the IMS.

RE4F   **re2spadrsnew**   R2 RE4F SP ADDRESS SAME OR DIFF

                        re2dadrcorr   R2 D RE4F ADDRESS SAME DIFF CORRECTED

DISPLAY INSTRUCTIONS:

    If DECEASED FLAG = 1 (YES), display "DIED", "{Facility Name}, "was", "at the time {he/she} died", "{he/she} was",
    and (", FACILITY NAME" if FACILITY NAME <> 95).
    Otherwise, display "is", "now", and "LIVES".

    Display current and last address fields in 2 columns.

    For CURRENT ADDRESS, display updated Facility Name, Address 1, Address 2, City, State, and Zip fields from
    RE4a-e.

    For LAST ADDRESS, display preloaded LAST INT Facility Name, LAST INT Address 1, LAST INT Address 2, LAST INT City,
    LAST INT State, and LAST INT Zip fields.

QUESTION TEXT:

SPECIFY IF SP {LIVES/DIED} AT SAME RESIDENCE AS LAST INTERVIEW:

CURRENT ADDRESS: LAST ADDRESS:
{Facility Name}   {LAST INT Facility Name}
{Address 1}   {LAST INT Address 1}
{Address 2}   {LAST INT Address 2}
{City}, {State} {Zip}   {LAST INT City}, {LAST INT State} {LAST INT Zip}

IF NEEDED: Is the place {you are/SP {is/was}} living at {now/at the time {he/she} died} the same place that {you were/{he/she} was} living at the time of the last interview?

ENTER 2 IF DIFFERENT RESIDENCE, INCLUDING AN APT# OR UNIT #.

CODES

1	YES, SAME ADDRESS
2	NO, DIFFERENT ADDRESS
3	YES, SAME ADDRESS WITH MINOR CORRECTIONS

PROGRAMMER INSTRUCTIONS:

If RE4f = 2 (DIFFERENT ADDRESS), set NEW RESIDENCE flag = 1 (YES).

If [RE4f = 1 (SAME ADDRESS) or 3 (SAME ADDRESS WITH CORRECTIONS)], set HOTYPE flag = LAST INT HOTYPE flag.

If [RE4f = 1 (SAME ADDRESS) or 3 (SAME ADDRESS WITH CORRECTIONS)] and LAST INT FACILITY flag = 1 (YES), set FACILITY flag = 1 (YES).

If [RE4f = 1 (SAME ADDRESS) or 3 (SAME ADDRESS WITH CORRECTIONS)] and LAST INT RETIREMENT COMMUNITY flag = 1 (YES), set RETIREMENT COMMUNITY flag = 1 (YES).

BOX RE5

BOX RE5   NOT ON FILE

QUESTION TEXT:

If DECEASED flag = 1 (YES) and RE4f = 2 (DIFFERENT ADDRESS), go to BOX RE10.

Else if DECEASED flag = 1 (YES), go to RE12.

Otherwise, go to RE5.

BOX RE10

BOX RE10   NOT ON FILE

If NEW RESIDENCE flag = 1 (YES), go to RE10.

Else if DECEASED flag = 1 (YES), go to RE11.

Otherwise, go to Section HC – Health Conditions.

RE10

re2mthmove   R2 RE10 MONTH MOVED NEW ADDRESS

QUESTION TEXT:

In what month since {LAST INT MONTH AND YEAR}, did {SP} move to {Address 1}, {City}, {State} {Zip}?

CODES

1	JANUARY
2	FEBRUARY

3	MARCH	
4	APRIL	
5	MAY	
6	JUNE	
7	JULY	
8	AUGUST	
9	SEPTEMBER	
10	OCTOBER	
11	NOVEMBER	
12	DECEMBER	
	REFUSED	RE11
	DON'T KNOW	RE11

RE10B   re2yearmove   R2 RE10B YEAR MOVED NEW ADDRESS

QUESTION TEXT:

Was that {MONTH FROM RE10} 2011 or {MONTH FROM RE10}2012?

CODES

1	2011
2	2012

BOX RE11   BOX RE11   NOT ON FILE

If DECEASED flag = 1 (YES), go to RE11.

Otherwise, go to Section HC – Health Conditions.

RE11   re2placedec   R2 RE11 CARE AT PLACE SP DIED

QUESTION TEXT:

Was this the kind of place that provides care, such as an assisted living facility, board and care home, nursing home, or other long term care facility?

CODES

1	YES
2	NO
	REFUSED
	DON'T KNOW

PROGRAMMER INSTRUCTIONS:

If RE11 = 1 (YES), set FACILITY flag = 1 (YES).

RE12   re2alonedec   R2 RE12 LIVED ALONE AT DEATH

QUESTION TEXT:

At the time of {SP}'s death, was {he/she} living alone?

CODES

1	YES
2	NO

REFUSED
DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Go to Section PD – Place of Death.

Derived Variables From Items in RE Section	
re2dadrscorr	R2 D RE4F ADDRESS SAME DIFF CORRECTED
r2dresidlml	R2 D RESIDENTIAL CARE LAST MTH
re2dcensdiv	R2 D SP CENSUS DIVISION

Flag Variables Set in RE Section	
fl2resnew	R2 F RE NEW ADDRESS FROM PRIOR ROUND
fl2facility	R2 F RE ROUTING FLAG FROM RE4f HT3 5 6 7
fl2dfacility	R2 F D FACILITY ROUTING CORRECTIONS
fl2retirecom	R2 F RE HT SP LIVES IN RETIREMT COM
fl2hotype	R2 F RE HT TYPE OF HOME