| Section   | PD [PLACE OF DEATH]  |  | Sequence: 2. |
|---|--|--|--------------|
| BOX PD1   | BOX PD1  | NOT ON FILE  |              |
| If DECE/  | ASED flag=1 (YES) and preload month  | and year of death available (NOT NULL), go to PD1. |              |
| Otherw  | ise, go to PD2a.   |  |              |
| PD1   | PD1  | NOT ON FILE  |              |
| QUESTION TEXT   |  |  |              |
| We und  | lerstand that {SP} died in {MONTH AN   | ID YEAR DIED}. Is this correct?                    |              |
| CODES   |  |  |              |
| 1   | YES  | PD3  |              |
| 2   | NO<br>REFUSED  |  |              |
|   | DON'T KNOW   |  |              |
| PROGRAMMER  | R INSTRUCTIONS:  |  |              |
|   |  |  |              |
|   | (YES), write Month and Year of Death   | for SP to PERSON ROSTER.                           |              |
|   | YES), write Month and Year of Death (YES), write Month and Year of Death ( <b>Sensi</b> t  |  |              |
| If PD1=1 (<br><b>PD2A</b>   | pd5mthdied (Sensit   |  |              |
| If PD1=1 ( PD2A QUESTION TEXT   | pd5mthdied (Sensit   |  | _            |
| If PD1=1 ( PD2A QUESTION TEXT   | pd5mthdied (Sensit   |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what  | pd5mthdied (Sensit   |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER   | pd5mthdied (Sensit<br>F:<br>: month and year did {SP} die?   |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES  | pd5mthdied (Sensit<br>T:<br>: month and year did {SP} die?<br>MONTH  |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER   | pd5mthdied (Sensit<br>F:<br>: month and year did {SP} die?   |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2  | pd5mthdied (Sensit<br>F:<br>month and year did {SP} die?<br>MONTH<br>JANUARY   |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1   | pd5mthdied (Sensit<br>F:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY   |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3<br>4                                      | pd5mthdied (Sensit<br>F:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH  |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3   | pd5mthdied (Sensit<br>F:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH<br>APRIL   |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3<br>4<br>5                                 | pd5mthdied (Sensit<br>T:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH<br>APRIL<br>MAY  |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3<br>4<br>5<br>6                            | pd5mthdied (Sensit<br>T:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH<br>APRIL<br>MAY<br>JUNE  |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3<br>4<br>5<br>6<br>7                       | pd5mthdied (Sensit<br>F:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH<br>APRIL<br>MAY<br>JUNE<br>JULY<br>AUGUST<br>SEPTEMBER   |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3<br>4<br>5<br>6<br>7<br>8                  | pd5mthdied (Sensit<br>T:<br>T:<br>T:<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH<br>APRIL<br>MAY<br>JUNE<br>JUNE<br>JULY<br>AUGUST  |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3<br>4<br>5<br>6<br>7<br>8<br>9             | pd5mthdied (Sensit<br>F:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH<br>APRIL<br>MAY<br>JUNE<br>JULY<br>AUGUST<br>SEPTEMBER   |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3<br>4<br>5<br>6<br>7<br>8<br>9<br>10       | pd5mthdied (Sensit<br>F:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH<br>APRIL<br>MAY<br>JUNE<br>JULY<br>AUGUST<br>SEPTEMBER<br>OCTOBER                                    |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3<br>4<br>5<br>6<br>7<br>8<br>9<br>10<br>11 | pd5mthdied (Sensit<br>T:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH<br>APRIL<br>MAY<br>JUNE<br>JULY<br>AUGUST<br>SEPTEMBER<br>OCTOBER<br>NOVEMBER                        |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3<br>4<br>5<br>6<br>7<br>8<br>9<br>10<br>11 | pd5mthdied (Sensit<br>T:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH<br>APRIL<br>MAY<br>JUNE<br>JULY<br>AUGUST<br>SEPTEMBER<br>OCTOBER<br>NOVEMBER<br>DECEMBER            |  |              |
| If PD1=1 (<br>PD2A<br>QUESTION TEXT<br>In what<br>ENTER<br>CODES<br>1<br>2<br>3<br>4<br>5<br>6<br>7<br>8<br>9<br>10<br>11 | pd5mthdied (Sensit<br>r:<br>month and year did {SP} die?<br>MONTH<br>JANUARY<br>FEBRUARY<br>MARCH<br>APRIL<br>MAY<br>JUNE<br>JULY<br>AUGUST<br>SEPTEMBER<br>OCTOBER<br>NOVEMBER<br>DECEMBER<br>REFUSED | tive) R5 PD2A MONTH DIED                           |              |

# QUESTION TEXT:

[In what month and year did {SP} die?]

## CODES

REFUSED DON'T KNOW

#### **PROGRAMMER INSTRUCTIONS:**

Write Month and Year of Death for SP to PERSON ROSTER from PD2A-B.

Soft Range: CURRENT YEAR-1 to CURRENT YEAR

Hard Range: R1 INT YEAR to CURRENT YEAR

Combined month and year cannot be before date of last interview. If date is before date of last interview, display error message #15.

| PD3                    | pd5placedied  | R5 PD3 PLACE OF DEATH         |  |
|------------------------|---|-------------------------------|--|
| QUESTION TEXT          |   |                               |  |
| Where                  | did {SP's} death take place?                            |                               |  |
| CODES                  |   |                               |  |
| 1                      | AT SP'S OR SOMEONE ELSE'S HO                            | -                             |  |
| 2                      | IN A HOSPITAL   | PD3C                          |  |
| 3                      | IN A NURSING HOME                                       | PD3D                          |  |
| 4                      | IN A HOSPICE RESIDENCE                                  | PD3E                          |  |
| 5                      | IN TRANSIT (AMBULANCE TO HO<br>SOMEWHERE ELSE (SPECIFY) | OSPITAL) PD5                  |  |
| 91                     | REFUSED   | PD5B                          |  |
|                        | DON'T KNOW  | PD5B                          |  |
|                        |   | יינט ו                        |  |
| PD3A                   | PD3A  | NOT ON FILE                   |  |
| QUESTION TEXT          | T:  |                               |  |
|                        | Y PLACE OF DEATH  |                               |  |
| IF NEED                | DED: Where was that?                                    |                               |  |
| ENTER TEXT             |   |                               |  |
|                        | Length  | 50                            |  |
|                        | REFUSED   | 50                            |  |
|                        | DON'T KNOW  |                               |  |
| PROGRAMME              | R INSTRUCTIONS:   |                               |  |
| Go to PD               |   |                               |  |
| PD3B                   | pd5homedied   | R5 PD3B DIED SP HOME OR OTHER |  |
|                        |   |                               |  |
| QUESTION TEX<br>Was th | T:<br>at at {SP}'s home or someone else's home?         |                               |  |
| CODES                  |   |                               |  |
| 1                      | SP'S HOME   | PD5B                          |  |
| 2                      | SOMEONE ELSE'S HOME                                     | PD5B                          |  |
| 2                      | REFUSED   | PD5B                          |  |
|                        | DON'T KNOW  | -                             |  |
|                        | DON'T KNOW  | PD5B                          |  |

| PD3C                       | pd5hospdied                                 | R5 PD3C HOSPITAL UNIT DIED                             |
|----------------------------|---|--|
| QUESTION TEXT:             |   |  |
| Was that<br>the hosp       |   | it, inpatient hospice unit, or another kind of unit in |
| CODES                      |   |  |
| 1                          | INTENSIVE CARE UNIT                         | PD4  |
| 2                          | PALLIATIVE CARE UNIT                        | PD4  |
| 3                          | INPATIENT HOSPICE UNIT                      | PD4  |
| 4                          | EMERGENCY ROOM                              | PD4  |
| 5                          | ANOTHER KIND OF UNIT                        | PD4  |
|                            | REFUSED                                     | PD4  |
|                            | DON'T KNOW                                  | PD4  |
| PD3D                       | pd5hospice1                                 | R5 PD3D HOSPICE AT NURSING HOME                        |
| QUESTION TEXT:             |   |  |
| Was that                   | a hospice unit at a nursing home?           |  |
| CODES                      |   |  |
| 1                          | YES   | PD4  |
| 2                          | NO  | PD4  |
|                            | REFUSED                                     | PD4  |
|                            | DON'T KNOW                                  | PD4  |
| PD3E                       | pd5hospice2                                 | R5 PD3E HOSPICE OTHER PLACE                            |
|                            |   |  |
| QUESTION TEXT:<br>Was this | a hospice unit at a hospital or nursing hom | e, housing provided by hospice, or somewhere           |
| else?                      |   |  |
| CODES                      |   |  |
| 1                          | HOSPICE AT A HOSPITAL                       | PD4  |
| 2                          | HOSPICE AT A NURSING HOME                   | PD4  |
| 3                          | RESIDENTIAL HOSPICE                         | PD4  |
| 4                          | OTHER HOSPICE                               | PD4  |
|                            | REFUSED                                     | PD4  |
|                            | DON'T KNOW                                  | PD4  |
| PD4                        | pd5stayunit                                 | R5 PD4 LENGTH OF STAY UNIT                             |
| DISPLAY INSTRUC            | CTIONS:                                     |  |
| If PD3=2, d                | lisplay "at the hospital".                  |  |
| Else if PD3                | =3, display "at the nursing home".          |  |
| Else if PD3                | =4, display "at the hospice residence".     |  |
| Otherwise                  | , display "there".                          |  |
|                            |   |  |
| QUESTION TEXT:             |   |  |

before {he/she} died?

| INDICATE F  | RESPONSE UNIT                              |                               |
|---|--|-------------------------------|
| CODES   |  |                               |
|   | DAVG                                       |                               |
| 1   | DAYS                                       |                               |
| 2   | WEEKS                                      | PD4B                          |
| 3   | MONTHS                                     | PD4C                          |
| 4   | YEARS                                      | PD4D                          |
|   | REFUSED                                    | PD5                           |
|   | DON'T KNOW                                 | PD4E                          |
|   |  |                               |
| PD4A  | pd5staydays                                | R5 PD4A LENGTH OF STAY DAYS   |
| DISPLAY INSTRUCT<br>Display "DA"                  | T <b>ONS:</b><br>YS" in underlined text.   |                               |
| QUESTION TEXT:<br>ENTER NU                        | MBER OF DAYS OF SP'S STAY.                 |                               |
| ENTER NUMBER                                      |  |                               |
|   | Dange                                      |                               |
|   | Range                                      | 1 to 365                      |
| PROGRAMMER IN<br>Go to PD5.                       | STRUCTIONS:                                |                               |
| PD4B  | pd5staywks                                 | R5 PD4B LENGTH OF STAY WEEKS  |
| DISPLAY INSTRUCT<br>Display "WE<br>QUESTION TEXT: | T <b>IONS:</b><br>EKS" in underlined text. |                               |
|   | MBER OF WEEKS OF SP'S STAY.                |                               |
| ENTER NUMBER                                      |  |                               |
|   | Range                                      | 1 to 52                       |
| PROGRAMMER IN<br>Go to PD5.                       |  |                               |
| PD4C  | pd5staymths                                | R5 PD4C LENGTH OF STAY MONTHS |
| DISPLAY INSTRUCT<br>Display "MO                   | TONS:<br>ONTHS" in underlined text.        |                               |
| QUESTION TEXT:<br>ENTER NU                        | MBER OF MONTHS OF SP'S STAY.               |                               |
| ENTER NUMBER                                      |  |                               |
|   | Range                                      | 1 to 24                       |
|   |  |                               |
| PROGRAMMER IN<br>Go to PD5.                       |  |                               |

DISPLAY INSTRUCTIONS: Display "YEARS" in underlined text.

| ENTER NUMBEI   | 3   |  |
|--|---|--|
|  | Range   | 1 to 30  |
|  | Soft Range  | 1 to 5   |
|  | R INSTRUCTIONS:   |  |
| Go to PD   |   |  |
| PD4E   | pd5staymthpl  | R5 PD4E LENGTH OF STAY MTH PLUS  |
| QUESTION TEX   | Γ:  |  |
|  | longer than a month?  |  |
| CODES  |   |  |
| 1  | YES   |  |
| 2  | NO  |  |
| -  | REFUSED   |  |
|  | DON'T KNOW  |  |
| PD5  |   |  |
| DISPLAY INSTR  | pd5placepre<br>UCTIONS:   | R5 PD5 PLACE PRE HOSP HOSPICE NH   |
| DISPLAY INSTR  |   | R5 PD5 PLACE PRE HOSP HOSPICE NH   |
| DISPLAY INSTR<br>If PD3=2  | UCTIONS:  | R5 PD5 PLACE PRE HOSP HOSPICE NH   |
| DISPLAY INSTR<br>If PD3=2<br>Else if PD  | UCTIONS:<br>, display "the hospital".   | R5 PD5 PLACE PRE HOSP HOSPICE NH   |
| DISPLAY INSTR<br>If PD3=2<br>Else if PD<br>Else if PD  | <b>UCTIONS:</b><br>, display "the hospital".<br>93=3, display "the nursing home".   | R5 PD5 PLACE PRE HOSP HOSPICE NH   |
| DISPLAY INSTR<br>If PD3=2<br>Else if PD<br>Else if PD  | UCTIONS:<br>, display "the hospital".<br>03=3, display "the nursing home".<br>03=4, display "the hospice residence".<br>se, display "that".   | R5 PD5 PLACE PRE HOSP HOSPICE NH   |
| DISPLAY INSTR<br>If PD3=2<br>Else if PI<br>Else if PI<br>Otherwi<br>QUESTION TEX   | <b>UCTIONS:</b><br>, display "the hospital".<br>03=3, display "the nursing home".<br>03=4, display "the hospice residence".<br>se, display "that".  | R5 PD5 PLACE PRE HOSP HOSPICE NH   |
| DISPLAY INSTR<br>If PD3=2<br>Else if PI<br>Else if PI<br>Otherwi<br>QUESTION TEX   | <b>UCTIONS:</b><br>, display "the hospital".<br>03=3, display "the nursing home".<br>03=4, display "the hospice residence".<br>se, display "that".  |  |
| DISPLAY INSTR<br>If PD3=2<br>Else if PE<br>Else if PE<br>Otherwi<br>QUESTION TEX<br>And wi                                   | <b>UCTIONS:</b><br>, display "the hospital".<br>03=3, display "the nursing home".<br>03=4, display "the hospice residence".<br>se, display "that".  |  |
| DISPLAY INSTR<br>If PD3=2<br>Else if PD<br>Else if PD<br>Otherwi<br>QUESTION TEX<br>And wi                                   | UCTIONS:<br>, display "the hospital".<br>03=3, display "the nursing home".<br>03=4, display "the hospice residence".<br>se, display "that".<br>T:<br>here was {SP} staying just before {the hospital/   | the nursing home/the hospice residence/that}?  |
| DISPLAY INSTR<br>If PD3=2<br>Else if PD<br>Else if PD<br>Otherwi<br>QUESTION TEX<br>And wi<br>CODES                          | UCTIONS:<br>, display "the hospital".<br>D3=3, display "the nursing home".<br>D3=4, display "the hospice residence".<br>se, display "that".<br>T:<br>here was {SP} staying just before {the hospital/<br>AT SP'S HOME<br>IN A HOSPITAL<br>IN A NURSING HOME   | the nursing home/the hospice residence/that}?<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B  |
| DISPLAY INSTR<br>If PD3=2<br>Else if PD<br>Else if PD<br>Otherwi<br>QUESTION TEX<br>And wi<br>CODES<br>1<br>2<br>3<br>4      | UCTIONS:<br>, display "the hospital".<br>D3=3, display "the nursing home".<br>D3=4, display "the hospice residence".<br>se, display "that".<br>T:<br>here was {SP} staying just before {the hospital/<br>AT SP'S HOME<br>IN A HOSPITAL<br>IN A NURSING HOME<br>IN A HOSPICE RESIDENCE   | the nursing home/the hospice residence/that}?<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>PD6   |
| DISPLAY INSTR<br>If PD3=2<br>Else if PD<br>Else if PD<br>Otherwi<br>QUESTION TEX<br>And wi<br>CODES<br>1<br>2<br>3<br>4<br>5 | UCTIONS:<br>, display "the hospital".<br>D3=3, display "the nursing home".<br>D3=4, display "the hospice residence".<br>se, display "that".<br>T:<br>here was {SP} staying just before {the hospital/<br>AT SP'S HOME<br>IN A HOSPITAL<br>IN A NURSING HOME<br>IN A HOSPICE RESIDENCE<br>SOMEONE ELSES HOME   | the nursing home/the hospice residence/that}?<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>PD6<br>BOX PD5B   |
| DISPLAY INSTR<br>If PD3=2<br>Else if PD<br>Else if PD<br>Otherwi<br>QUESTION TEX<br>And wi<br>CODES<br>1<br>2<br>3<br>4      | UCTIONS:<br>, display "the hospital".<br>D3=3, display "the nursing home".<br>D3=4, display "the hospice residence".<br>se, display "that".<br>T:<br>here was {SP} staying just before {the hospital/<br>AT SP'S HOME<br>IN A HOSPITAL<br>IN A HOSPITAL<br>IN A HOSPICE RESIDENCE<br>SOMEONE ELSES HOME<br>SOMEWHERE ELSE (SPECIFY) (upcore                                 | the nursing home/the hospice residence/that}?<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>PD6<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B                         |
| DISPLAY INSTR<br>If PD3=2<br>Else if PD<br>Else if PD<br>Otherwi<br>QUESTION TEX<br>And wi<br>CODES<br>1<br>2<br>3<br>4<br>5 | UCTIONS:<br>, display "the hospital".<br>D3=3, display "the nursing home".<br>D3=4, display "the hospice residence".<br>se, display "that".<br>T:<br>here was {SP} staying just before {the hospital/<br>AT SP'S HOME<br>IN A HOSPITAL<br>IN A HOSPITAL<br>IN A NURSING HOME<br>IN A HOSPICE RESIDENCE<br>SOMEONE ELSES HOME<br>SOMEWHERE ELSE (SPECIFY) (UPCODE<br>REFUSED | the nursing home/the hospice residence/that}?<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>PD6<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B |
| DISPLAY INSTR<br>If PD3=2<br>Else if PD<br>Else if PD<br>Otherwi<br>QUESTION TEX<br>And wi<br>CODES<br>1<br>2<br>3<br>4<br>5 | UCTIONS:<br>, display "the hospital".<br>D3=3, display "the nursing home".<br>D3=4, display "the hospice residence".<br>se, display "that".<br>T:<br>here was {SP} staying just before {the hospital/<br>AT SP'S HOME<br>IN A HOSPITAL<br>IN A HOSPITAL<br>IN A HOSPICE RESIDENCE<br>SOMEONE ELSES HOME<br>SOMEWHERE ELSE (SPECIFY) (upcore                                 | the nursing home/the hospice residence/that}?<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>PD6<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B<br>BOX PD5B                         |

SPECIFY PLACE SP STAYED BEFORE HOSPITAL/NURSING HOME/HOSPICE

# ENTER TEXT

Length REFUSED DON'T KNOW 50

| BOX PD5B BOX PD5B NOT ON FILE   |   |
|---|---|
|   |   |
| If PD3 =4 (hospice residence) or PD3C = 3 (inpatient hospice unit) or PD3D =1 (YES, hospice unit at a nursing home, go to PD6.  |   |
| Otherwise, go to PD5B.  |   |
|   |   |
| PD5Bpd5hospcelmlR5 PD5B HOSPICE CARE IN LAST MTH  |   |
| QUESTION TEXT:<br>During the last month of {SP's} life, did {he/she} receive hospice care?  |   |
| IF NEEDED: Hospice care is designed to make people comfortable at the end of life. It can be provided at home, a hospital, nursing home, or other setting.  |   |
| CODES<br>1 YES<br>2 NO<br>REFUSED<br>DON'T KNOW   |   |
| PD6 pd5alert R5 PD6 ALERT IN LAST MONTH   |   |
| QUESTION TEXT:<br>For how much of the last month of {SP}'s life was {he/she} alert, that is, awake and able to communicate<br>Would you say every day, most days, some days, rarely, or not at all? | 2 |
| CODES   |   |
| 1     EVERY DAY       2     MOST DAYS       3     SOME DAYS   |   |
| 4 RARELY<br>5 NOT AT ALL Section LM<br>REFUSED<br>DON'T KNOW  |   |
| PROGRAMMER INSTRUCTIONS:<br>If PD6=5 (NOT AT ALL), SET NOTALERT FLAG=1.   |   |

PD7

pd5outbed

R5 PD7 GET OUT OF BED IN LST MTH

# QUESTION TEXT:

For how much of the last month of {SP}'s life was {he/she} able to get out of bed? Would you say every day, most days, some days, rarely, or not at all?

## CODES

| 1 | EVERY DAY  |
|---|------------|
| 2 | MOST DAYS  |
| 3 | SOME DAYS  |
| 4 | RARELY     |
| 5 | NOT AT ALL |
|   | REFUSED    |
|   | DON'T KNOW |

## **PROGRAMMER INSTRUCTIONS:**

If PD7=5 (NOT AT ALL), SET NOTMOBILE FLAG=1.

Go to Section LM – Last Month.

| Flag Variables Set in PD Section |                          |
|----------------------------------|--------------------------|
| fl5spdied                        | R5 F SP DIED PRIOR TO R5 |
| fl5notalert                      | R5 F LML NOT ALERT       |
| fl5notmobile                     | R5 F LML NOT MOBILE      |