NHATS Round 3

HH1PRE	HH1PRE	NOT ON FILE	
QUESTION TEXT: Now let'	: 's talk about {your/SP's} family.		
	AND ENTER TO CONTINUE		
BOX HH1A	BOX HH1A	NOT ON FILE	
DOX IIIIX			
	NT SP MARITAL STATUS = null, go se, go to HH1A.	to HH1.	
HH1A	hh3marchange	R3 HH1A MARITAL STATUS CHANGE	
DISPLAY INSTRU	CTIONS:		
If LAST INT MARITAL STATUS = 1 (MARRIED), display "married". If LAST INT MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "living with a partner". If LAST INT MARITAL STATUS = 3 (SEPARATED), display "separated". If LAST INT MARITAL STATUS = 4 (DIVORCED), display "divorced". If LAST INT MARITAL STATUS = 5 (WIDOWED), display "widowed". If LAST INT MARITAL STATUS = 6 (NEVER MARRIED), display "never married".			
QUESTION TEXT:			
a partner That is, d	r/separated/divorced/widowed/ne	NT MONTH AND YEAR}, {you were/SP was} {married/living with ever married}. Has that changed? ed, divorced, remarried, widowed, or start living with a	
a partner That is, d	r/separated/divorced/widowed/ne	ever married}. Has that changed?	
a partner That is, c (differen	r/separated/divorced/widowed/ne	ever married}. Has that changed?	
a partner That is, c (differen 2 1	er/separated/divorced/widowed/ne did {you/SP} get married, separate nt) partner? YES NO REFUSTED	ever married}. Has that changed?	
a partner That is, c (differen 2 BOX HH1 If LAST II MARITAN	er/separated/divorced/widowed/ne did {you/SP} get married, separate nt) partner? YES NO REFUSTED DON'T KNOW BOX HH1	ever married}. Has that changed? ed, divorced, remarried, widowed, or start living with a HH1 NOT ON FILE RIED) OR 2 (LIVING WITH PARTNER), set CURRENT INT SP	
a partner That is, c (differen 2 BOX HH1 If LAST II MARITAN	er/separated/divorced/widowed/ne did {you/SP} get married, separate nt) partner? YES NO REFUSTED DON'T KNOW BOX HH1 NT SP MARITAL STATUS = 1 (MAR L STATUS = LAST INT SP MARITAL	ever married}. Has that changed? ed, divorced, remarried, widowed, or start living with a HH1 NOT ON FILE RIED) OR 2 (LIVING WITH PARTNER), set CURRENT INT SP	
a partner That is, c (differen 2 BOX HH1 If LAST II MARITAI Otherwis	er/separated/divorced/widowed/ne did {you/SP} get married, separate nt) partner? YES NO REFUSTED DON'T KNOW BOX HH1 NT SP MARITAL STATUS = 1 (MAR L STATUS = LAST INT SP MARITAL se, go to BOX HH13.	ever married}. Has that changed? ed, divorced, remarried, widowed, or start living with a HH1 NOT ON FILE RIED) OR 2 (LIVING WITH PARTNER), set CURRENT INT SP .STATUS and go to BOX HH4A1.	
a partner That is, c (differen 2 BOX HH1 BOX HH1 If LAST II MARITAI Otherwis HH1	er/separated/divorced/widowed/ne did {you/SP} get married, separate nt) partner? YES NO REFUSTED DON'T KNOW BOX HH1 NT SP MARITAL STATUS = 1 (MAR L STATUS = LAST INT SP MARITAL se, go to BOX HH13. hh3martlstat hh3dmarstat	ever married}. Has that changed? ed, divorced, remarried, widowed, or start living with a HH1 NOT ON FILE RIED) OR 2 (LIVING WITH PARTNER), set CURRENT INT SP .STATUS and go to BOX HH4A1. R3 HH1 MARITAL STATUS IF CHANGED	
a partner That is, c (differen 2 BOX HH1 BOX HH1 If LAST II MARITAI Otherwis HH1	er/separated/divorced/widowed/ne did {you/SP} get married, separate nt) partner? YES NO REFUSTED DON'T KNOW BOX HH1 NT SP MARITAL STATUS = 1 (MAR L STATUS = LAST INT SP MARITAL se, go to BOX HH13. hh3martIstat hh3dmarstat	ever married}. Has that changed? ed, divorced, remarried, widowed, or start living with a HH1 NOT ON FILE RIED) OR 2 (LIVING WITH PARTNER), set CURRENT INT SP .STATUS and go to BOX HH4A1. R3 HH1 MARITAL STATUS IF CHANGED	

CODES

1	MARRIED	HH4A2
2	LIVING WITH A PARTNER	HH4A2
3	SEPARATED	BOX HH13
4	DIVORCED	
5	WIDOWED	
6	NEVER MARRIED	BOX HH13
	REFUSED	BOX HH13
	DON'T KNOW	BOX HH13

PROGRAMMER INSTRUCTIONS:

Write Marital Status for SP to PERSON ROSTER.

If HH1 = 5 (WIDOWED), set DECEASED flag = 1 (YES) for ROSTER MEMBER that had LAST INT relationship code = 2 (SPOUSE/PARTNER).

HH₂A

hh3mthendmar (Sensitive) R3 HH2A MTH MARR END OR SPS PASS

DISPLAY INSTRUCTIONS:

If HH1=4 (DIVORCED), display "{your/SP's} (most recent) marriage end". If HH1=5 (WIDOWED), display, "{your/SP's} spouse or partner pass away".

Display "MONTH" in underlined text.

QUESTION TEXT:

In what month and year did {{your/SP's} (most recent) marriage end/{your/SP's} spouse or partner pass away}?

CODES

1	JANUARY		
2	FEBRUARY		
3	MARCH		
4	APRIL		
5	MAY		
6	JUNE		
7	JULY		
8	AUGUST		
9	SEPTEMBER		
10	OCTOBER		
11	NOVEMBER		
12	DECEMBER		
	REFUSED	BOX HH4A1	
	DON'T KNOW	BOX HH4A1	

HH2B

hh3yrendmarr

R3 HH2B YR MARR END OR SPS PASS

DISPLAY INSTRUCTIONS:

If HH1=4 (DIVORCED), display "{your/SP's} (most recent) marriage ended". If HH1=5 (WIDOWED), display, "{your/SP's} spouse passed away".

QUESTION TEXT:

In what month and year did {{your/SP's} (most recent) marriage end/{your/SP's} spouse or partner pass away}?

ENTER 4-DIGIT YEAR

ENTER NUMBER

REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Soft Range: CURRENT YEAR-1 to CURRENT YEAR Hard Range: R1 INT YEAR to CURRENT YEAR

Combined month and year cannot be before date of last interview. If date is before date of last interview, display error message #5.

BOX	HH4A1	BOX HH4A1	NOT ON FILE	
	If HH1 = 4 (DIVORCED) or 5 (WIDOWED), go to Box HH13. Else if PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), set SPOUSE/PARTNER flag=1 FOR PERSON, and go to BOX HH6a. Else if HH1A = 2 (MARITAL STATUS NOT CHANGED), go to HH4A1. Otherwise, go to HH4a.			
HH4/	A1	hh3newspoprt	R3 HH4A1 SPOUSE PRTNR SAME OR DIFF	
		op3spouprtnr	R3 SPOUSE PARTNER	
		op3nwspouprt	R3 NEW SPOUSE PARTNER THIS ROUND	
DISPLA	Y INSTRUCTIONS:			

If SP MARITAL STATUS = 1 (MARRIED), display "spouse". If SP MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "partner".

QUESTION TEXT:

Now I'd like to confirm {your/SP's} {spouse/partner}'s name. I have it as {SPOUSE/PARTNER FIRST NAME MIDDLE NAME LAST NAME}. Is that correct?

CONFIRM SPELLING

CODES

1	YES
2	NO, DIFFERENT PERSON
3	NO, NAME MISSPELLED

PROGRAMMER INSTRUCTIONS:

If HH4A1 = 2 (DIFFERENT SPOUSE) and LAST INT SP MARITAL STATUS = 1 (MARRIED) or 3 (SEPARATED), set ROSTER MEMBER with LAST INT relationship code = 2 (SPOUSE/PARTNER) to CURRENT INT relationship code = 33 (EX-WIFE/HUSBAND), and set ROSTER MEMBER'S RELATIONSHIP CHANGE flag = 1 (YES).

Else if HH4A1 = 2 (DIFFERENT PERSON) and LAST INT MARITAL STATUS = 2 (LIVING WITH PARTNER), set ROSTER MEMBER'S CURRENT INT relationship code = 36 (FRIEND), and set ROSTER MEMBER'S RELATIONSHIP CHANGE flag = 1 (YES).

HH10

HH4A2

HH4A2

NOT ON FILE

DISPLAY INSTRUCTIONS:

If SP MARITAL STATUS = 1 (MARRIED), display "spouse". If SP MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "partner".

Display PERSON ROSTER with FIRST NAME, LAST NAME, and RELATIONSHIP TO SP.

Display "NOT ON LIST" as first roster option.

QUESTION TEXT:

What is {your/SP's} {spouse/partner}'s name?

CHOOSE PERSON FROM LIST

PROGRAMMER INSTRUCTIONS:

If proxy relationship <> 2 (spouse/partner) and if selected ROSTER MEMBER has PROXY RESP CURRENT INT FLAG = 1, display error message, "You have chosen the proxy. The proxy relationship is not spouse. Please change the proxy relationship or correct the spouse selection."

If existing ROSTER MEMBER selected, set SPOUSE/PARTNER flag = 1 (YES) and RELATIONSHIP = 2 (SPOUSE/PARTNER) for ROSTER MEMBER, set ROSTER MEMBER'S RELATIONSHIP CHANGE flag = 1 (YES), and go to BOX HH5.

Otherwise, go to HH4A.

HH4A	HH4A	NOT ON FILE
------	------	-------------

DISPLAY INSTRUCTIONS:

If SP MARITAL STATUS = 1 (MARRIED), display "spouse". If SP MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "partner".

If HH4A1 = 3 (SPOUSE NAME CORRECTION), display preloaded SPOUSE/PARTNER name in the response fields, "the correct spelling of", and display SPOUSE/PARTNER name in response field and allow edits.

Display "FIRST" in bold underlined text.

QUESTION TEXT:

[What is {the correct spelling of} {your/SP's} {spouse/partner}'s name?]

ENTER FIRST NAME. CONFIRM SPELLING

ENTER TEXT

Length

25

PROGRAMMER INSTRUCTIONS:

HH4a, HH4b, and HH4c are displayed on the same screen.

If HH4a=2 (DIFFERENT PERSON), write ROSTER PERSON to next open position on PERSON ROSTER.

HH4B	HH4B	NOT ON FILE	
------	------	-------------	--

DISPLAY INSTRUCTIONS:

If SP MARITAL STATUS = 1 (MARRIED), display "spouse". If SP MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "partner".

If HH4A1 = 3 (SPOUSE NAME CORRECTION), display preloaded SPOUSE/PARTNER name in the response fields, "the correct spelling of", and display SPOUSE/PARTNER name in response field and allow edits.

Display "MIDDLE" in bold underlined text.

QUESTION TEXT:

[What is {the correct spelling of} {your/SP's} {spouse/partner}'s name?]

ENTER MIDDLE NAME. CONFIRM SPELLING

PRESS ENTER IF NO MIDDLE NAME OR INITIAL

ENTER TEXT

Length

25

PROGRAMMER INSTRUCTIONS:

HH4a, HH4b, and HH4c are displayed on the same screen.

Allow empty.

HH4C HH4C NOT ON FILE

DISPLAY INSTRUCTIONS:

If SP MARITAL STATUS = 1 (MARRIED), display "spouse". If SP MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "partner". If HH4A1 = 3 (SPOUSE NAME CORRECTION), display preloaded SPOUSE/PARTNER name in the response fields, "the correct spelling of", and display SPOUSE/PARTNER name in response field and allow edits. Display "LAST" in bold underlined text.

QUESTION TEXT:

[What is {the correct spelling of} {your/SP's} {spouse/partner}'s name?]

ENTER LAST NAME. CONFIRM SPELLING

ENTER TEXT

Length

PROGRAMMER INSTRUCTIONS:

HH4a, HH4b, and HH4c are displayed on the same screen. Write (new or updated) SPOUSE/PARTNER name from HH4 to PERSON ROSTER. Set SPOUSE/PARTNER flag = 1 (YES) for person entered at HH4. Set RELATIONSHIP = 2 (SPOUSE/PARTNER).

25

BOX HH5	BOX HH5	NOT ON FILE	
If ROSTER MEME Otherwise, go to	BER gender = null, go to HH5. HH6a.		
HH5	hh3spgender op3dgender	R3 HH5 NEW R2 SPOU PART GENDER R3 D GENDER UPDATE AND NEW	
DISPLAY INSTRUCTIONS:			
If HH1=1 (MARRIED), display "spouse". If HH1=2 (LIVING WITH A PARTNER), display "partner".			
QUESTION TEXT:			
ASK IF NECESSARY: Is {your/SP's} {spouse/partner} male or female?			
CODES			

1	MALE
2	FEMALE

PROGRAMMER INSTRUCTIONS:

Write SPOUSE/PARTNER gender from HH5 to PERSON ROSTER.

ВОХ НН6А	вох нн6а	NOT ON FILE		
If ROSTER MEME Otherwise, go to	BER or Age = null, go to HH6A. HH9.			
НН6А	hh3modob (Sensitive) op3birthmth (Sensitive)	R3 HH6A NEW R3 SPOU PART MO DOB R3 OTHER PERSON MONTH OF BIRTH		
If PROXY flag=1 (Y Otherwise, display Display HH6a, HH6	DISPLAY INSTRUCTIONS: If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "your". Otherwise, display "{SPOUSE/PARTNER FIRST NAME LAST NAME}'s". Display HH6a, HH6b, and HH6c on the same screen.			
Display "month" a QUESTION TEXT:	OUSE/PARTNER FIRST NAME LAST N	IAME ^y s} date of hirth?		
ENTER MONTH				
ENTER NUMBER Range 1 to 12 REFUSED DON'T KNOW PROGRAMMER INSTRUCTIONS: Hard range 1-12				
НН6В	НН6В	NOT ON FILE		
DISPLAY INSTRUCTIONS: If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "your". Otherwise, display "{SPOUSE/PARTNER FIRST NAME LAST NAME}'s". Display HH6a, 6b, and 6c, on the same screen. Display "day" as underlined text.				
QUESTION TEXT: [What is {your/{SPOUSE/PARTNER FIRST NAME LAST NAME}'s} date of birth?] ENTER DAY				
RE	ENTER NUMBER Range 1 to 31 REFUSED DON'T KNOW			
PROGRAMMER INSTRUCTIONS: Hard range 1-31				

HH6C

hh3yrdob (Sensitive)

R3 HH6C NEW R3 SPOU PART YR DOB

op3birthyear (Sensitive)

R3 OTHER PERSON YEAR OF BIRTH

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "your". Otherwise, display "{SPOUSE/PARTNER FIRST NAME LAST NAME}'s".

Display HH6a, 6b, and 6c, on the same screen.

Display "year" as underlined text.

QUESTION TEXT:

[What is {your/{SPOUSE/PARTNER FIRST NAME LAST NAME}'s} date of birth?]

ENTER YEAR

ENTER NUMBER

REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Hard range: CURRENT YEAR – 110.

If HH6a ≥ 1 and HH6b ≥ 1 and HH6c ≥ 1, compute PERSON AGE as (CURRENT DATE - HH6a-c DOB) and prefill HH7. Otherwise, go to HH8.

HH7	hh 3 dspousage (Sensitive)	R3 D NEW R3 SPOU PART AGE
	hh3dspouage	R3 D NEW R3 SPOU PART CAT AGE
	hh3dspageall	R3 D SPOU PAR AGE UPDATE AND NEW
	op 3 age (Sensitive)	R3 OTH PERSON AGE UPDATE AND NEW
	op3dage	R3 D OP CAT AGE UPDATE AND NEW

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "you". Otherwise, display "{FIRSTNAME LASTNAME}".

QUESTION TEXT:

That makes {you/{FIRSTNAME LASTNAME}}{CALCULATED AGE} today. Is that correct?

CODES

1	YES
2	NO
	REFUSED
	DON'T KNOW

PROGRAMMER INSTRUCTIONS:

If HH7 = 1 (YES), DK, or RF, write PERSON AGE to PERSON ROSTER.

HH8

R3 D NEW R3 SPOU PART AGE hh3dspousage (Sensitive)

HH9 HH6A HH9 HH9

hh3dspouage

R3 D NEW R3 SPOU PART CAT AGE

hh3dspageall

R3 D SPOU PAR AGE UPDATE AND NEW

op**3**age (Sensitive)

op**3**dage

R3 OTH PERSON AGE UPDATE AND NEW

R3 D OP CAT AGE UPDATE AND NEW

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "are you". Otherwise, display "is {FIRSTNAME LASTNAME}".

QUESTION TEXT:

How old {are you/is {FIRSTNAME LASTNAME}}?

ENTER AGE

ENTER NUMBER

Range	18 to 110
Soft Range	55 to 99
REFUSED	
DON'T KNOW	

PROGRAMMER INSTRUCTIONS:

Hard range: 18-110. Soft range: 55-99. Write SPOUSE/PROXY age to PERSON ROSTER. If HH8 = DK or RF, display "DK" or "RF" in matrix age field.

BOX HH9 BOX HH9 NOT ON FILE

If ROSTER MEMBER Education Level = null, go to HH9. Otherwise, go to HH10.

HH9

hh3spouseduc op3eduspo

op3leveledu

R3 HH9 NEW R3 SPOU HIGH EDUC R3 HH9 SPOU PART EDUC WHEN ADDED R3 OP HIGHEST ED WHEN ADDED

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "you". Otherwise, display "SPOUSE/PARTNER FIRST NAME LAST NAME".

QUESTION TEXT:

SHOWCARD HH1

What is the highest degree or level of school {you/{SPOUSE/PARTNER FIRST NAME LAST NAME}} completed?

CODES

1	NO SCHOOLING COMPLETED
---	------------------------

- 2 1ST-8TH GRADE
- 3 9TH-12TH GRADE (NO DIPLOMA)
- 4 HIGH SCHOOL GRADUATE (HIGH SCHOOL DIPLOMA OR EQUIVALENT)
- 5 VOCATIONAL, TECHNICAL, BUSINESS, OR TRADE SCHOOL CERTIFICATE OR
- DIPLOMA (BEYOND HIGH SCHOOL LEVEL)
- 6 SOME COLLEGE BUT NO DEGREE
- 7 ASSOCIATE'S DEGREE

8 BACHELOR'S DEGREE
 9 MASTER'S, PROFESSIONAL, OR DOCTORAL DEGREE
 REFUSED
 DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Write education level to PERSON ROSTER. If HH9 = DK or RF, display "DK" or "RF" in matrix education field.

HH10 hh3spoupchlp

R3 HH10 SPOUS NEED PERS CARE HLP

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "do you". Otherwise, display "does {SPOUSE/PARTNER FIRST NAME LAST NAME}".

QUESTION TEXT:

Because of a physical, mental, or emotional condition, {do you/does {SPOUSE/PARTNER FIRST NAME LAST NAME}} need the help of another person with personal care needs, such as eating, bathing, dressing, or getting around inside the home?

CODES

1	YES		
2	NO		
	REFUSED		
	DON'T KNOW		

HH11	hh3livwthspo	R3 HH11 LIVE WITH SPOUSE PARTNER
	op3prsinhh	R3 OP IN HOUSEHOLD UPDATE AND NEW

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "you live" and "{SP}". Else if PROXY flag=1 (YES), display "{SPOUSE/PARTNER FIRST NAME LAST NAME LAST NAME} lives" and "{SP}". Otherwise, display "{SPOUSE/PARTNER FIRST NAME lives" and "you".

QUESTION TEXT:

Just to confirm, {you live/{SPOUSE/PARTNER FIRST NAME LAST NAME} lives} with {{SP}/you}, is that correct?

CODES

1	YES	BOX HH13
2	NO	
	REFUSED	BOX HH13
	DON'T KNOW	BOX HH13

PROGRAMMER INSTRUCTIONS:

If HH11 = 1 (YES), set INHOUSEHOLD flag = 1 (YES) for SPOUSE/PARTNER.

HH12	hh3placekind	R3 HH12 KIND OF PLACE LIVE IN
------	--------------	-------------------------------

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "are you". Otherwise, display "{SPOUSE/PARTNER FIRSTNAME LASTNAME} is".

QUESTION TEXT:

SHOWCARD HH2

What kind of place {are you/is {SPOUSE/PARTNER FIRSTNAME LASTNAME}} living in now?

PRESS F1 FOR HELP SCREEN

CODES

1	PRIVATE RESIDENCE	BOX HH13	
2	A GROUP HOME, BOARD AND CARE, OR	BOX HH13	
	SUPERVISED HOUSING		
3	ASSISTED LIVING FACILITY OR CONTINUING	BOX HH13	
	CARE RETIREMENT COMMUNITY (CCRC)		
5	NURSING HOME	BOX HH13	
91	OTHER (SPECIFY)		
	REFUSED	BOX HH13	
	DON'T KNOW	BOX HH13	
		-	

HH12	2A	HH12A	NOT ON FILE	
QUEST	ION TEXT: SPECIFY OTHER TYPE	OF PLACE		
ENTE	R TEXT Lengt	n	50	
BOX	HH13	BOX HH13	NOT ON FILE	
	If FACILITY flag = 1 (Y Otherwise, go to BO			
BOX HH13D BOX HH13A NOT ON FILE				
If any ROSTER MEMBERS have LAST INT INHOUSEHOLD flag = 1 (YES) other than the SP or [ROSTER member with CURRENT INT relationship code = 2 (SPOUSE/PARTNER) and CURRENT INT INHOUSEHOLD flag=1 (yes) and DECEASED flag NE 1 (YES)], or [ROSTER MEMBER with CURRENT INT PROXY RESPONDENT flag = 1 (YES) and CURRENT INT HOUSEHOLD FLAG=1 (YES)], go to HH13D.				

Otherwise, go to HH14.

HH13D

op3prsinhh op3childinhh R3 OP IN HOUSEHOLD UPDATE AND NEW R3 CHILD IN HOUSEHOLD UPDATE AND NEW

DISPLAY INSTRUCTIONS:

Display HHMEMBER ROSTER as a grid. Display SP, SPOUSE/PARTNER if INHOUSEHOLD flag = 1 (YES), and PROXY if INHOUSEHOLD flag = 1 (YES) on the HHMEMBER GRID.

If ROSTER MEMBER age = response, display "{, approximately age {age}}.

Display questions HH13D-HH13E on full matrix screen.

QUESTION TEXT:

Now I have a few questions about {your/SP's} household. At the time of the last interview, we recorded that the following people lived with {you/SP}. As I read each person's name, please tell me if he or she still lives in the household. Please include people temporarily absent.

Does {FIRSTNAME LASTNAME} ({relationship to SP}{, gender}{, approximately age {age}}) still live in the household?

CODES

1	YES
2	NO
	REFUSED
	DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Display grid with SP preloaded, and any ROSTER MEMBERS with a LAST INT INHOUSEHOLD or CURRENT INT IN HOUSEHOLD flag = 1 (YES) preloaded. SP, Spouse, and Proxy roster entries should include revised info from current round if updated.

Display grid with fields: Still in HH, Reason Left, First Name, and Last Name. First Name, Last Name, and Still in HH and Reason Left fields can be edited. SP, Spouse, and Proxy rows should also be write-protected.

When entering a new field, start cursor after last entry value or text.

If PROXY flag = 1 (YES) and HH13A = 2 (NO), go to HH13E for CURRENT INT PROXY ROSTER MEMBER. Otherwise, start cursor at the "Still in HH" column for the first ROSTER MEMBER listed who is not the SP, Spouse, or Proxy.

Allow up to 25 row entries. Allow movement between grid items using the arrow keys. Text field is 25 char for each name field.

If HH13D = 2 (NO), RF or DK, set INHOUSEHOLD flag = 2 (NO), and go to HH13E. Else if HH13D = 1 (YES), set INHOUSEHOLD flag = 1 (YES), and go to HH13F.

HH13E

op3reasgone

R3 HH13E REASON GONE FROM HH

DISPLAY INSTRUCTIONS:

If PROXY flag = 1 (YES), display "are you". Otherwise, display "is {FIRSTNAME LASTNAME}".

QUESTION TEXT:

Why {are you/is {FIRSTNAME LASTNAME}} no longer living in the household?

CODES

2 DECEASED

3 MOVED ELSEWHERE

5 LAST INTERVIEW INFORMATION INCORRECT

- 8 OTHER REASON
 - REFUSED
 - DON'TKNOW

PROGRAMMER INSTRUCTIONS:

Go to HH13D for next ROSTER MEMBER.

If HH13E=2 (DECEASED), set DECEASED flag =1 (YES) for ROSTER MEMBER. If no other ROSTER MEMBERS, go to HH14.

HH13F HH₁₃F

DISPLAY INSTRUCTIONS:

Display "FIRST" in bold underlined text.

QUESTION TEXT:

CONFIRM SPELLING OF FIRST NAME.

HH13G NOT ON FILE HH13G

op3prsninhh

DISPLAY INSTRUCTIONS:

Display "LAST" in bold underlined text.

QUESTION TEXT:

CONFIRM SPELLING OF LAST NAME.

PROGRAMMER INSTRUCTIONS:

If HH13D = 1 (YES) or 2 (NO), display ROSTER MEMBER in HHMEMBER matrix with grayed out fields upon advancing to next roster entry.

NOT ON FILE

Go to HH13D for next ROSTER MEMBER.

If no other ROSTER MEMBERS, go to HH14.

HH₁₄

R3 OP IN HOUSEHOLD UPDATE AND NEW

DISPLAY INSTRUCTIONS:

Display HHMEMBER ROSTER as a grid. Display any ROSTER MEMBERS with CURRENT INT INHOUSEHOLD flag=1 (YES)on the HHMEMBER GRID.

If PROXY flag = 2 (NO) or [PROXY flag = 1 (YES) and PROXY RELATIONSHIP = 2 (SPOUSE/PARTNER) and INHOUSEHOLD flag for SPOUSE/PARTNER= 1 (YES)], display "you".

Else if PROXY flag=1 (YES) and INHOUSEHOLD flag for PROXY=1 (YES) and PROXY RELATIONSHIP ≠ 2 (SPOUSE/PARTNER), display "you and SP".

Otherwise, display "{SP}".

Only display ROSTER MEMBERS with CURRENT INT INHOUSEHOLD flag <> 1 (not in HH) as entries that can be selected to add to the HH Roster. Display ROSTER MEMBERS with CURRENT INT HOUSEHOLD flag=1 (YES) as follows: "[{ROSTER MEMBER FIRST AND LAST NAME}, HERE]" and grayed out. For any ROSTER MEMBERS added to HH Roster at this screen, display as "[{ROSTER MEMBER FIRST AND LAST NAME}, HERE]" and grayed out.

Display questions HH14-HH19 on full matrix screen.

If at HH14-HH14B, do not display question test in brackets during first entry to person roster. Otherwise, display question text in brackets.

If at first entry to person roster, display "first". Otherwise, display "next".

If any ROSTER MEMBERS with INHOUSEHOLD flag = 1 (YES), display "Other than the people I just asked about," and "please". Otherwise display "Please".

QUESTION TEXT:

{[}{Other than the people I just asked about,} {please/Please} tell me the name of the {first/next} person who lives with {you/SP/you and SP}. Please include people temporarily absent.{]}

SELECT TO ADD TO HOUSEHOLD ROSTER, ONE AT A TIME

IF PERSON NAMED IS NOT ON THE ROSTER, SELECT "NOT ON LIST" TO ADD A PERSON

PRESS ENTER IF MATRIX IS COMPLETE

HH14A

HH14A

NOT ON FILE

DISPLAY INSTRUCTIONS:

Display "first" in underlined text.

If at HH14a-b, do not display question text in brackets during first entry to person roster. Otherwise, display question text in brackets.

QUESTION TEXT:

{[}What is (his/her) first name?{]}

CONFIRM SPELLING

ENTER TEXT

Length

25

PROGRAMMER INSTRUCTIONS:

Display grid with fields: First Name, Last Name, Gender, Relationship, and Age.

Display grid with SP preloaded, and any ROSTER MEMBERS with a CURRENT INT INHOUSEHOLD flag= 1 (YES) preloaded with updated info from CURENT INT.

All rows for ROSTER MEMBERS confirmed at HH13 should be write-protected (grayed out).

For each HHMEMBER ROSTER addition, set INHOUSEHOLD flag= 1 (YES).

Allow up to 25 row entries.

Allow movement between grid items using the arrow keys.

When exiting matrix, if any blank fields, return cursor to the blank field and display appropriate error message.

Text field is 25 char for each name field.

Go to HH20 when matrix is complete.

HH14B

HH14B

NOT ON FILE

DISPLAY INSTRUCTIONS:

Display "last" in underlined text.

If at HH14a-b, do not display question text in brackets during first entry to person roster. Otherwise, display question text in brackets.

QUESTION TEXT:

{[}What is (his/her) last name?{]}

CONFIRM SPELLING

ENTER TEXT

Length

25

HH15

op3relatnshp

op3childinhh

R3 RELASHIP TO SP UPDATE AND NEW R3 CHILD IN HOUSEHOLD UPDATE AND NEW

DISPLAY INSTRUCTIONS:

Display HOUSEHOLDRELATIONSHIP CODE LIST.

QUESTION TEXT:

{[}What is (his/her) last name?{]}

CONFIRM SPELLING

CODES

DES	
2	SPOUSE/PARTNER
3	DAUGHTER
4	SON
5	DAUGHTER-IN-LAW
6	SON-IN-LAW
7	STEPDAUGHTER
8	STEPSON
9	SISTER
10	BROTHER
11	SISTER-IN-LAW
12	BROTHER-IN-LAW
13	MOTHER
14	STEPMOTHER
15	MOTHER-IN-LAW
16	FATHER
17	STEPFATHER
18	FATHER-IN-LAW
19	GRANDDAUGHTER
20	GRANDSON
21	NIECE
22	NEPHEW
23	AUNT
24	UNCLE
25	COUSIN
26	STEPDAUGHTER'S SON/DAUGHTER
27	STEPSON'S SON/DAUGHTER
28	DAUGHTER-IN-LAW'S SON/DAUGHTER
29	SON-IN-LAW'S SON/DAUGHTER
30	BOARDER/RENTER
31	PAID AIDE/HOUSEKEEPER/EMPLOYEE
32	ROOMMATE
33	EX-WIFE/EX-HUSBAND
34	BOYFRIEND/GIRLFRIEND
35	NEIGHBOR
36	FRIEND
37	SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED
38	CO-WORKER

39 MINISTER, PRIEST, OR OTHER CLER	ΞY
------------------------------------	----

- PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR THERAPIST 40
- OTHER RELATIVE 91
- OTHER NONRELATIVE 92

PROGRAMMER INSTRUCTIONS:

If HH15 = 3 (daughter), 5 (daughter-in-law), 7 (stepdaughter), 9 (sister), 11 (sister-in-law), 13 (mother), 14 (stepmother), 15 (mother-in-law), 19 (granddaughter), 21 (niece), or 23 (aunt), set PERSON GENDER = 2 (female) and go to HH17a. ELSE If HH15 = 4 (son), 6 (son-in-law), 8 (stepson), 10 (brother), 12 (brother-in-law), 16 (father), 17 (stepfather), 18 (father-in-law), 20 (grandson), 22 (nephew), or 24 (uncle), set PERSON GENDER = 1 (male) and go to HH17a. Otherwise, go to HH16. If HH15 = 3 (daughter), 4 (son), 7 (stepdaughter), or 8 (stepson), set CHILDINHH flag = 1 (yes) for ROSTER PERSON.

HH₁₆

op3dgender

R3 D GENDER UPDATE AND NEW

QUESTION TEXT:

Is {FIRSTNAME LASTNAME} male or female?

CODES

1	MALE
2	FEMALE

PROGRAMMER INSTRUCTIONS:

If HH16 = 1, set PERSON GENDER = 1 (male), and display "M" in matrix gender field. If HH16 = 2, set PERSON GENDER = 2 (female), and display "F" in matrix gender field.

BOX HH17	BOX HH17	NOT ON FILE	
If HH15 = 25-36, Otherwise, go t		19 as NOT REQUIRED and go to HH14a.	
HH17A	op 3 birthmth (Sensitive)	R3 OTHER PERSON MONTH OF BIRTH	
DISPLAY INSTRUCTIONS	S:		
Display HH17a, 17	7b, and 17c, on the same screen.		
Display "month"	' as underlined text.		
QUESTION TEXT:			_
What is {FIRSTN	NAME LASTNAME}'s date of birth?		
ENTER MONTH			
ENTER NUMBER			
	Range	1 to 12	
	REFUSED DON'T KNOW		
PROGRAMMER INSTRU Hard range 1-12	CTIONS:		

DISPLAY INSTRUCTIONS:

Display HH17a, 17b, and 17c, on the same screen.

Display "day" as underlined text.

QUESTION TEXT:

[What is {FIRSTNAME LASTNAME}'s date of birth?]

ENTER DAY

ENTER NUMBER

Range REFUSED DON'T KNOW

1 to 31

R3 OTHER PERSON YEAR OF BIRTH

PROGRAMMER INSTRUCTIONS:

Hard range 1-31

HH17C

op3birthyear (Sensitive)

DISPLAY INSTRUCTIONS:

Display HH17a, 17b, and 17c, on the same screen.

Display "year" as underlined text.

QUESTION TEXT:

What is {FIRSTNAME LASTNAME}'s date of birth?

ENTER YEAR

ENTER NUMBER

REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Hard range: CURRENT YEAR – 110. If HH17a \geq 1 and HH17b \geq 1 and HH17c \geq 1, compute PERSON AGE as (CURRENT DATE – HH17a-c DOB) and prefill HH18. Otherwise, go to HH19.

HH18

op3dage

op**3**age (Sensitive)

R3 D OP CAT AGE UPDATE AND NEW

R3 OTH PERSON AGE UPDATE AND NEW

QUESTION TEXT:

That makes {FIRSTNAME LASTNAME} {CALCULATED AGE} today. Is that correct?

CODES

1	YES	HH14
2	NO	HH17
	REFUSED	HH14
	DON'T KNOW	HH14

PROGRAMMER INSTRUCTIONS:

HH19	op3dage	R3 D OP CAT AGE UPDATE AND NEW
	op 3 age (Sensitive)	R3 OTH PERSON AGE UPDATE AND NEW
UESTION TEXT:		
How old is	; {FIRSTNAME LASTNAME}?	
ENTER AG IF LESS TH	E IAN 1 YEAR, ENTER 0.	
NTER NUMBER		
	Range	0 to 110
	REFUSED DON'T KNOW	
ROGRAMMER IN	DON'T KNOW	
Numeric fie Write PERS	DON'T KNOW STRUCTIONS: eld range: 0-110. ON AGE to PERSON ROSTER. K or RF, display "DK" or "RF" in matrix ag	e field.
Numeric fie Write PERS If HH19 = DI	DON'T KNOW STRUCTIONS: eld range: 0-110. ON AGE to PERSON ROSTER. K or RF, display "DK" or "RF" in matrix ag	e field. NOT ON FILE
Numeric fie Write PERS If HH19 = DI Go to HH14 HH20 QUESTION TEXT:	DON'T KNOW STRUCTIONS: eld range: 0-110. ON AGE to PERSON ROSTER. K or RF, display "DK" or "RF" in matrix ago	
Numeric fie Write PERS If HH19 = DI Go to HH14 HH20 QUESTION TEXT:	DON'T KNOW STRUCTIONS: eld range: 0-110. ON AGE to PERSON ROSTER. K or RF, display "DK" or "RF" in matrix ago HH20	
Numeric fie Write PERS If HH19 = DI Go to HH14 HH20 QUESTION TEXT: IS THE HO	DON'T KNOW STRUCTIONS: eld range: 0-110. ON AGE to PERSON ROSTER. K or RF, display "DK" or "RF" in matrix ago HH20	

Derived Variables from Ite	Derived Variables from Items in the HH Section	
hh3dmarstat	R3 D MARITAL STATUS AT R3	
op3dgender	R3 D GENDER UPDATE AND NEW	
hh3dspousage (Sensitive)	R3 D NEW R3 SPOU PART AGE	
hh3dspouage	R3 D NEW R3 SPOU PART CAT AGE	
hh3dspageall	R3 D SPOU PAR AGE UPDATE AND NEW	
op3dage	R3 D OP CAT AGE UPDATE AND NEW	
hh3dlvngarrg	R3 D LIVING ARRANGEMENT	
hh3dhshldnum	R3 D TOTAL NUMBER IN HOUSEHOLD	
hh3dhshldchd	R3 D TOTAL CHILDREN IN HOUSEHOLD	
hh3dspouseid	R3 D SPOUSE ID	

Restricted Variables in the HH Section	
op 3 rescity	R3 CITY OF RESIDENCE
op3resstate	R3 STATE OF RESIDENCE