| | нн | [HOUSEHOLD] | Sequence: |
|---|---|---|--|
| HH1PRE | | HH1PRE | NOT ON FILE |
| QUESTION TEX | (Т: | | |
| Nowle | et's talk ab | out {your/SP's} family. | |
| PRESS | 1 AND ENT | FER TO CONTINUE | |
| BOX HH1A | | BOX HH1A | NOT ON FILE |
| | 「INT SP M/ wise, go to | ARITAL STATUS = null, go to H HH1A. | IH1. |
| HH1A | | hh 6 marchange | R6 HH1A MARITAL STATUS CHANGE |
| DISPLAY INSTR | RUCTIONS: | | |
| If LAST If LAST QUESTION TEX | INT MARIT INT MARIT (T: | | |
| | er/separate | ed/divorced/widowed/neverm | |
| That is | er/separate | ed/divorced/widowed/never m SP} get married, separated, d | |
| That is (differ | er/separate 5, did {you/ rent) partn | ed/divorced/widowed/never m SP} get married, separated, d er? | arried}. Has that changed? |
| That is (differ | er/separate 5, did {you/ ent) partn Y N R | ed/divorced/widowed/never m SP} get married, separated, d | arried}. Has that changed? |
| That is (differ CODES 1 | er/separate 5, did {you/ ent) partn Y N R | ed/divorced/widowed/never m SP} get married, separated, d er? ES IO .EFUSED | arried}. Has that changed? |
| CODES 1 2 BOX HH1 If LAS ² MARIT | er/separate s, did {you/ ent) partn Y N R D T INT SP M. FAL STATU | ed/divorced/widowed/never m SP} get married, separated, d er? ES IO EFUSED PON'T KNOW BOX HH1 | ivorced, remarried, widowed, or start living with a HH1 NOT ON FILE |
| CODES 1 2 BOX HH1 If LAS MARIN Other | er/separate s, did {you/ ent) partn Y N R D T INT SP M. FAL STATU | ed/divorced/widowed/never m SP} get married, separated, d er? ES IO EFUSED PON'T KNOW BOX HH1 ARITAL STATUS = 1 (MARRIED S = LAST INT SP MARITAL STA | ivorced, remarried, widowed, or start living with a HH1 NOT ON FILE |
| CODES 1 2 BOX HH1 If LAS MARIN Other | er/separate s, did {you/ ent) partn Y N R D T INT SP M. FAL STATU | ed/divorced/widowed/never m SP} get married, separated, d er? ES IO EFUSED PON'T KNOW BOX HH1 ARITAL STATUS = 1 (MARRIED S = LAST INT SP MARITAL STA BOX HH13. | harried}. Has that changed? ivorced, remarried, widowed, or start living with a HH1 NOT ON FILE D) OR 2 (LIVING WITH PARTNER), set CURRENT INT SP ITUS and go to BOX HH4A1. |
| CODES 1 2 BOX HH1 If LAS ² MARIT Other HH1 DISPLAY INSTR | er/separate s, did {you/ rent) partn Y N R T INT SP M. TAL STATU wise, go to | ed/divorced/widowed/never m SP} get married, separated, d er? ES IO EFUSED PON'T KNOW BOX HH1 ARITAL STATUS = 1 (MARRIED S = LAST INT SP MARITAL STA BOX HH13. hh6martIstat hh6dmarstat | Aarried}. Has that changed? ivorced, remarried, widowed, or start living with a HH1 NOT ON FILE D) OR 2 (LIVING WITH PARTNER), set CURRENT INT SP TUS and go to BOX HH4A1. R6 HH1 MARITAL STATUS IF CHANGED |
| That is (differ 2 3 BOX HH1 If LAS MARIT Other HH1 DISPLAY INSTE Displa QUESTION TEX | er/separate s, did {you/ ent) partn Y N R D T INT SP M. TAL STATU wise, go to RUCTIONS: y "current T : | ed/divorced/widowed/never m SP} get married, separated, d er? ES IO EFUSED ON'T KNOW BOX HH1 ARITAL STATUS = 1 (MARRIED S = LAST INT SP MARITAL STA BOX HH13. hh6martIstat hh6dmarstat | Aarried}. Has that changed? ivorced, remarried, widowed, or start living with a HH1 NOT ON FILE D) OR 2 (LIVING WITH PARTNER), set CURRENT INT SP TUS and go to BOX HH4A1. R6 HH1 MARITAL STATUS IF CHANGED |
| That is (differ 2 3 BOX HH1 If LAS MARIT Other HH1 DISPLAY INSTE Displa QUESTION TEX | er/separate s, did {you/ ent) partn Y N R D T INT SP M. TAL STATU wise, go to RUCTIONS: y "current T : | ed/divorced/widowed/never m SP} get married, separated, d er? ES IO EFUSED ON'T KNOW BOX HH1 ARITAL STATUS = 1 (MARRIED S = LAST INT SP MARITAL STA BOX HH13. hh6martIstat hh6dmarstat | Aarried}. Has that changed? ivorced, remarried, widowed, or start living with a HH1 NOT ON FILE D) OR 2 (LIVING WITH PARTNER), set CURRENT INT SP TUS and go to BOX HH4A1. R6 HH1 MARITAL STATUS IF CHANGED R6 D MARITAL STATUS AT R6 |

| 2 | LIVING WITH A PARTNER | HH4A2 |
|---|-----------------------|----------|
| 3 | SEPARATED | BOX HH13 |
| 4 | DIVORCED | |
| 5 | WIDOWED | |
| 6 | NEVER MARRIED | BOX HH13 |
| | REFUSED | BOX HH13 |
| | DON'T KNOW | BOX HH13 |
| | | |

PROGRAMMER INSTRUCTIONS:

Write Marital Status for SP to PERSON ROSTER.

If HH1 = 5 (WIDOWED), set DECEASED flag = 1 (YES) for ROSTER MEMBER that had LAST INT relationship code = 2 (SPOUSE/PARTNER).

| nomthendmar (Sensitive) R6 HH2A M H MARR END OR SPS PASS | HH2A | hh6mthendmar (Sens | itive) R6 | HH2A MTH MARR END OR SPS PASS |
|--|------|--------------------|-----------|-------------------------------|
|--|------|--------------------|-----------|-------------------------------|

DISPLAY INSTRUCTIONS:

If HH1=4 (DIVORCED), display "{your/SP's} (most recent) marriage end". If HH1=5 (WIDOWED), display, "{your/SP's} spouse or partner pass away".

Display "MONTH" in underlined text.

QUESTION TEXT:

In what month and year did {{your/SP's} (most recent) marriage end/{your/SP's} spouse or partner pass away}?

CODES

| | | DON'T KNOW | BOX HH4A1 |
|---|---|------------|-----------|
| | | REFUSED | BOX HH4A1 |
| 1 | 2 | DECEMBER | |
| 1 | 1 | NOVEMBER | |
| 1 | 0 | OCTOBER | |
| 9 |) | SEPTEMBER | |
| 8 | | AUGUST | |
| 7 | | JULY | |
| 6 | | JUNE | |
| 5 | | MAY | |
| 4 | - | APRIL | |
| 3 | | MARCH | |
| 2 | | FEBRUARY | |
| 1 | | JANUARY | |
| | | | |

HH2B

hh6yrendmarr

R6 HH2B YR MARR END OR SPS PASS

DISPLAY INSTRUCTIONS:

If HH1=4 (DIVORCED), display "{your/SP's} (most recent) marriage ended". If HH1=5 (WIDOWED), display, "{your/SP's} spouse passed away".

QUESTION TEXT:

In what month and year did {{your/SP's} (most recent) marriage end/{your/SP's} spouse or partner pass away}?

ENTER 4-DIGIT YEAR

ENTER NUMBER

REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Soft Range: CURRENT YEAR-1 to CURRENT YEAR Hard Range: R1 INT YEAR to CURRENT YEAR

Combined month and year cannot be before date of last interview. If date is before date of last interview, display error message #5.

| BOX HH4A1 | BOX HH4A1 | NOT ON FILE |
|------------------------------|--|---|
| Else if PROXY FOR PERSON, | and go to BOX HH6a. 2 (MARITAL STATUS NOT CHANG | NSHIP=2 (SPOUSE/PARTNER), set SPOUSE/PARTNER flag=1 |
| HH4A1 | hh 6 newspoprt | R6 HH4A1 SPOUSE PRTNR SAME OR DIFF |

| hh 6 newspoprt | R6 HH4A1 SPOUSE PRTNR SAME OR DIFF |
|-----------------------|------------------------------------|
| op6spouprtnr | R6 SPOUSE PARTNER |
| op6nwspouprt | R6 NEW SPOUSE PARTNER THIS ROUND |

DISPLAY INSTRUCTIONS:

If SP MARITAL STATUS = 1 (MARRIED), display "spouse". If SP MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "partner".

QUESTION TEXT:

Now I'd like to confirm {your/SP's} {spouse/partner}'s name. I have it as {SPOUSE/PARTNER FIRST NAME MIDDLE NAME LAST NAME}. Is that correct?

CONFIRM SPELLING

CODES

| 1 | YES |
|---|----------------------|
| 2 | NO, DIFFERENT PERSON |
| 3 | NO, NAME MISSPELLED |

PROGRAMMER INSTRUCTIONS:

If HH4A1 = 2 (DIFFERENT PERSON) and LAST INT SP MARITAL STATUS = 1 (MARRIED), 2 (LIVING WITH A PARTNER), or 3 (SEPARATED), set ROSTER MEMBER with LAST INT relationship code = 2 (SPOUSE/PARTNER) to CURRENT INT relationship code = 33 (EX-SPOUSE/PARTNER).

HH10

| HH4A2 | HH4A2 | NOT ON FILE |
|-------|-------|-------------|
| | | |

DISPLAY INSTRUCTIONS:

If SP MARITAL STATUS = 1 (MARRIED), display "spouse". If SP MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "partner".

Display PERSON ROSTER with FIRST NAME, LAST NAME, and RELATIONSHIP TO SP.

Display "NOT ON LIST" as first roster option.

QUESTION TEXT:

What is {your/SP's} {spouse/partner}'s name?

CHOOSE PERSON FROM LIST

PROGRAMMER INSTRUCTIONS:

If proxy relationship <> 2 (spouse/partner) and if selected ROSTER MEMBER has PROXY RESP CURRENT INT FLAG = 1, display error message, "You have chosen the proxy. The proxy relationship is not spouse. Please change the proxy relationship or correct the spouse selection."

If existing ROSTER MEMBER selected, set SPOUSE/PARTNER flag = 1 (YES) and RELATIONSHIP = 2 (SPOUSE/PARTNER) for ROSTER MEMBER, set ROSTER MEMBER'S RELATIONSHIP CHANGE flag = 1 (YES), and go to BOX HH5.

Otherwise, go to HH4A.

HH4A

HH4A

NOT ON FILE

DISPLAY INSTRUCTIONS:

If SP MARITAL STATUS = 1 (MARRIED), display "spouse". If SP MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "partner".

If HH4A1 = 3 (SPOUSE NAME CORRECTION), display preloaded SPOUSE/PARTNER name in the response fields, "the correct spelling of", and display SPOUSE/PARTNER name in response field and allow edits.

Display "FIRST" in bold underlined text.

QUESTION TEXT:

[What is {the correct spelling of} {your/SP's} {spouse/partner}'s name?]

ENTER FIRST NAME. CONFIRM SPELLING

ENTER TEXT

Length

25

PROGRAMMER INSTRUCTIONS:

HH4a, HH4b, and HH4c are displayed on the same screen.

If HH4a=2 (DIFFERENT PERSON), write ROSTER PERSON to next open position on PERSON ROSTER.

| HH4B | HH4B | NOT ON FILE |
|------|------|-------------|
|------|------|-------------|

DISPLAY INSTRUCTIONS:

If SP MARITAL STATUS = 1 (MARRIED), display "spouse". If SP MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "partner".

If HH4A1 = 3 (SPOUSE NAME CORRECTION), display preloaded SPOUSE/PARTNER name in the response fields, "the correct spelling of", and display SPOUSE/PARTNER name in response field and allow edits.

Display "MIDDLE" in bold underlined text.

QUESTION TEXT:

[What is {the correct spelling of} {your/SP's} {spouse/partner}'s name?]

ENTER MIDDLE NAME. CONFIRM SPELLING

PRESS ENTER IF NO MIDDLE NAME OR INITIAL

ENTER TEXT

Length

PROGRAMMER INSTRUCTIONS:

HH4a, HH4b, and HH4c are displayed on the same screen.

Allow empty.

| HH4C HH4C | NOT ON FILE | |
|-----------|-------------|--|
|-----------|-------------|--|

DISPLAY INSTRUCTIONS:

If SP MARITAL STATUS = 1 (MARRIED), display "spouse". If SP MARITAL STATUS = 2 (LIVING WITH A PARTNER), display "partner". If HH4A1 = 3 (SPOUSE NAME CORRECTION), display preloaded SPOUSE/PARTNER name in the response fields, "the correct spelling of", and display SPOUSE/PARTNER name in response field and allow edits. Display "LAST" in bold underlined text.

QUESTION TEXT:

[What is {the correct spelling of} {your/SP's} {spouse/partner}'s name?]

ENTER LAST NAME. CONFIRM SPELLING

ENTER TEXT

Length

25

PROGRAMMER INSTRUCTIONS:

HH4a, HH4b, and HH4c are displayed on the same screen. Write (new or updated) SPOUSE/PARTNER name from HH4 to PERSON ROSTER. Set SPOUSE/PARTNER flag = 1 (YES) for person entered at HH4. Set RELATIONSHIP = 2 (SPOUSE/PARTNER).

| BOX HH5 | BOX HH5 | NOT ON FILE | |
|--|--|---------------------------------|--|
| | ER MEMBER gender = null, go to HH5. se, go to HH6a. | | |
| HH5 | hh 6 spgender | R6 HH5 NEW R6 SPOU PART GENDER | |
| | op6dgender | R6 D GENDER UPDATE AND NEW | |
| DISPLAY INSTRU | CTIONS: | | |
| | MARRIED), display "spouse". (LIVING WITH A PARTNER), display "partner | ". | |
| QUESTION TEXT: ASK IF N | ECESSARY: Is {your/SP's} {spouse/partner} | male or female? | |
| CODES | | | |
| 1 | MALE | | |
| 2 | FEMALE | | |
| PROGRAMMER INSTRUCTIONS: Write SPOUSE/PARTNER gender from HH5 to PERSON ROSTER. | | | |
| BOX HH6A | BOX HH6A | NOT ON FILE | |
| | | | |
| | R MEMBER or Age = null, go to HH6A. | | |
| Otherwi | se, go to HH9. | | |
| HH6A | hh 6 modob (Sensitive) | R6 HH6A NEW R6 SPOU PART MO DOB | |
| | op 6 birthmth (Sensitive) | R6 OTHER PERSON MONTH OF BIRTH | |

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "your". Otherwise, display "{SPOUSE/PARTNER FIRST NAME LAST NAME}'s". Display HH6a, HH6b, and HH6c on the same screen.

Display "month" as underlined text.

QUESTION TEXT:

What is {your/{SPOUSE/PARTNER FIRST NAME LAST NAME}'s} date of birth?

ENTER MONTH

ENTER NUMBER

Range REFUSED DON'T KNOW 1 to 12

PROGRAMMER INSTRUCTIONS:

Hard range 1-12

| HH6B | НН6В | NOT ON FILE |
|------|------|-------------|
|------|------|-------------|

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "your". Otherwise, display "{SPOUSE/PARTNER FIRST NAME LAST NAME}'s". Display HH6a, 6b, and 6c, on the same screen.

Display "day" as underlined text.

QUESTION TEXT:

[What is {your/{SPOUSE/PARTNER FIRST NAME LAST NAME}'s} date of birth?]

ENTER DAY

ENTER NUMBER

Range REFUSED DON'T KNOW 1 to 31

PROGRAMMER INSTRUCTIONS:

Hard range 1-31

HH6C

| hh 6 yrdob (Sensitive) | R6 HH6C NEW R6 SPOU PART YR DOB |
|-----------------------------------|---------------------------------|
| op 6 birthyear (Sensitive) | R6 OTHER PERSON YEAR OF BIRTH |

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "your". Otherwise, display "{SPOUSE/PARTNER FIRST NAME LAST NAME}'s".

Display HH6a, 6b, and 6c, on the same screen.

Display "year" as underlined text.

QUESTION TEXT:

[What is {your/{SPOUSE/PARTNER FIRST NAME LAST NAME}'s} date of birth?]

ENTER YEAR

ENTER NUMBER

REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Hard range: CURRENT YEAR – 110.

If HH6a \geq 1 and HH6b \geq 1 and HH6c \geq 1, compute PERSON AGE as (CURRENT DATE - HH6a-c DOB) and prefill HH7. Otherwise, go to HH8.

HH₇

| 7 | hh 6 dspousage (Sensitive) | R6 D NEW R6 SPOU PART AGE |
|---|-----------------------------------|----------------------------------|
| | hh 6 dspouage | R6 D NEW R6 SPOU PART CAT AGE |
| | hh 6 dspageall | R6 D SPOU PAR AGE UPDATE AND NEW |
| | op 6 age (Sensitive) | R6 OTH PERSON AGE UPDATE AND NEW |
| | op 6 dage | R6 D OP CAT AGE UPDATE AND NEW |

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "you". Otherwise, display "{FIRSTNAME LASTNAME}".

QUESTION TEXT:

That makes {you/{FIRSTNAME LASTNAME}}{CALCULATED AGE} today. Is that correct?

CODES

| 1 | YES | HH9 |
|---|------------|------|
| 2 | NO | HH6A |
| | REFUSED | HH9 |
| | DON'T KNOW | HH9 |

PROGRAMMER INSTRUCTIONS:

If HH7 = 1 (YES), DK, or RF, write PERSON AGE to PERSON ROSTER.

| HH8 | hh 6 dspousage (Sensitive) | R6 D NEW R6 SPOU PART AGE |
|-----|-----------------------------------|----------------------------------|
| | hh 6 dspouage | R6 D NEW R6 SPOU PART CAT AGE |
| | hh6dspageall | R6 D SPOU PAR AGE UPDATE AND NEW |
| | op 6 age (Sensitive) | R6 OTH PERSON AGE UPDATE AND NEW |
| | op 6 dage | R6 D OP CAT AGE UPDATE AND NEW |
| | | |

18 to 110

55 to 99

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "are you". Otherwise, display "is {FIRSTNAME LASTNAME}".

QUESTION TEXT:

How old {are you/is {FIRSTNAME LASTNAME}}?

ENTER AGE

ENTER NUMBER

| Range | |
|------------|--|
| Soft Range | |

Page 7 of 17

NHATS Round 6 :: HH 4/8/2019

REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Hard range: 18-110. Soft range: 55-99. Write SPOUSE/PROXY age to PERSON ROSTER. If HH8 = DK or RF, display "DK" or "RF" in matrix age field.

BOX HH9 BOX HH9 NOT ON FILE

If ROSTER MEMBER Education Level = null, go to HH9. Otherwise, go to HH10.

HH9

op6eduspo op6leveledu

hh6spouseduc

R6 HH9 NEW R6 SPOU HIGH EDUC R6 HH9 SPOU PART EDUC WHEN ADDED R6 OP HIGHEST ED WHEN ADDED

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "you". Otherwise, display "SPOUSE/PARTNER FIRST NAME LAST NAME".

QUESTION TEXT:

SHOWCARD HH1

What is the highest degree or level of school {you/{SPOUSE/PARTNER FIRST NAME LAST NAME}} completed?

CODES

- 1 NO SCHOOLING COMPLETED
- 2 1ST-8TH GRADE
- 3 9TH-12TH GRADE (NO DIPLOMA)
- 4 HIGH SCHOOL GRADUATE (HIGH SCHOOL DIPLOMA OR EQUIVALENT)
- 5 VOCATIONAL, TECHNICAL, BUSINESS, OR TRADE SCHOOL CERTIFICATE OR
- DIPLOMA (BEYOND HIGH SCHOOL LEVEL)
- 6 SOME COLLEGE BUT NO DEGREE
- 7 ASSOCIATE'S DEGREE
- 8 BACHELOR'S DEGREE
- 9 MASTER'S, PROFESSIONAL, OR DOCTORAL DEGREE
- REFUSED
 - DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Write education level to PERSON ROSTER. If HH9 = DK or RF, display "DK" or "RF" in matrix education field.

hh6spoupchlp

R6 HH10 SPOUS NEED PERS CARE HLP

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "do you". Otherwise, display "does {SPOUSE/PARTNER FIRST NAME LAST NAME}".

QUESTION TEXT:

HH₁₀

Because of a physical, mental, or emotional condition, {do you/does {SPOUSE/PARTNER FIRST NAME LAST NAME}} need the help of another person with personal care needs, such as eating, bathing, dressing, or getting around inside the home?

| CODES | | |
|-------|-----------------------------|----------------------------------|
| 1 | YES | |
| 2 | NO REFUSED DON'T KNOW | |
| HH11 | hh6livwthspo | R6 HH11 LIVE WITH SPOUSE PARTNER |

op6prsinhh

R6 OP IN HOUSEHOLD UPDATE AND NEW

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "you live" and "{SP}". Else if PROXY flag=1 (YES), display "{SPOUSE/PARTNER FIRST NAME LAST NAME} lives" and "{SP}". Otherwise, display "{SPOUSE/PARTNER FIRST NAME LAST NAME} lives" and "you".

QUESTION TEXT:

Just to confirm, {you live/{SPOUSE/PARTNER FIRST NAME LAST NAME} lives} with {{SP}/you}, is that correct?

CODES

| 1 | YES | BOX HH13 |
|---|------------|----------|
| 2 | NO | |
| | REFUSED | BOX HH13 |
| | DON'T KNOW | BOX HH13 |

PROGRAMMER INSTRUCTIONS:

If HH11 = 1 (YES), set INHOUSEHOLD flag = 1 (YES) for SPOUSE/PARTNER.

| HH12 | hh6placekind | R6 HH12 KIND OF PLACE LIVE IN |
|------|--------------|-------------------------------|
|------|--------------|-------------------------------|

DISPLAY INSTRUCTIONS:

If PROXY flag=1 (YES) and PROXY RELATIONSHIP=2 (SPOUSE/PARTNER), display "are you". Otherwise, display "{SPOUSE/PARTNER FIRSTNAME LASTNAME} is".

QUESTION TEXT:

SHOWCARD HH2

What kind of place {are you/is {SPOUSE/PARTNER FIRSTNAME LASTNAME}} living in now?

PRESS F1 FOR HELP SCREEN

CODES

| 1 | PRIVATE RESIDENCE | BOX HH13 |
|----|--|----------|
| 2 | A GROUP HOME, BOARD AND CARE, OR | BOX HH13 |
| | SUPERVISED HOUSING | |
| 3 | ASSISTED LIVING FACILITY OR CONTINUING | BOX HH13 |
| | CARE RETIREMENT COMMUNITY (CCRC) | |
| 5 | NURSING HOME | BOX HH13 |
| 91 | OTHER (SPECIFY) | |
| | REFUSED | BOX HH13 |
| | DON'T KNOW | BOX HH13 |
| | | |

HH12A

NOT ON FILE

QUESTION TEXT:

SPECIFY OTHER TYPE OF PLACE

HH12A

ENTER TEXT

Length

50

BOX HH13 NOT ON FILE BOX HH13 If FACILITY flag = 1 (YES), go to Section CS. Otherwise, go to BOX HH13D BOX HH13A NOT ON FILE BOX HH13D If any ROSTER MEMBERS have LAST INT INHOUSEHOLD flag = 1 (YES) other than the SP or [ROSTER member with CURRENT INT relationship code = 2 (SPOUSE/PARTNER) and CURRENT INT INHOUSEHOLD flag=1 (yes) and DECEASED flag NE 1 (YES)], or [ROSTER MEMBER with CURRENT INT PROXY RESPONDENT flag = 1 (YES) and CURRENT INT HOUSEHOLD FLAG=1 (YES)], go to HH13D. Otherwise, go to HH14. HH₁₃D op6prsinhh **R6 OP IN HOUSEHOLD UPDATE AND NEW R6 CHILD IN HOUSEHOLD UPDATE AND NEW** op6childinhh **DISPLAY INSTRUCTIONS:** Display HHMEMBER ROSTER as a grid. Display SP, SPOUSE/PARTNER if INHOUSEHOLD flag = 1 (YES), and PROXY if INHOUSEHOLD flag = 1 (YES) on the HHMEMBER GRID. If ROSTER MEMBER age = response, display "{, approximately age {age}}. Display questions HH13D-HH13E on full matrix screen. **QUESTION TEXT:** Now I have a few questions about {your/SP's} household. At the time of the last interview, we recorded that the following people lived with {you/SP}. As I read each person's name, please tell me if he or she

Does {FIRSTNAME LASTNAME} ({relationship to SP}{, gender}{, approximately age {age}}) still live in the household?

CODES

| YES |
|------------|
| NO |
| REFUSED |
| DON'T KNOW |
| |

PROGRAMMER INSTRUCTIONS:

Display grid with SP preloaded, and any ROSTER MEMBERS with a LAST INT INHOUSEHOLD or CURRENT INT IN HOUSEHOLD flag = 1 (YES) preloaded. SP, Spouse, and Proxy roster entries should include revised info from current round if updated.

Display grid with fields: Still in HH, Reason Left, First Name, and Last Name. First Name, Last Name, and Still in HH and Reason Left fields can be edited. SP, Spouse, and Proxy rows should also be write-protected.

When entering a new field, start cursor after last entry value or text.

still lives in the household. Please include people temporarily absent.

If PROXY flag = 1 (YES) and HH13A = 2 (NO), go to HH13E for CURRENT INT PROXY ROSTER MEMBER. Otherwise, start cursor at the "Still in HH" column for the first ROSTER MEMBER listed who is not the SP, Spouse, or Proxy.

Allow up to 25 row entries. Allow movement between grid items using the arrow keys. Text field is 25 char for each name field.

If HH13D = 2 (NO), RF or DK, set INHOUSEHOLD flag = 2 (NO), and go to HH13E. Else if HH13D = 1 (YES), set INHOUSEHOLD flag = 1 (YES), and go to HH13F.

HH13E

op6reasgone

R6 HH13E REASON GONE FROM HH

DISPLAY INSTRUCTIONS:

If PROXY flag = 1 (YES), display "are you". Otherwise, display "is {FIRSTNAME LASTNAME}".

QUESTION TEXT:

Why {are you/is {FIRSTNAME LASTNAME}} no longer living in the household?

CODES

- 1 SEPARATION OR DIVORCE
- 2 DECEASED
- 3 MOVED ELSEWHERE
- 5 LAST INTERVIEW INFORMATION INCORRECT
- 8 OTHER REASON
 - REFUSED
 - DON'TKNOW

PROGRAMMER INSTRUCTIONS:

Go to HH13D for next ROSTER MEMBER.

If HH13E=2 (DECEASED), set DECEASED flag =1 (YES) for ROSTER MEMBER.

If no other ROSTER MEMBERS, go to HH14.

| HH13F | HH13F | NOT ON FILE | |
|-------|-------|-------------|--|

DISPLAY INSTRUCTIONS:

Display "FIRST" in bold underlined text.

QUESTION TEXT:

CONFIRM SPELLING OF FIRST NAME.

HH13G

NOT ON FILE

DISPLAY INSTRUCTIONS:

Display "LAST" in bold underlined text.

HH13G

QUESTION TEXT:

CONFIRM SPELLING OF LAST NAME.

PROGRAMMER INSTRUCTIONS:

If HH13D = 1 (YES) or 2 (NO), display ROSTER MEMBER in HHMEMBER matrix with grayed out fields upon advancing to next roster entry.

Go to HH13D for next ROSTER MEMBER.

If no other ROSTER MEMBERS, go to HH14.

op6prsninhh

R6 OP IN HOUSEHOLD UPDATE AND NEW

DISPLAY INSTRUCTIONS:

HH14

Display HHMEMBER ROSTER as a grid. Display any ROSTER MEMBERS with CURRENT INT INHOUSEHOLD flag=1 (YES)on the HHMEMBER GRID.

If PROXY flag = 2 (NO) or [PROXY flag = 1 (YES) and PROXY RELATIONSHIP = 2 (SPOUSE/PARTNER) and INHOUSEHOLD flag for SPOUSE/PARTNER= 1 (YES)], display "you".

Else if PROXY flag=1 (YES) and INHOUSEHOLD flag for PROXY=1 (YES) and PROXY RELATIONSHIP ≠ 2 (SPOUSE/PARTNER), display "you and SP".

Otherwise, display "{SP}".

Only display ROSTER MEMBERS with CURRENT INT INHOUSEHOLD flag <> 1 (not in HH) as entries that can be selected to add to the HH Roster. Display ROSTER MEMBERS with CURRENT INT HOUSEHOLD flag=1 (YES) as follows: "[{ROSTER MEMBER FIRST AND LAST NAME}, HERE]" and grayed out. For any ROSTER MEMBERS added to HH Roster at this screen, display as "[{ROSTER MEMBER FIRST AND LAST NAME}, HERE]" and grayed out.

Display questions HH14-HH19 on full matrix screen.

If at HH14-HH14B, do not display question test in brackets during first entry to person roster. Otherwise, display question text in brackets.

If at first entry to person roster, display "first". Otherwise, display "next".

If any ROSTER MEMBERS with INHOUSEHOLD flag = 1 (YES), display "Other than the people I just asked about," and "please".

Otherwise display "Please".

QUESTION TEXT:

{[}{Other than the people I just asked about,} {please/Please} tell me the name of the {first/next} person
who lives with {you/SP/you and SP}. Please include people temporarily absent.{]}

PROBE: Is there anyone else living (here) with {you and {SP}/you/{SP}}?

SELECT TO ADD TO HOUSEHOLD ROSTER, ONE AT A TIME

IF PERSON NAMED IS NOT ON THE ROSTER, SELECT "NOT ON LIST" TO ADD A PERSON

PRESS ENTER IF MATRIX IS COMPLETE

HH14A

HH14A

NOT ON FILE

DISPLAY INSTRUCTIONS:

Display "first" in underlined text. If at HH14a-b, do not display question text in brackets during first entry to person roster. Otherwise, display question text in brackets.

QUESTION TEXT:

{[}What is (his/her) first name?{]}

CONFIRM SPELLING

ENTER TEXT

Length

25

PROGRAMMER INSTRUCTIONS:

Display grid with fields: First Name, Last Name, Gender, Relationship, and Age.

Display grid with SP preloaded, and any ROSTER MEMBERS with a CURRENT INT INHOUSEHOLD flag= 1 (YES) preloaded with updated info from CURENT INT.

All rows for ROSTER MEMBERS confirmed at HH13 should be write-protected (grayed out).

For each HHMEMBER ROSTER addition, set INHOUSEHOLD flag= 1 (YES).

Allow up to 25 row entries.

Allow movement between grid items using the arrow keys.

When exiting matrix, if any blank fields, return cursor to the blank field and display appropriate error message.

Text field is 25 char for each name field.

Go to HH20 when matrix is complete.

| HH14B | HH14B | NOT ON FILE |
|-------|-------|-------------|
| | | |

DISPLAY INSTRUCTIONS:

Display "last" in underlined text. If at HH14a-b, do not display question text in brackets during first entry to person roster. Otherwise, display question text in brackets.

QUESTION TEXT:

{[}What is (his/her) last name?{]}

CONFIRM SPELLING

ENTER TEXT

Length

25

HH15 op6relatnshp op6childinhh

R6 RELASHIP TO SP UPDATE AND NEW R6 CHILD IN HOUSEHOLD UPDATE AND NEW

DISPLAY INSTRUCTIONS:

Display HOUSEHOLDRELATIONSHIP CODE LIST.

QUESTION TEXT:

{[}What is (his/her) last name?{]}

CONFIRM SPELLING

CODES

| 2 | SPOUSE/PARTNER |
|----|-----------------------|
| 2 | , |
| 3 | DAUGHTER |
| 4 | SON |
| 5 | DAUGHTER-IN-LAW |
| 6 | SON-IN-LAW |
| 7 | STEPDAUGHTER |
| 8 | STEPSON |
| 9 | SISTER |
| 10 | BROTHER |
| 11 | SISTER-IN-LAW |
| 12 | BROTHER-IN-LAW |
| 13 | MOTHER |

| 14 | STEPMOTHER |
|------------|---|
| 15 | MOTHER-IN-LAW |
| 16 | FATHER |
| 17 | STEPFATHER |
| 18 | FATHER-IN-LAW |
| 19 | GRANDDAUGHTER |
| 20 | GRANDSON |
| 21 | NIECE |
| 22 | NEPHEW |
| 23 | AUNT |
| 24 | UNCLE |
| 25 | COUSIN |
| 26 | STEPDAUGHTER'S SON/DAUGHTER |
| 27 | STEPSON'S SON/DAUGHTER |
| 28 | DAUGHTER-IN-LAW'S SON/DAUGHTER |
| 29 | SON-IN-LAW'S SON/DAUGHTER |
| 30 | BOARDER/RENTER |
| 31 | PAID AIDE/HOUSEKEEPER/EMPLOYEE |
| 32 | ROOMMATE |
| 33 | EX-WIFE/EX-HUSBAND |
| 34 | BOYFRIEND/GIRLFRIEND |
| 35 | NEIGHBOR |
| 36 | FRIEND |
| 37 | SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED |
| 38 | CO-WORKER |
| 39 | MINISTER, PRIEST, OR OTHER CLERGY |
| 40 | PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR THERAPIST |
| 91 | OTHER RELATIVE |
| 0 2 | |

92 OTHER NONRELATIVE

PROGRAMMER INSTRUCTIONS:

If HH15 = 3 (daughter), 5 (daughter-in-law), 7 (stepdaughter), 9 (sister), 11 (sister-in-law), 13 (mother), 14 (stepmother), 15 (mother-in-law), 19 (granddaughter), 21 (niece), or 23 (aunt), set PERSON GENDER = 2 (female) and go to HH17a. ELSE If HH15 = 4 (son), 6 (son-in-law), 8 (stepson), 10 (brother), 12 (brother-in-law), 16 (father), 17 (stepfather), 18 (father-in-law), 20 (grandson), 22 (nephew), or 24 (uncle), set PERSON GENDER = 1 (male) and go to HH17a. Otherwise, go to HH16. If HH15 = 3 (daughter), 4 (son), 7 (stepdaughter), or 8 (stepson), set CHILDINHH flag = 1 (yes) for ROSTER PERSON.

| HH16 | op 6 dgender | R6 D GENDER UPDATE AND NEW |
|----------|---|----------------------------|
| QUESTION | EXT: | |
| ls {l | FIRSTNAME LASTNAME} male or female? | |
| CODES | | |
| 1 | MALE | |
| 2 | FEMALE | |
| | | |
| PROGRAM | IER INSTRUCTIONS: | |
| | 16 = 1, set PERSON GENDER = 1 (male), and 0 16 = 2, set PERSON GENDER = 2 (female), an | |

```
BOX HH17 BOX HH17 NOT ON FILE
```

| HH17A | op 6 birthmth (Sensitive) | R6 OTHER PERSON MONTH OF BIRTH |
|--------------------------------------|-------------------------------------|--------------------------------|
| DISPLAY INSTRUCTIO | NS: | |
| Display HH17a, | 17b, and 17c, on the same screen. | |
| Display "montl | n" as underlined text. | |
| QUESTION TEXT: | | |
| | TNAME LASTNAME}'s date of birth? | |
| ENTER MONT | Н | |
| NTER NUMBER | | |
| MERNOMBER | Range | 1 to 12 |
| | REFUSED | |
| | DON'T KNOW | |
| ROGRAMMER INSTR Hard range 1-12 | | |
| HH17B | HH17B | NOT ON FILE |
| - DISPLAY INSTRUCTIO | NS: | |
| | , 17b, and 17c, on the same screen. | |
| | as underlined text. | |
| QUESTION TEXT: | | |
| | STNAME LASTNAME}'s date of birth?] | |
| ENTER DAY | | |
| | | |
| INTER NUMBER | Range | 1 to 31 |
| | REFUSED | |
| | DON'T KNOW | |
| ROGRAMMER INSTRUC Hard range 1-31 | TIONS: | |
| HH17C | op 6 birthyear (Sensitive) | R6 OTHER PERSON YEAR OF BIRTH |
| DISPLAY INSTRUCTIO | NS: | |
| Display HH17a, | 17b, and 17c, on the same screen. | |
| | as underlined text. | |
| Display "year" | | |
| | | |
| QUESTION TEXT: | TNAME LASTNAME}'s date of birth? | |

REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

```
Hard range: CURRENT YEAR – 110.
If HH17a \geq 1 and HH17b \geq 1 and HH17c \geq 1, compute PERSON AGE as (CURRENT DATE – HH17a-c DOB) and prefill HH18.
Otherwise, go to HH19.
```

| HH18 | op 6 dage | R6 D OP CAT AGE UPDATE AND NEW |
|------------------|---|----------------------------------|
| | op 6 age (Sensitive) | R6 OTH PERSON AGE UPDATE AND NEW |
| QUESTION TEX | T: | |
| That m | akes {FIRSTNAME LASTNAME} {CALCULATE | D AGE} today. Is that correct? |
| CODES | | |
| 1 | YES | HH14 |
| 2 | NO | HH17 |
| | REFUSED DON'T KNOW | HH14 HH14 |
| PROGRAMMER | INSTRUCTIONS: | |
| If HH18 = | = 1 (yes), write HHMEMBER AGE to PERSON F | ROSTER. |
| HH19 | op6dage | R6 D OP CAT AGE UPDATE AND NEW |
| | op 6 age (Sensitive) | R6 OTH PERSON AGE UPDATE AND NEW |
| QUESTION TEX | T· | |
| | d is {FIRSTNAME LASTNAME}? | |
| | ACE | |
| ENTER IF LESS | THAN 1 YEAR, ENTER 0. | |
| ENTER NUMBE | R | |
| | Range | 0 to 110 |
| | REFUSED | |
| | DON'T KNOW | |
| PROGRAMMER | INSTRUCTIONS: | |
| | field range: 0-110. | |
| | RSON AGE to PERSON ROSTER. = DK or RF, display "DK" or "RF" in matrix ag | re field |
| Go to H | | |
| HH20 | HH20 | NOT ON FILE |
| | т. | |
| QUESTION TEX | I: HOUSEHOLD MATRIX COMPLETE? | |
| 13 1112 | | |
| CODES | VEC | |
| 1 2 | YES NO | SECTION CS HH14 |
| _ | | |
| | | |

Derived Variables from Items in the HH Section

| hh6dmarstat | R6 D MARITAL STATUS AT R6 |
|-----------------------------------|----------------------------------|
| op 6 dgender | R6 D GENDER UPDATE AND NEW |
| hh 6 dspousage (Sensitive) | R6 D NEW R4 SPOU PART AGE |
| hh 6 dspouage | R6 D NEW R4 SPOU PART CAT AGE |
| hh6dspageall | R6 D SPOU PAR AGE UPDATE AND NEW |
| op 6 dage | R6 D OP CAT AGE UPDATE AND NEW |
| hh6dlvngarrg | R6 D LIVING ARRANGEMENT |
| hh6dhshldnum | R6 D TOTAL NUMBER IN HOUSEHOLD |
| hh6dhshldchd | R6 D TOTAL CHILDREN IN HOUSEHOLD |
| hh6dspouseid | R6 D SPOUSE ID |

| Restricted Variables in the HH Section | |
|--|-----------------------|
| op 6 rescity | R6 CITY OF RESIDENCE |
| op6resstate | R6 STATE OF RESIDENCE |