NHATS Rou Section	INTERVIEW SETUP]		Sequence: 1
IS1	IS1	NOT ON FILE	
QUESTION TEXT: YOU HAY	VE SELECTED CASE {CASED ID} FOR {SP}	ŀ.	
IF THIS I	S CORRECT, PRESS 1 AND ENTER TO CO	NTINUE	
TO SELE	CT ANOTHER CASE, BREAKOFF AND SEI	LECT THE CORRECT CASE ID FROM THE IMS.	
ENTER TEXT	Length	1	
IS2	is2resptype	R2 IS2 TYPE OF RESPONDENT	
	op2proxy	R2 IS2 PROXY	
QUESTION TEXT: SELECT	TYPE OF RESPONDENT		
CODES			
1 2	SAMPLE PERSON (SP) PROXY	BOX IS2C	
PROGRAMMER II If IS2=2 (P ITEMS.		DISPLAY APROPRIATE PROXY DISPLAYS FOR	ALL QUESTIONNAIRE
		elected, display soft error message "SP WAS I STILL LIVING. IF SP IS DECEASED, SELECT CO	
IS2A QUESTION TEXT:	is2reasnprx7	R2 IS2A PROXY REAS DECEASED	
-	Y REASON FOR PROXY		
SELECT	ALL THAT APPLY		
CODES			
1	DEMENTIA/COGNITIVE/MENT/ REPORTED BY PROXY	AL IMPARIMENT IS2C	
2	SP TOO ILL/MAJOR PHYSICAL	HEALTH ISSUES IS2C	

2	SP TOO ILL/MAJOR PHYSICAL HEALTH ISSUES	IS2C
3	SP SPEECH IMPAIRED	IS2C
4	SP HEARING IMPAIRED	IS2C
5	LANGUAGE BARRIER	IS2C
6	SP TEMPORARILY UNAVAILABLE	IS2B2
7	SP DECEASED	IS2C
91	OTHER (SPECIFY)	

Allow select all that apply.

If IS2A = 7 (DECEASED), display soft error message "YOU HAVE SELECTED SP DECEASED. IF SP IS STILL LIVING, SELECT A DIFFERENT OPTION. IF SP IS DECEASED, SELECT SUPPRESS TO CONFIRM."

If IS2A = 7 (DECEASED) AND 1-6 OR 91, display error message "INCONSISTENT ANSWER. SP DECEASED CANNOT BE SELECTED WITH OTHER PROXY REASONS."

IF PRELOAD DECEASED flag = 1 (YES) and code 7 not selected, display soft error message "SP WAS PREVIOUSLY IDENTIFIED AS DECEASED. CONFIRM THAT SP IS STILL LIVING. IF SP IS DECEASED, SELECT CODE 7, SP DECEASED."

If IS2A = 7 (DECEASED), set DECEASED flag = 1 (YES).

IS2C IS2C NOT ON FILE

DISPLAY INSTRUCTIONS:

DO NOT DISPLAY RESPONSE CODES AND LABELS

QUESTION TEXT:

During the course of the study, we would like to record some of the questions and answers for training and data quality. I'd like to continue now, unless you have any questions.

PRESS 1 AND ENTER TO CONTINUE

IF RESPONDENT REFUSES TO ALLOW AUDIO RECORDING, PRESS 7 AND ENTER

CODES

1	CONSENT TO RECORDING	IS3
7	REFUSE CONSENT TO RECORD	IS2D

PROGRAMMER INSTRUCTIONS:

IF IS2c=1 (OK TO RECORD), SET AUDIORECORDING FLAG=1 (YES). IF RESPONDENT TYPE AT IS2=1 (SP), SET SPAUDIOASSENT FLAG=1 (YES). IF RESPONDENT TYPE AT IS2=2 (PROXY), SET PROXYAUDIOASSENT FLAG=1 (YES).

ELSE IF IS2c=7 (REFUSED TO RECORD), SET AUDIORECORDING FLAG =2 (NO). IF RESPONDENT TYPE AT IS2=1 (SP), SET SPAUDIOASSENT FLAG = 2 (NO). IF RESPONDENT TYPE AT IS2=2 (PROXY), SET PROXYAUDIOASSENT=2 (NO).

DO NOT DISPLAY THIS SCREEN ON BACK UP OR RESTARTS (CASE STATUS = 12 (STARTED) UNLESS RESPONDENT TYPE IS CHANGED AT IS2 ON RESTART (CASE STATUS = 12 (STARTED).

IS2D	IS2D	NOT ON FILE
QUEST	ON TEXT: That's fine. The interview will not be recorded. PRESS 1 AND ENTER TO CONTINUE	
ENTER	TEXT Length	1
IS3	IS3	NOT ON FILE
_	Y INSTRUCTIONS: If IS2A=7 (SP DECEASED), display "was". Otherwise, display "is".	

QUESTION TEXT:

Before we start, I just want to confirm that {your/SP's} name {is/was} {SP'S FIRST NAME} {SP'S MIDDLE NAME} {SP'S LAST NAME}. Is that correct?

SPELL OUT SP'S NAME. CONFIRM SPELLING.

CODES

1	YES	BOX IS8
2	NO	

PROGRAMMER INSTRUCTIONS:

If Breakoff at or before this screen, do not save any data and set case status = 11 (READY).

IS3A	IS3A	NOT ON FILE	
DISPLAY INSTRUC	TIONS:		
Display pre	loaded SP name in the response	fields.	
Display "FII	RST" in bold underlined text.		
Display SP 1	first name in fill as bold underline	d.	
	iP DECEASED), display "was". display "is".		
QUESTION TEXT:			
What {is/v	vas} the correct spelling of {your/	SP's} full name?	
{FIRST NA	ME} {MIDDLE NAME} {LAST NA	ME}	
CORRECT	FIRST NAME. CONFIRM SPELLIN	G	
ENTER TEXT			
LINIEK IEAI	Length	25	
PROGRAMMER IN	-		
PROGRAMMER IN	ISTRUCTIONS:		
PROGRAMMER IN Display IS3:	ISTRUCTIONS: a, 3b, and 3c on the same screen. IS3B		
PROGRAMMER IN Display IS3 IS3B DISPLAY INSTRUC	ISTRUCTIONS: a, 3b, and 3c on the same screen. IS3B		
PROGRAMMER IN Display IS3: IS3B DISPLAY INSTRUC Display "M	ISTRUCTIONS: a, 3b, and 3c on the same screen. IS3B	NOT ON FILE	
PROGRAMMER IN Display IS3: IS3B DISPLAY INSTRUC Display "M Display SP If IS2A=7 (1	ISTRUCTIONS: a, 3b, and 3c on the same screen. IS3B TIONS: NIDDLE" in bold underlined text.	NOT ON FILE	
PROGRAMMER IN Display IS3: IS3B DISPLAY INSTRUC Display "M Display SP If IS2A=7 (Otherwise QUESTION TEXT:	ISTRUCTIONS: a, 3b, and 3c on the same screen. IS3B TIONS: MDDLE" in bold underlined text. middle name in fill as bold under SP DECEASED), display "was". e, display "is".	NOT ON FILE lined.	
PROGRAMMER IN Display IS3: IS3B DISPLAY INSTRUC Display "M Display SP If IS2A=7 (Otherwise QUESTION TEXT:	ISTRUCTIONS: a, 3b, and 3c on the same screen. IS3B TIONS: NIDDLE" in bold underlined text. middle name in fill as bold under SP DECEASED), display "was".	NOT ON FILE lined.	
PROGRAMMER IN Display IS3: IS3B DISPLAY INSTRUC Display "M Display SP If IS2A=7 (Otherwise QUESTION TEXT: [What {is/	ISTRUCTIONS: a, 3b, and 3c on the same screen. IS3B TIONS: MDDLE" in bold underlined text. middle name in fill as bold under SP DECEASED), display "was". e, display "is".	NOT ON FILE lined. /SP's} full name?]	
PROGRAMMER IN Display IS3: IS3B DISPLAY INSTRUC Display "M Display SP If IS2A=7 (: Otherwise QUESTION TEXT: [What {is/ {FIRST NA	ISTRUCTIONS: a, 3b, and 3c on the same screen. IS3B TIONS: MDDLE" in bold underlined text. middle name in fill as bold under SP DECEASED), display "was". e, display "is".	NOT ON FILE lined. /SP's} full name?] 1E}	

25

PROGRAMMER INSTRUCTIONS:

Display IS3a, 3b, and 3c on the same screen.

Length

Allow empty.

IS3C	IS3C	NOT ON FILE

DISPLAY INSTRUCTIONS:

Display "LAST" in bold underlined text.

Display SP last name in fill as bold underlined.

If IS2A=7 (SP DECEASED), display "was". Otherwise, display "is".

QUESTION TEXT:

[What {is/was} the correct spelling of {your/SP's} full name?]

{FIRST NAME} {MIDDLE NAME} {LAST NAME}

CORRECT LAST NAME. CONFIRM SPELLING

ENTER TEXT

Length

25

PROGRAMMER INSTRUCTIONS:

Write corrected SP name to the person roster.

Set flag to indicate SP name was updated.

BOX IS8

BOX IS8

NOT ON FILE

Write SP name (if corrected at IS3a-c) to the PERSON ROSTER. Set relationship to SP = 1 (SAMPLE PERSON).

If $IS_2 = 1$ (SP), to Section RE - Residence. If $IS_2 = 2$ (PROXY), go to IS8.

IS8 IS8 NOT ON FILE

DISPLAY INSTRUCTIONS:

Display PERSON ROSTER with FIRST NAME, LAST NAME, and RELATIONSHIP TO SP.

Display "NOT ON LIST" as first roster option.

QUESTION TEXT:

What is your name?

CHOOSE PERSON FROM LIST.

25

PROGRAMMER INSTRUCTIONS:

Length

If existing ROSTER MEMBER selected, set PROXY RESP CURRENT INT FLAG = 1 for ROSTER MEMBER and go to IS11.

Otherwise, go to IS8A.

IS8A	IS8A	NOT ON FILE	
	ISTRUCTIONS: play "first" in bold underlined text.		
	hat is your first name?		
	ITER FIRST NAME. CONFIRM SPELLING.		
ENTER TEX	T Length	25	
	MER INSTRUCTIONS: play IS8A, IS8B, and IS8C on the same scre	een.	
Wri	te ROSTER MEMBER to next open positio	n on PERSON ROSTER.	
Set	PROXY RESP CURRENT INT FLAG = 1 for F	ROSTER MEMBER.	
IS8B	IS8B	NOT ON FILE	
	NSTRUCTIONS: play "middle" in bold underlined text.		
QUESTION	TEXT: ITER MIDDLE NAME. CONFIRM SPELLING	Ĵ.	
PF	ESS ENTER IF NO MIDDLE NAME OR INIT	IAL.	
ENTER TEX	T Length	25	
	MER INSTRUCTIONS: blay IS8A, IS8B, and IS8C on the same scre	een.	
Allo	w empty.		
IS8C	IS8C	NOT ON FILE	
	ISTRUCTIONS: play "last" in bold underlined text.		
	TEXT:		

ENTER LAST NAME. CONFIRM SPELLING.

Display IS8A, IS8B, and IS8C on the same screen.

S9

is2prxyrelat op2relatnshp

R2 IS9 PROXY RELATIONSHIP TO SP R2 RELASHIP TO SP UPDATE AND NEW

DISPLAY INSTRUCTIONS:

Display PROXY RELATIONSHIP CODE LIST.

QUESTION TEXT:

How are you related to {SP}?

IF NEEDED: Are you {his/her}....?

CODE RELATIONSHIP OF PROXY TO SP

PRESS F1 FOR HELP SCREEN

CODES

020	
2	SPOUSE/PARTNER
3	DAUGHTER
4	SON
5	DAUGHTER-IN-LAW
6	SON-IN-LAW
7	STEPDAUGHTER
8	STEPSON
9	SISTER
10	BROTHER
11	SISTER-IN-LAW
12	BROTHER-IN-LAW
13	MOTHER
14	STEPMOTHER
15	MOTHER-IN-LAW
16	FATHER
17	STEPFATHER
18	FATHER-IN-LAW
19	GRANDDAUGHTER
20	GRANDSON
21	NIECE
22	NEPHEW
23	AUNT
24	UNCLE
25	COUSIN
26	STEPDAUGHTER'S SON/DAUGHTER
27	STEPSON'S SON/DAUGHTER
28	DAUGHTER-IN-LAW'S SON/DAUGHTER
29	SON-IN-LAW'S SON/DAUGHTER
30	BOARDER/RENTER
31	PAID AIDE/HOUSEKEEPER/EMPLOYEE
32	ROOMMATE
33	EX-WIFE/EX-HUSBAND
34	BOYFRIEND/GIRLFRIEND
35	NEIGHBOR

- 36 FRIEND
- 37 SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED
- 38 CO-WORKER
- 39 MINISTER, PRIEST, OR OTHER CLERCY
- 40 PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR
- THERAPIST
- 91 OTHER RELATIVE
- 92 OTHER NONRELATIVE

If code = 2 (SPOUSE/PARTNER), 3 (DAUGHTER), 4 (SON), 7 (STEPDAUGHTER), OR 8 (STEPSON) selected for new addition to the roster, display soft error message, "UNLIKELY RESPONSE. REVIEW NAMES AND RELATIONSHIPS ON ROSTER AT IS8 TO MAKE SURE PERSON DOESN'T ALREADY EXIST ON THE ROSTER."

If 3 (daughter), 5 (daughter-in-law), 7 (stepdaughter), 9 (sister), 11 (sister-in-law), 13 (mother), 14 (stepmother), 15 (mother-in-law), 19 (granddaughter), 21 (niece), or 23 (aunt) selected, set IS10= 2 (female) and go to BOX IS11.

ELSE If 4 (son), 6(son-in-law), 8 (stepson), 10 (brother), 12 (brother-in-law), 16 (father), 17 (stepfather), 18 (father-in-law), 20 (grandson), 22 (nephew), or 24 (uncle) selected, set IS10 = 1 (male) and go to BOX IS11.

If IS9 = 91 or 92, go to IS9a.

Otherwise, GO TO IS10.

IS9A	IS9A	NOT ON FILE	
QUEST	ION TEXT: SPECIFY RELATIONSHIP OF PROXY TO {SP}		
ENTER	TEXT Length	50	
IS10	is2prxygendr op2gender	R2 IS10 PROXY GENDER R2 OTHER PERSON GENDER	
QUEST	ION TEXT: CODE GENDER OF PROXY IF GENDER IS OBVIOUS, CODE WITHOUT ASKING OTHERWISE ASK: Are you male or female?		
CODES 1 2	MALE FEMALE		
BOX	IS11 BOX IS11	NOT ON FILE	
	Write PROXY relationship and gender to PERSON F	ROSTER.	
IS11 displa	is2famrrutin AY INSTRUCTIONS:	R2 IS11 FAMILRTY SP DAILY ROUTIN	

If IS2A=7 (SP DECEASED), display "were" and "in the last month of {his/her} life" and "Were" Otherwise, display "are" and "Are".

QUESTION TEXT:

How familiar {are/were} you with {SP}'s daily routine {in the last month of {his/her} life}? {Are/Were} you very familiar, somewhat familiar, a little familiar, or not at all familiar?

CODES

1	VERY FAMILIAR
2	SOMEWHAT FAMILIAR
3	A LITTLE FAMILIAR
4	NOT AT ALL FAMILIAR
	REFUSED
	DON'T KNOW

BOX IS12A NOT ON FILE BOX IS12A If ROSTER MEMBER has PROXY RESP CURRENT INT flag = 1 (YES) and PROXY RESP LAST INT flag = 1 (YES) and relationship code = 3 (DAUGHTER), 4 (SON), 7 (STEPDAUGHTER), or 8 (STEPSON), or if ROSTER MEMBER was added in CURRENT INT and ROSTER MEMBER has relationship code = 3 (DAUGHTER), 4 (SON), 7 (STEPDAUGHTER), or 8 (STEPSON), or if ROSTER MEMBER was added in CURRENT INT and ROSTER MEMBER has INHOUSEHOLD flag = 1 (YES) and relationship code = 5-6, 9-24, go to IS12a. Otherwise, go to Section RE - Residence. IS12A op2birthmth (Sensitive) **R2 OTHER PERSON MONTH OF BIRTH DISPLAY INSTRUCTIONS:** Display "MONTH" in underlined text. **QUESTION TEXT:** What is your date of birth? ENTER MONTH ENTER NUMBER Range 1 to 12 Soft Range 1 to 12 REFUSED DON'T KNOW **PROGRAMMER INSTRUCTIONS:** Display IS12A, IS12B, and IS12C on the same screen. NOT ON FILE IS12B IS12B **DISPLAY INSTRUCTIONS:** Display "DAY" in underlined text. **QUESTION TEXT:**

[What is your date of birth?]

ENTER DAY

Range	1 to 31
Soft Range	1 to 31
REFUSED	
DON'T KNOW	

Display IS12A, IS12B, and IS12C on the same screen.

IS12C

op2birthyear (Sensitive)

R2 OTHER PERSON YEAR OF BIRTH

DISPLAY INSTRUCTIONS:

Display "YEAR" in underlined text.

QUESTION TEXT:

[What is your date of birth?]

ENTER YEAR

ENTER NUMBER

REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Display IS12A, IS12B, and IS12C on the same screen. Hard range: CURRENT YEAR - 110. Soft range: (CURRENT YEAR - 20) - (CURRENT YEAR - 75). If IS12C violates hard range, display error message "YEAR OF BIRTH OUTSIDE OF RANGE. VERIFY WITH RESPONDENT AND RE-ENTER."

Write birth month, day, and year from IS12a, b, and c to the PERSON ROSTER for roster member.

If IS12A and IS12B and IS12C <> RF or DK, compute PERSON AGE as (CURRENT DATE - IS12a-c DOB) and prefill IS13.

Otherwise, go to Section RE – Residence.

IS13

op2age (Sensitive) op2dage

R2 D OTH PERSN CAT AGE AT INTVW

R2 OTHER PERSON AGE

DISPLAY INSTRUCTIONS:

For "CALCULATED AGE", display age computed at IS12.

QUESTION TEXT:

That makes you {CALCULATED AGE} TODAY. Is that correct?

CODES

1	YES
2	NO
	REFUSED
	DON'T KNOW

Section RE IS12A Section RE Section RE

PROGRAMMER INSTRUCTIONS:

If IS13 = 1 (YES), write PERSON AGE to PERSON ROSTER.

Derived Variables from Items in IS Section	
is2dproxyid	R2 D PROXY OPID
op2dage R2 D OTH PERSN CAT AGE AT INTVW	

NHATS Round 2: Last Month of Life

Sectio	on RI	E [RESIDENCE]	Seque	nce: 2
RE3		RE3	NOT ON FILE	
DISPLA	AY INSTRUCTI	ONS:		
	If IS2A=7 (SP	DECEASED), display "at th	he time {he/she} died" and "lived".	
	Otherwise, di	splay "lives".		
	Display updat	ed IMS Address 1, Addres	ss 2, City, State, Zip.	
	If DECEASED updated.	flag = 1 (YES) and FACILIT	Y flag = 1 (YES), display preloaded LAST INT Facility name or from IMS if	
QUEST	ION TEXT:			
		to confirm {your/SP's} add } {lives/lived} at [READ AD	dress {at the time {he/she} died}.According to our records, {you DDRESS BELOW]	
	CONFIRM SE	PELLING		
	{Facility Name} {Address 1} {Address 2} {City}, {State} {Zip}			
	IF COMPLET	E ADDRESS NOT DISPLAY	/ED, ENTER 2.	
	[Is that corre	ect?]		
CODES	5			
1 2		YES NO REFUSED DON'T KNOW	RE4F	
вох	RE4	BOX RE4	NOT ON FILE	
QUEST	TION TEXT: If DECEASEI	D flag = 1 (YES) and LAST	INT Facility Name is not blank, go to RE4.	
	Otherwise,	go to RE4a.		
RE4		RE4	NOT ON FILE	
DISPLA	AY INSTRUCTI Display preloa		ity name in the question text.	
	Display preloaded LAST INT facility name.			
	Display RE4a,	4b, 4c, 4d, and 4e on the	e same screen.	
	Display {Address 1}, {Address 2}, {City}, {State}, and {Zip} fields as lighter "grayed-out" text.			

Display "facility name" as underlined text.

QUESTION TEXT:

QUESTION TEXT:			
What was	s {SP}'s facility name at the time	{he/she} died?	
CONFIRM	1 SPELLING.		
IF NO FA	CILITY NAME, ENTER 95.		
{Facility N {Address {Address {City}, {St	1}		
ENTER TEXT			
	Length	50	
RE4A	RE4A	NOT ON FILE	
DISPLAY INSTRUC	CTIONS:		
Display pre Display RE Display {Ac	eloaded SP address in the quest eloaded address line 1 in the resp 4a, 4b, 4c, 4d, and 4e on the sar ddress 2}, {City}, {State}, and {Zi ddress" as underlined text.	ponse field if available.	
Display pre	eloaded SP address in the quest	ion text.	
	ED flag = 1 (YES), display "was" a , display "is".	and "at the time {he/she} died".	
QUESTION TEXT:			
What {is/	was} address {at the time {he/she	ء} died?	
CONFIRM	1 SPELLING.		
{Address {Address {City}, {St			
ENTER TEXT			
	Length	25	
RE4B	RE4B	NOT ON FILE	
DISPLAY INSTRUC	CTIONS:		
Display pre Display RE Display {Ac	eloaded SP address in the quest eloaded address line 2 in the res 4a, 4b, 4c, 4d, and 4e on the sar ddress 1}, {City}, {State}, and {Zij ddress" as underlined text	ponse field if available	
Display pre	eloaded SP address in the quest	ion text.	
	ED flag = 1 (YES), display "was" a , display "is".	and "at the time {he/she} died".	
QUESTION TEXT:			

QUESTION TEXT: [What {is/was} {your/SP's} address {at the time {he/she} died}?]

IF NO APT/SUITE NUMBER, PRESS ENTER TO CONTINUE.

{Address 1} {Address 2} {City}, {State} {Zip}

ENTER TEXT

Length

50

PROGRAMMER INSTRUCTIONS:

Allow empty

RE4C

re2spadrscty (Restricted) R2 RE4C SP ADDRESS CITY

DISPLAY INSTRUCTIONS:

Display preloaded SP address in the question text Display preloaded city in the response field if available. Display RE4a, 4b, 4c, 4d, and 4e on the same screen. Display {Address 1}, {Address 2}, {State}, and {Zip} fields as lighter "grayed out" text. Display "city" as underlined text.

Display preloaded SP address in the question text.

If DECEASED flag = 1 (YES), display "was" and "at the time {he/she} died". Otherwise, display "is".

QUESTION TEXT:

[What {is/was} {your/SP's} city {at the time {he/she} died}?]

CONFIRM SPELLING

{Address 1} {Address 2} {City}, {State} {Zip}

ENTER TEXT

Length

25

RE4D

re2spadrsstt (Restricted)

R2 RE4C SP ADDRESS STATE

DISPLAY INSTRUCTIONS:

Display preloaded SP address in the question text Display preloaded state in the response field if available. Display RE4a, 4b, 4c, 4d, and 4e on the same screen. Display {Address 1}, {Address 2}, {City}, and {Zip} fields as lighter "grayed out" text. Display "state" as underlined text.

Display preloaded SP address in the question text.

If DECEASED flag = 1 (YES), display "was" and "at the time {he/she} died". Otherwise, display "is".

QUESTION TEXT:

[What {is/was} {your/SP's} state {at the time {he/she} died}?]

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT

{Address 1} {Address 2} {City}, {State} {Zip}

ENTER TEXT

Length

PROGRAMMER INSTRUCTIONS:

Use lookup file of state names

RE4E

re2spadrszip (Restricted)

R2 RE4E SP ADDRESS ZIP CODE

2

DISPLAY INSTRUCTIONS:

Display preloaded SP address in the question text Display preloaded zip code in the response field if available. Display RE4a, 4b, 4c, 4d, and 4e on the same screen. Display {Address 1}, {Address 2}, {City}, and {Zip} fields as lighter "grayed out" text. Display "zip code" as underlined text.

Display preloaded SP address in the question text.

If DECEASED flag = 1 (YES), display "was" and "at the time he/she died". Otherwise, display "is".

QUESTION TEXT:

[What {is/was} {your/SP's} zip code {at the time {he/she} died}?]

ENTER A 5-DIGIT ZIP CODE

{Address 1} {Address 2} {City}, {State} {Zip}

ENTER TEXT

Length

5

PROGRAMMER INSTRUCTIONS:

5-digit entry required. If less than 5 digits entered, display ErrorMessage #11.

Write updated Address 1, Address 2, City, State, and Zip fields to the IMS.

RE4F	re2spadrsnew	R2 RE4F SP ADDRESS SAME OR DIFF
	re2dadrcorr	R2 D RE4F ADDRESS SAME DIFF CORRECTED

DISPLAY INSTRUCTIONS:

If DECEASED FLAG = 1 (YES), display "DIED", "{Facility Name}, "was", "at the time {he/she} died", "{he/she} was", and (", FACILITY NAME" if FACILITY NAME <> 95). Otherwise, display "is", "now", and "LIVES".

Display current and last address fields in 2 columns.

For CURRENT ADDRESS, display updated Facility Name, Address 1, Address 2, City, State, and Zip fields from RE4a-e.

For LAST ADDRESS, display preloaded LAST INT Facility Name, LAST INT Address 1, LAST INT Address 2, LAST INT City, LAST INT State, and LAST INT Zip fields.

QUESTION TEXT:

SPECIFY IF SP {LIVES/DIED} AT SAME RESIDENCE AS LAST INTERVIEW:

CURRENT ADDRESS: {Facility Name} {Address 1} {Address 2} {City}, {State} {Zip}

LAST ADDRESS: {LAST INT Facility Name} {LAST INT Address 1} {LAST INT Address 2} {LAST INT City}, {LAST INT State} {LAST INT Zip}

IF NEEDED: Is the place {you are/SP {is/was}} living at {now/at the time {he/she} died} the same place that {you were/{he/she} was} living at the time of the last interview?

ENTER 2 IF DIFFERENT RESIDENCE, INCLUDING AN APT# OR UNIT #.

CODES

1	YES, SAME ADDRESS
2	NO, DIFFERENT ADDRESS
3	YES, SAME ADDRESS WITH MINOR CORRECTIONS

PROGRAMMER INSTRUCTIONS:

If RE4f = 2 (DIFFERENT ADDRESS), set NEW RESIDENCE flag = 1 (YES).

If [RE4f = 1 (SAME ADDRESS) or 3 (SAME ADDRESS WITH CORRECTIONS)], set HOTYPE flag = LAST INT HOTYPE flag.

If [RE4f = 1 (SAME ADDRESS) or 3 (SAME ADDRESS WITH CORRECTIONS)] and LAST INT FACILITY flag = 1 (YES), set FACILITY flag = 1 (YES).

If [RE4f = 1 (SAME ADDRESS) or 3 (SAME ADDRESS WITH CORRECTIONS)] and LAST INT RETIREMENT COMMUNITY flag = 1 (YES), set RETIREMENT COMMUNITY flag = 1 (YES).

BOX RE5	BOX RE5	NOT ON FILE
---------	---------	-------------

QUESTION TEXT:

If DECEASED flag = 1 (YES) and RE4f = 2 (DIFFERENT ADDRESS), go to BOX RE10.

Else if DECEASED flag = 1 (YES), go to RE12.

Otherwise, go to RE5.

BOX RE10 BOX RE10 NOT ON FILE

re2mthmove

If NEW RESIDENCE flag = 1 (YES), go to RE10.

Else if DECEASED flag = 1 (YES), go to RE11.

Otherwise, go to Section HC – Health Conditions.

RE	E10)
----	-----	---

R2 RE10 MONTH MOVED NEW ADDRESS

QUESTION TEXT:

In what month since {LAST INT MONTH AND YEAR}, did {SP} move to {Address 1}, {City}, {State} {Zip}?

CODES

1 JANUARY 2 FEBRUARY

3	MARCH		
4	APRIL		
5	MAY		
6	JUNE		
7	JULY		
8	AUGUST		
9	SEPTEMBER		
10	OCTOBER		
11	NOVEMBER		
12	DECEMBER		
	REFUSED	RE11	
	DON'T KNOW	RE11	

RE10B QUESTION TEXT: Was that	re2yearmove {MONTH FROM RE10} 2011 or {MON	R2 RE10B YEAR MOVED NEW ADDRESS TH FROM RE10}2012?
CODES 1 2	2011 2012	
BOX RE11	BOX RE11	NOT ON FILE
	SED flag = 1 (YES), go to RE11. se, go to Section HC – Health Conditio	ns.
RE11	re2placedec	R2 RE11 CARE AT PLACE SP DIED
	the kind of place that provides care, so nome, or other long term care facility?	uch as an assisted living facility, board and care home,
CODES 1 2	YES NO REFUSED DON'T KNOW	
PROGRAMMER II If RE11 = 1	NSTRUCTIONS: (YES), set FACILITY flag = 1 (YES).	
RE12	re2alonedec	R2 RE12 LIVED ALONE AT DEATH
QUESTION TEXT: At the tir	ne of {SP}'s death, was {he/she} living	alone?
CODES 1 2	YES NO	

REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Go to Section PD – Place of Death.

Derived Variables From Items in RE Section		
re2dadrscorr	R2 D RE4F ADDRESS SAME DIFF CORRECTED	
r 2 dresidlml	R2 D RESIDENTIAL CARE LAST MTH	
re2dcensdiv	re2dcensdiv R2 D SP CENSUS DIVISION	

Flag Variables Set in RE Section		
fl2resnew	R2 F RE NEW ADDRESS FROM PRIOR ROUND	
fl2facility	R2 F RE ROUTING FLAG FROM RE4f HT3 5 6 7	
fl2dfacility	R2 F D FACILITY ROUTING CORRECTIONS	
fl2retirecom	R2 F RE HT SP LIVES IN RETIREMT COM	
fl2hotype	R2 F RE HT TYPE OF HOME	

NHATS Round 2: Last Month of Life

Section	PD [PLACE OF DEATH]		Sequence: 2.
BOX PD1	BOX PD1	NOT ON FILE	
If DECEA	ASED flag=1 (YES) and preload month a	nd year of death available (NOT NULL), go to PD1.	
Otherwi	ise, go to PD2a.		
PD1	pd2spdied	R2 PD1 SP DIED	
QUESTION TEXT: We under	: erstand that {SP} died in {MONTH ANI	YEAR DIES}. Is this correct?	
The diffe			
CODES			
1	YES	PD3	
2	NO		
	DEELICED		
lf PD1=1 (\	REFUSED DON'T KNOW # INSTRUCTIONS: YES), write Month and Year of Death fo	or SP to PERSON ROSTER.	
If PD1=1 () PD2A	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death fo pd2mthdied	or SP to PERSON ROSTER. R2 PD2A MONTH DIED	
If PD1=1 () PD2A QUESTION TEXT:	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death fo pd2mthdied :		_
If PD1=1 () PD2A QUESTION TEXT:	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death fo pd2mthdied		
If PD1=1 () PD2A QUESTION TEXT:	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death fo pd2mthdied		
If PD1=1 (Y PD2A QUESTION TEXT: In what	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death for pd2mthdied : month and year die {SP} die? JANUARY		
If PD1=1 (N PD2A QUESTION TEXT: In what CODES 1 2	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death for pd2mthdied : month and year die {SP} die? JANUARY FEBRUARY		
If PD1=1 (N PD2A QUESTION TEXT: In what CODES 1 2 3	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death for pd2mthdied : month and year die {SP} die? JANUARY FEBRUARY MARCH		
If PD1=1 (N PD2A QUESTION TEXT: In what CODES 1 2	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death for pd2mthdied : month and year die {SP} die? JANUARY FEBRUARY		
If PD1=1 (1) PD2A QUESTION TEXT: In what CODES 1 2 3 4 5 6	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death for pd2mthdied i month and year die {SP} die? JANUARY FEBRUARY MARCH APRIL MAY JUNE		
If PD1=1 (1) PD2A QUESTION TEXT: In what CODES 1 2 3 4 5 6 7	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death for pd2mthdied immonth and year die {SP} die? JANUARY FEBRUARY MARCH APRIL MAY JUNE JUNE JULY		
If PD1=1 (1) PD2A QUESTION TEXT: In what CODES 1 2 3 4 5 6 7 8	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death for pd2mthdied i month and year die {SP} die? JANUARY FEBRUARY MARCH APRIL MAY JUNE		
If PD1=1 (1) PD2A QUESTION TEXT: In what CODES 1 2 3 4 5 6 7	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death for pd2mthdied month and year die {SP} die? JANUARY FEBRUARY MARCH APRIL MAY JUNE JULY AUGUST		
If PD1=1 (1) PD2A QUESTION TEXT: In what CODES 1 2 3 4 5 6 7 8 9 10 11	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death for pd2mthdied : month and year die {SP} die? JANUARY FEBRUARY MARCH APRIL MAY JUNE JULY AUGUST SEPTEMBER OCTOBER NOVEMBER		
If PD1=1 (1) PD2A QUESTION TEXT: In what CODES 1 2 3 4 5 6 7 8 9 10	DON'T KNOW INSTRUCTIONS: YES), write Month and Year of Death for pd2mthdied month and year die {SP} die? JANUARY FEBRUARY MARCH APRIL MAY JUNE JULY AUGUST SEPTEMBER OCTOBER		

 PD2B
 pd2yrdied
 R2 PD2B YEAR DIED

 QUESTION TEXT:
 [In what month and year did {SP} die?]
 ENTER YEAR

CODES

1	2011
2	2012
	REFUSED
	DON'T KNOW

Write Month and Year of Death for SP to PERSON ROSTER from PD2A-B.

PD3 QUESTION TEX		R2 PD3 F	PLACE OF DEATH
Where	e did {SP's} death take place?		
CODES			
1	AT SP'S OR SOMEONE ELSE'S	НОМЕ	PD3B
2	IN A HOSPITAL		PD ₃ C
3	IN A NURSING HOME		PD3D
4	IN A HOSPICE RESIDENCE		PD3E
5	IN TRANSIT (AMBULANCE TO	HOSPITAL)	PD5
91	SOMEWHERE ELSE (SPECIFY) REFUSED		PD6
	DON'T KNOW		PD6
PD3A	PD3A	NOT ON	FILE
QUESTION TEX	T-		
	TY PLACE OF DEATH		
IF NEE	DED: Where was that?		
ENTER TEXT			
	Length		50
	REFUSED		
	DON'T KNOW		
	R INSTRUCTIONS:		
Go to PI	05.		
PD3B	pd2homedied	Ro PDoB	DIED SP HOME OR OTHER
QUESTION TEX		1121 030	Died St Home on official
	nat at {SP}'s home or someone else's home	e?	
CODES			
1	SP'SHOME	PD6	
2	SOMEONE ELSE'S HOME	PD6	
	REFUSED	PD6	
	DON'T KNOW	PD6	
			HOSPITAL UNIT DIED
PD3C	pd2hospdied	R2 F D3C	
PD3C		N2 F D3C	

CODES			
1	INTENSIVE CARE UNIT	PD4	
2	PALLIATIVE CARE UNIT	PD4	
3	INPATIENT HOSPICE UNIT	PD4	
4	EMERGENCY ROOM	PD4	
5	ANOTHER KIND OF UNIT	PD4	
	REFUSED	PD4	
	DON'T KNOW	PD4	

PD3D	pd2hospice1	R2 PD3D HOSPICE AT NURSING HOME		
QUESTION TEXT: Was that a ho	ospice unit at a nursing home?			
CODES				
1 2	YES NO	PD4 PD4		
2	REFUSED	PD4		
	DON'T KNOW	PD4		
PD3E	pd2hospice2	R2 PD3E HOSPICE OTHER PLACE		
QUESTION TEXT: Was this a ho else?	spice unit at a hospital or nursing home	e, housing provided by hospice, or somewhere		
CODES				
1	HOSPICE AT A HOSPITAL	PD4		
2	HOSPICE AT A NURSING HOME RESIDENTAL HOSPICE	PD4 PD4		
3 4	OTHER HOSPICE	PD4 PD4		
	REFUSED	PD4		
	DON'T KNOW	PD4		
PD4 DISPLAY INSTRUCTIO	pd2stayunit NS: by "at the hospital".	R2 PD4 LENGTH OF STAY UNIT		
- · · ·	Else if PD3=3, display "at the nursing home".			

Else if PD3=4, display "at the hospice residence".

Otherwise, display "there".

QUESTION TEXT:

About how long was {SP}'s stay {at the hospital/at the nursing home/at the hospice residence/there} before {he/she} died?

INDICATE RESPONSE UNIT

CODES

1	DAYS	
2	WEEKS	PD4B

3 4	MONTHS YEARS REFUSED DON'T KNOW	PD4C PD4D PD5 PD4E	
PD4A DISPLAY INSTRUCTION Display "DAY!	pd2staydays DNS: 5" in underlined text.	R2 PD4A LENGTH OF STAY DAYS	
QUESTION TEXT: ENTER NUN	IBER OF DAYS OF SP'S STAY.		
ENTER NUMBER PROGRAMMER INS Go to PD5.	Range TRUCTIONS:	1 to 365	
PD4B DISPLAY INSTRUCTIO Display "WEE	pd2staywks DNS: KS" in underlined text.	R2 PD4B LENGTH OF STAY WEEKS	
QUESTION TEXT: ENTER NUN	IBER OF WEEKSS OF SP'S STAY.		
ENTER NUMBER PROGRAMMER INS Go to PD5.	Range TRUCTIONS:	1 to 52	
PD4C DISPLAY INSTRUCTIO Display "MON	pd2staymths DNS: JTHS" in underlined text.	R2 PD4C LENGTH OF STAY MONTHS	
QUESTION TEXT: ENTER NUN	IBER OF MONTHS OF SP'S STAY.		
ENTER NUMBER PROGRAMMER INS Go to PD5.	Range TRUCTIONS:	1 to 24	
	pd2stayyrs D NS: RS" in underlined text.	R2 PD4D LENGTH OF STAY YEARS	
QUESTION TEXT: ENTER NUN	IBER OF YEARS OF SP'S STAY.		

ENTER NUMBER

Range	1 to 30
Soft Range	1 to 5

PROGRAMMER INSTRUCTIONS:

Go to PD5.

PD4E QUESTION TEXT:	pd2staymthpl	R2 PD4E LENGTH OF STAY MTH PLUS
Was it longe	r than a month?	
CODES		
1 2	YES NO REFUSED DON'T KNOW	
PD5	pd2placepre	R2 PD5 PLACE PRE HOSP HOSPICE NH
DISPLAY INSTRUCTION If PD3=2, displ	DNS: lay "the hospital".	
Else if PD3=3,	display "the nursing home".	
Else if PD3=4,	display "the hospice residence".	
Otherwise, di	splay "that".	
QUESTION TEXT: And where v	vas {SP} staying just before {the ho	spital/the nursing home/the hospice residence/that}?
CODES		
1	AT SP'S HOME	PD6
2	IN A HOSPITAL	PD6 PD6
3	IN A NURSING HOME IN A HOSPICE RESIDENCE	PD6
4 5	SOMEONE ELSES HOME	100
91	SOMEWHERE ELSE (SPECIFY)	(UPCODED FROM PD5A) PD6
	REFUSED DON'T KNOW	PD6
PD5A	PD5A	NOT ON FILE
QUESTION TEXT:	ACE SP STAYED BEFORE HOSPITAL/N	
ENTER TEXT		
	Length REFUSED DON'T KNOW	50

QUESTION TEXT:

For how much of the last month of {SP}'s life was {he/she} alert, that is, awake and able to communicate? Would you say every day, most days, some days, rarely, or not at all?

CODES

1	EVERY DAY	
2	MOST DAYS	
3	SOME DAYS	
4	RARELY	
5	NOT AT ALL	
	REFUSED	
	DON'T KNOW	

Section LM

PROGRAMMER INSTRUCTIONS:

If PD6=5 (NOT AT ALL), SET NOTALERT FLAG=1.

PD7		pd2outbed	R2 PD7 GET OUT OF BED IN LST MTH
QUEST	ON TEXT:		
	For how much of the	last month of SPVs life was St	a/sha} able to get out of bod?

For how much of the last month of {SP}'s life was {he/she} able to get out of bed? Would you say every day, most days, some days, rarely, or not at all?

CODES

1	EVERY DAY
2	MOST DAYS
3	SOME DAYS
4	RARELY
5	NOT AT ALL
	REFUSED
	DON'T KNOW

PROGRAMMER INSTRUCTIONS:

If PD7=5 (NOT AT ALL), SET NOTMOBILE FLAG=1.

Go to Section LM – Last Month.

Flag Variables Set in PD Section	
fl2spdied	R2 F SP DIED PRIOR TO R2
fl2notalert	R2 F LML NOT ALERT
fl2notmobile	R2 F LML NOT MOBILE

NHATS Round 2: Last Month of Life

Section	LM [LAST MONTH]	Sequence: 2.75
BOX LM1PF	RE BOX LM1PRE	NOT ON FILE
If NotAl	lertFlag=1, go to LM4.	
Otherw	vise, go to LM1PRE.	
LM1PRE	LM1PRE	NOT ON FILE
QUESTION TEXT	ſ:	
These r care in	next few questions are about {SP}'s car	re in the last month of life. If {he/she} did not receive any ns might not apply. If this is the care, just let me know,
PRESS	1 AND ENTER TO CONTINUE	
LM1	lm2pain	R2 LM1 PAIN IN LAST MONTH
	-	
QUESTION TEXT		e times when {he/she} experienced pain?
banng		
CODES		
1	YES	
2	NO	LM2
	REFUSED	LM2
	DON'T KNOW	LM2
LM1A	lm2painhlp	R2 LM1A GET HELP WITH PAIN
QUESTION TEXT	ſ	
	} get any help in dealing with {his/her}	pain?
CODES		
1 2	YES NO	LM2
2	REFUSED	LM2 LM2
	DON'T KNOW	LM2
LM1B	lm2painhlpam	R2 LM1B PAIN HELP AMOUNT
QUESTION TEXT	Γ:	
How m		did {SP} receive: less than was needed, more than was
CODES		
1	LESS THAN WAS NEEDED	
2	MORE THAN WAS NEEDED	
3	ABOUT RIGHT AMOUNT	

- ABOUT RIGHT AMOUNT 3
 - REFUSED
 - DON'T KNOW

LM2	lm2bre	R2 LM2 BREATHING TROUBLE
QUESTION TEXT		
During	the last month of {SP}'s life, were there ti	mes when {he/she} had trouble breathing?
CODES		
1	YES	
2	NO	LM3
	REFUSED	LM3
	DON'T KNOW	LM3
LM2A	lm2brehlp	R2 LM2A GET HELP WITH BREATHING
QUESTION TEXT		
Did {SP	} get any help in dealing with{his/her} trou	ible breathing?
CODES		
1	YES	
2	NO	LM3
	REFUSED	LM3
	DON'T KNOW	LM3
LM2B	lm2brehlpam	R2 LM2B BREATHING HELP AMOUNT
How m	uch help in dealing with {his/her} breathin	g did {SP} receive: less than was needed, more than
How me was nee		g did {SP} receive: less than was needed, more than
How me was nee	uch help in dealing with {his/her} breathin eded, or about the right amount?	g did {SP} receive: less than was needed, more than
How mi was nee	uch help in dealing with {his/her} breathin	g did {SP} receive: less than was needed, more than
How mi was nee CODES	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED	g did {SP} receive: less than was needed, more than
How me was nee CODES 1 2	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED	g did {SP} receive: less than was needed, more than
How me was nee CODES 1 2	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT	g did {SP} receive: less than was needed, more than
How mi was nee CODES 1 2 3	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED	g did {SP} receive: less than was needed, more than R2 LM3 ANXIOUS OR SAD LAST MONTH
How mi was nee 1 2 3	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2 sad	
How mi was nee 1 2 3 LM3 QUESTION TEXT	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2 sad	R2 LM3 ANXIOUS OR SAD LAST MONTH
How mi was nee 1 2 3 2 4 3 2 3 2 4 2 3 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 3 2 3 2 3 2 3 2 3 2 3 3 2 3 2 3 2 3 3 2 3 3 2 3 3 3 2 3	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2 sad	R2 LM3 ANXIOUS OR SAD LAST MONTH
How mi was nee 1 2 3 2 3 2 4 2 3 2 3 2 2 3 2 2 2 3 2 2 2 3 2 2 2 3 2 2 3 2 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 3 2 3 2 3 3 2 3 2 3 2 3 2 3 3 2 3 3 2 3 3 2 3 3 3 2 3	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2 sad	R2 LM3 ANXIOUS OR SAD LAST MONTH
How mi was nee 1 2 3 2 4 3 2 3 3 2 4 4 4 4 4 4 4 4 4 4 4	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2sad : the last month of {SP}'s life, did {he/she} h YES NO	R2 LM3 ANXIOUS OR SAD LAST MONTH have any feelings of anxiety or sadness? LM4
How mi was nee 1 2 3 2 4 3 2 3 3 2 4 4 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2sad : the last month of {SP}'s life, did {he/she} h YES NO REFUSED	R2 LM3 ANXIOUS OR SAD LAST MONTH have any feelings of anxiety or sadness? LM4 LM4
How mi was nee 1 2 3 2 4 3 2 3 3 2 4 4 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2sad : the last month of {SP}'s life, did {he/she} h YES NO	R2 LM3 ANXIOUS OR SAD LAST MONTH have any feelings of anxiety or sadness? LM4
was nee CODES 1 2 3 CODES 1 2 1 2	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2 sad : the last month of {SP}'s life, did {he/she} h YES NO REFUSED DON'T KNOW	R2 LM3 ANXIOUS OR SAD LAST MONTH have any feelings of anxiety or sadness? LM4 LM4 LM4
How mi was nee 1 2 3 CODES QUESTION TEXT During CODES 1 2 LM3a	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2 sad : the last month of {SP}'s life, did {he/she} f YES NO REFUSED DON'T KNOW Im2 sadhlp	R2 LM3 ANXIOUS OR SAD LAST MONTH have any feelings of anxiety or sadness? LM4 LM4
How mi was nee CODES 1 2 3 LM3 QUESTION TEXT During CODES 1 2 LM3a QUESTION TEXT	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2 sad : the last month of {SP}'s life, did {he/she} f YES NO REFUSED DON'T KNOW Im2 sadhlp	R2 LM3 ANXIOUS OR SAD LAST MONTH have any feelings of anxiety or sadness? LM4 LM4 LM4 R2 LM3A GET HELP FOR ANXIOUS SAD
How mi was nee CODES 1 2 3 LM3 QUESTION TEXT During CODES 1 2 LM3a QUESTION TEXT	uch help in dealing with {his/her} breathin eded, or about the right amount? LESS THAN WAS NEEDED MORE THAN WAS NEEDED ABOUT RIGHT AMOUNT REFUSED DON'T KNOW Im2 sad : the last month of {SP}'s life, did {he/she} h YES NO REFUSED DON'T KNOW Im2 sadhlp	R2 LM3 ANXIOUS OR SAD LAST MONTH have any feelings of anxiety or sadness? LM4 LM4 LM4 R2 LM3A GET HELP FOR ANXIOUS SAD

2	NO	LM4	
-	REFUSED	LM4	
	DON'T KNOW	LM4	
LM3B	lm2sadhlpam	R2 LM3B ANXIOUS SAD HELP AMOUNT	
QUESTION	EXT:		
	w much help in dealing with these feelings ded, or about the right amount?	did {SP} receive: less than was needed, more than was	
CODES			
1	LESS THAN WAS NEEDED		
2	MORE THAN WAS NEEDED		
3	ABOUT RIGHT AMOUNT		
	REFUSED DON'T KNOW		
LM4	lm2caredecis	R2 LM4 DEC ABOUT CARE WO INPUT	
QUESTION	EXT:		
Du	ing the last month of {SP}'s life, was there	ever a decision made about {his/her} care or treatment	
wit	hout enough input from {him/her} or {his/h	her} family?	
CODES			
1	YES		
2			
3	DOES NOT APPLY/NO CARE REFUSED	IN LAST MONTH OF LIFE	
	DON'T KNOW		
LM5	lm2carenowan	R2 LM5 DEC ABOUT CARE NOT WANTED	
QUESTION	EXT:		
Du		any decision made about care or treatment that {he/she}	
CODES			
1	YES		
2	NO		
3	DOES NOT APPLY/NO CARE	IN LAST MONTH OF LIFE	
	REFUSED DON'T KNOW		
	DON T KNOW		
LM6	lm2perscare	R2 LM6 PERSONAL CARE NEEDS MET	
QUESTION	·FXT•		
Dui	ing the last month of {SP}'s life, how ofter	n were {his/her} personal care needs, such as bathing, f as well as they should have been: always, usually,	
CODES			
1	ALWAYS		
2	USUALLY		
3	SOMETIMES		
4	NEVER		
5	DOES NOT APPLY/NO CARE	IN LAST MONTH OF LIFE	

LM7 Im2respect R2 LM7 TREATED W QUESTION TEXT: During the last month of {SP}'s life, how often were {he/she} treated with retaking care of {him/her}: always, usually, sometimes, or never?	
During the last month of {SP}'s life, how often were {he/she} treated with re taking care of {him/her}: always, usually, sometimes, or never?	spect by those who were
During the last month of {SP}'s life, how often were {he/she} treated with re taking care of {him/her}: always, usually, sometimes, or never?	spect by those who were
CODES	
1 ALWAYS	
2 USUALLY	
3 SOMETIMES	
4 NEVER 5 DOES NOT APPLY/NO CARE IN LAST MONTH OF LIFE	
REFUSED	
DON'T KNOW	
LM8 Im2informed R2 LM8 INFORMED	ABOUT CONDITION
QUESTION TEXT:	
During the last month of {SP}'s life, how often were you or other family mer	nbers kept informed about
{him/her} condition: always, usually, sometimes, or never?	
CODES	
1 ALWAYS	
2 USUALLY	
3 SOMETIMES	
4 NEVER	
5 DOES NOT APPLY/NO CARE IN LAST MONTH OF LIFE REFUSED	
DON'T KNOW	
LM9 Im2doctor R2 LM9 MORE THAN	N ONE DOCTOR
QUESTION TEXT:	
During the last month of {SP}'s life, was there more than one doctor involve	d in {his/her} care?
CODES	
1 YES	
2 NO	BOX LM10
3 DOES NOT APPLY/NO CARE IN LAST MONTH OF LIFE	BOX LM10
REFUSED	BOX LM10
DON'T KNOW	BOX LM10
LM9A Im2docclear R2 LM9A CLEAR DO	CTOR IN CHARGE
QUESTION TEXT:	
	was in charge of {his/her}
During the last month of {SP}'s life, was it always clear to you which doctor care?	
care?	
care?	
care? CODES 1 YES	

BOX LM10	BOX LM10	NOT ON FILE	
IF NOTAL	ERTFLAG=1 (YES), go to LM11.		
Otherwise	e, go to LM10.		
		R2 LM10 TALK RELIGIOU	
LM10	lm2relg	N2 LINITO TALK RELIGIOU	JS DELIEFS
	e last month of life, did any doctors, nurses, eligious beliefs?	other health professional t	alk with {SP} about
CODES			
1	YES		
2 3	NO DOES NOT APPLY/NO CARE INLAS ⁻	T MONTH OF LIFE	LM11 LM11
	REFUSED		LM11
	DON'T KNOW		LM11
LM10A	lm2relgamt	R2 LM10A RELIGIOUS BI	LIEF CONTACT
QUESTION TEXT: During the wanted?	Im2relgamt e last month of {SP}'s life, do you think {he/s		
QUESTION TEXT: During the	C C		
QUESTION TEXT: During the wanted?	e last month of {SP}'s life, do you think {he/: YES NO		
QUESTION TEXT: During the wanted? CODES	e last month of {SP}'s life, do you think {he/s YES		
QUESTION TEXT: During the wanted? CODES 1 2	e last month of {SP}'s life, do you think {he/s YES NO REFUSED DON'T KNOW		f this kind as {he/she}
QUESTION TEXT: During the wanted? CODES 1 2	e last month of {SP}'s life, do you think {he/s YES NO REFUSED	she} had as much contact o	f this kind as {he/she}
QUESTION TEXT: During the wanted? CODES 1 2 2 LM11 QUESTION TEXT: Overall, he	e last month of {SP}'s life, do you think {he/s YES NO REFUSED DON'T KNOW	she} had as much contact o R2 LM11 HOW RATE CAP	f this kind as {he/she}
QUESTION TEXT: During the wanted? CODES 1 2 2 LM11 QUESTION TEXT: Overall, he	e last month of {SP}'s life, do you think {he/s YES NO REFUSED DON'T KNOW Im2ratecare ow would rate {SP}'s care in the last month	she} had as much contact o R2 LM11 HOW RATE CAP	f this kind as {he/she}
QUESTION TEXT: During the wanted? CODES 1 2 CODES LM11 QUESTION TEXT: Overall, he good, good	e last month of {SP}'s life, do you think {he/s YES NO REFUSED DON'T KNOW Im2ratecare ow would rate {SP}'s care in the last month od, fair, or poor? EXCELLENT	she} had as much contact o R2 LM11 HOW RATE CAP	f this kind as {he/she}
QUESTION TEXT: During the wanted? CODES 1 2 CODES 1 2 CODES CODES 1 2 CODES 1 2	e last month of {SP}'s life, do you think {he/s YES NO REFUSED DON'T KNOW Im2ratecare ow would rate {SP}'s care in the last month od, fair, or poor? EXCELLENT VERY GOOD	she} had as much contact o R2 LM11 HOW RATE CAP	f this kind as {he/she}
QUESTION TEXT: During the wanted? CODES 1 2 CODES LM11 QUESTION TEXT: Overall, he good, good CODES 1 2 3 4	e last month of {SP}'s life, do you think {he/s YES NO REFUSED DON'T KNOW Im2ratecare ow would rate {SP}'s care in the last month od, fair, or poor? EXCELLENT VERY GOOD GOOD FAIR	she} had as much contact o R2 LM11 HOW RATE CAP	f this kind as {he/she}
QUESTION TEXT: During the wanted? CODES 1 2 CODES LM11 QUESTION TEXT: Overall, he good, good CODES 1 2 3	e last month of {SP}'s life, do you think {he/s YES NO REFUSED DON'T KNOW Im2ratecare ow would rate {SP}'s care in the last month od, fair, or poor? EXCELLENT VERY GOOD GOOD	she} had as much contact o R2 LM11 HOW RATE CAP	f this kind as {he/she}

Go to Section MD – Mobility Devices

NHATS Round Section MD	2: Last Month of Lif [MOBILITY DEVICES]	e Sequence: 13
BOX MD1PRE	BOX MD1PRE	NOT ON FILE
If DECEASED f Otherwise, go		ag =1 (YES), go to Section SC – Self Care Activities.
MD1PRE	MD1PRE	NOT ON FILE
	IS: g = 1 (YES), display "SP may have lay "you use/SP uses".	e used".
around more e	tions are about items that {you u asily, safely, or on {your/his/her} NTER TO CONTINUE	se/SP uses} {SP may have used} to help {you/him/her} get own.
	md2canewlker IS: lag = 1 (YES), display "of {his/her] play ", have you/has {SP} used".	R2 MD1 USED CANE WALKER WHLCHAIR life, did {SP} use".
QUESTION TEXT: In the last mor scooter, yes or PRESS F1 FOR	no?	,{have you/has {SP} used} a cane, walker, wheelchair, or
CODES 1 2	YES NO REFUSED DON'T KNOW	
BOX MD2	BOX MD2	NOT ON FILE
	(NO), DK, or RF, go to Section S	9K, or RF, go to Section CP - Cognition (Proxy). 5 - Sensory Impairments and Symptoms.

MD2 md2cane

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display" of {his/her} life".

QUESTION TEXT:

In the last month {of {his/her} life}, which did {you/SP} use?

a cane?

CODES

1 YES 2 NO REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

If 1 is selected, set CANE flag = 1 (yes).

MD₃

md2walker

R2 MD3 USED A WALKER

R2 MD4 USED A WHEELCHAIR

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life".

QUESTION TEXT:

[In the last month {of {his/her} life}, did {you/SP} use?]

a walker?

IF NEEDED: This includes standard walkers without wheels, rolling and wheeled walkers, and rollators.

CODES

1 YES 2 NO REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

If 1 is selected, set WALKER flag = 1 (yes).

MD4

md2wheelchar

DISPLAY INSTRUCTIONS:

Display image of wheelchair.

If DECEASED flag = 1 (YES), display "of {his/her} life".

QUESTION TEXT:

SHOW CARD MD1

[In the last month {of {his/her} life} did {you/SP} use]

a wheelchair?

IF NEEDED: This includes manual, power, electric, or motorized wheelchairs.

CODES

1	YES
2	NO
	REFUSED
	DON'T KNOW

If 1 is selected, set WHEELCHAIR flag = 1 (yes).

BOX	MD4A	BOX MD4A	NOT ON FILE
	If DECEASED flag = Else if MD4 = 1 (YES Otherwise, go to M		
MD5 DISPLAY	Y INSTRUCTIONS:	md2scooter	R2 MD5 USE A SCOOTER
Ε	Display image of sco	ooter.	
ľ	f DECEASED flag = 1	(YES), display "of {his/her}	life".
QUESTI	ON TEXT:		
	SHOW CARD MD2		
	-	of {his/her}, life} did {you/S	P} use]
	a scooter?		
	IF NEEDED: This ind	cludes electric or power sco	poters that are used for travel.
CODES 1	YES	5	
2	NO		
		FUSED N'T KNOW	
PROGRA	AMMER INSTRUCTIO	ONS:	
ľ	f 1 is selected, set SC	COOTER flag = 1 (yes)	
			= 2 (didn't use cane) and MD3 = 2 (didn't use walker) and MD4 use scooter), display error message #7.
BOX I	MD5A	BOX MD4A	NOT ON FILE
If DECEASED flag = 1 (YES), go Section CP – Cognition (Proxy). Else if MD5 = 1, go to MD5a. Otherwise, go to Section SS – Sensory Impairments and Symptoms.			
-			
Flag V	ariables Set in	MD Section	
fl 2 cane	e	R2 F MD SP USE	S CANE
fl 2 wall	ker	R2 F MD SP USE	S WALKER
fl 2 whe	eelchr	R2 F MD SP USE	SWHEELCHAIR

NHATS Round 2: Last Month of Life

Sectio	on CP	[COGNITION (PROXY)]		Sequence: 17
BOX	CP1PRE	BOX CP1PRE	NOT ON FILE	
	Else if DECEASE Else if PROXY fl	ng = 1 (YES) and NOTALERT flag = 1 (\ D flag = 1 (YES), go to CP1. ag = 1 (YES), go to CP1PRE. o Section CG Cognition (SP).	/ES), go to Section CL - Closing.	
CP1		cp2memrygood	R2 CP1 HOW GOOD MEMRY AT PRESN	Г

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "Next, how would you rate {SP}'s memory in the month before {he/she} died" and "was".

Otherwise, display "First, how would you rate {SP}'s memory at the present time". DISPLAY "at the present time" IN BOLD UNDERLINED TEXT.

QUESTION TEXT:

{First, how would you rate {SP}'s memory at the present time/Next, how would you rate {SP}'s memory in the month before {he/she} died}? Would you say it {is/was} excellent, very good, good, fair, or poor?

CODES

1	EXCELLENT
2	VERY GOOD
3	GOOD
4	FAIR
5	POOR
	REFUSED
	DON'T KNOW

BOX CP2

BOX CP2

NOT ON FILE

If DECEASED flag = 1 (YES), go to Section MO - Mobility. Else if the PERSON ROSTER MEMBER flagged as the CURRENT INT PROXY was flagged as the LAST INT PROXY, go to CP3PRE.

Else if IS9 = 30-37, or 92 (proxy is not a relative), go to CP2. Otherwise, go to CP3PRE.

NHATS Round 2: Last Month of Life

Section MO [MOBILITY]

Sequence: 20

MO1PRE MO1PRE NOT ON FILE

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "going outside". Otherwise, display "leaving {your/SP's} {home/building} to go outside". If STRUCTURE flag = 2 (MULTI-UNIT), display "building". Otherwise, display "home".

QUESTION TEXT:

Now we're going to ask about {leaving {your/SP's} {home/building} to go outside/going outside}.

PRESS 1 AND ENTER TO CONTINUE

MO1

mo2outoft

R2 MO1 OFTEN GO OUTSIDE

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life".

Otherwise, display "leave {your/his/her} {home/building} to".

QUESTION TEXT:

SHOW CARD MO1

In the last month {of {his/her} life}, how often did {you/SP} {leave {your/his/her} {home/building} to} go outside? Would you say every day, most days, some days, rarely, or never?

CODES

1	EVERY DAY (7 DAYS A WEEK)
2	MOST DAYS (5-6 DAYS A WEEK)
3	SOME DAYS (2-4 DAYS A WEEK)
4	RARELY (ONCE A WEEK OR LESS)
5	NEVER
	REFUSED
	DON'T KNOW

PROGRAMMER INSTRUCTIONS:

IF MO1 = 5 (NEVER) SET DIDN'T LEAVE FLAG TO 1 (YES)

BOX MO2 BOX MO2 NOT ON FILE

If DECEASED flag = 1 (YES) and MO1 = 5 (NEVER), go to MO12. Else if DECEASED flag = 1 (YES), go to MO6. Else if MO1 = 5 (NEVER), go to MO10.

Else if CANE FLAG=1 (YES), go to MO2. Otherwise, go to BOX MO3.

MO6 mo2outhlp

DISPLAY INSTRUCTIONS:

If FACILITY flag = 1 (YES), display "a staff person from the place where {you live/{he/she} {lives/lived}},". If DECEASED flag = 1 (YES), display "of {his/her} life" and "lived". Otherwise, display "lives" and "leave {your/his/her} {home/building} to".

QUESTION TEXT:

In the last month {of {his/her} life}, did anyone ever help {you/SP} {leave {your/his/her} {home/building} to} go outside?

IF NEEDED: This includes family, friends, {a staff person from the place where {you live/{he/she} {lives/lived},} or someone paid to help {you/him/her}.

CODES

1	YES
2	NO
	REFUSED
	DON'T KNOW

BOX MO6A BOX MO6A

If DECEASED flag = 1 (YES) and MO6 = 2 (NO), RF, or DK, go to BOX MO12. Else if MO6 = 2 (NO), RF, or DK, go to MO8. Otherwise, go to MO6A.

MO6A

op2outhlp op2relatnshp

R2 MO6A HELPS SP GO OUTSIDE R2 RELASHIP TO SP UPDATE AND NEW

DISPLAY INSTRUCTIONS:

Display HELPER RELATIONSHIP CODE LIST.

Display person roster with FIRST NAME, LAST NAME, and RELATIONSHIP TO SP. Allow entry for FIRST NAME, LAST NAME, and RELATIONSHIP TO SP fields.

If DECEASED flag = 1 (YES), display "lived". Otherwise, display "lives" and "(leave {your/his/her} {home/building} to".

If FACILITY flag = 1 (YES), display "a staff person from the place where {you live/{he/she} {lives/lived},}".

If FACILITY flag=1 (YES) or RETIREMENT COMMUNITY flag=1(YES), display SERVICE/SOMEONE FROM THE PLACE SP LIVES/DIED on the roster.

Display "first" and "last" in underlined text.

QUESTION TEXT:

Who helped {you/SP} do that ({leave {your/his/her} {home/building} to} go outside)?

IF NEEDED: This includes family, friends, {a staff person from the place where {you live/{he/she} {lives/lived},} or someone paid to help {you/{him/her}}.

PROBE: Anyone else?

SELECT ALL THAT APPLY

IF PERSON NAMED IS NOT ON THE ROSTER, PRESS CTRL/P TO ADD A PERSON

MO6b. [What is (his/her) first name?] CONFIRM SPELLING

CODES			
2	SPOUSE/PARTNER		
3	DAUGHTER		
4	SON		
5	DAUGHTER-IN-LAW		
6	SON-IN-LAW		
7	STEPDAUGHTER		
8	STEPSON		
9	SISTER		
10	BROTHER		
11	SISTER-IN-LAW		
12	BROTHER-IN-LAW		
13	MOTHER		
14	STEPMOTHER		
15	MOTHER-IN-LAW		
16	FATHER		
17	STEPFATHER		
18	FATHER-IN-LAW		
19	GRANDDAUGHTER		
20	GRANDSON		
21	NIECE		
22	NEPHEW		
23	AUNT		
24	UNCLE		
25	COUSIN		
26	STEPDAUGHTER'S SON/DAUGHTER		
27	STEPSON'S SON/DAUGHTER		
28	DAUGHTER-IN-LAW'S SON/DAUGHTER		
29	SON-IN-LAW'S SON/DAUGHTER		
30	BOARDER/RENTER		
31	PAID AIDE/HOUSEKEEPER/EMPLOYEE		
32	ROOMMATE		
33	EX-WIFE/EX-HUSBAND		
34	BOYFRIEND/GIRLFRIEND		
35	NEIGHBOR		
36	FRIEND		
37	SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED		
38	CO-WORKER		
39	MINISTER, PRIEST, OR OTHER CLERCY		
40	PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR		
	THERAPIST		
91	OTHER RELATIVE		
92	OTHER NONRELATIVE		
PROGRAMMER INSTRUCTIONS:			

For each roster selection/addition at MO6, set HELPSGOOUTSIDE flag = 1 (yes). If DECEASED flag = 1 (YES), go to BOX MO12.

BOX MO12 BOX MO12 NOT ON FILE

If DECEASED flag = 1 (YES) and MO1 = 5 (NEVER LEFT HOME), go to MO12. Else if DECEASED flag = 1 (YES), go to MO18. Else if STRUCTURE flag = 2 (multi-unit) and MO1 = 5 (never leave building) and MO11 = 5 (never go to other parts of building), go to MO12.

Else if [STRUCTURE flag = 1 (single home) or STRUCTURE flag = 3 (Other)] and MO1 = 5 (never leave home), go to MO12.

Otherwise, go to BOX MO13.

MO12

mo2oflvslepr

R2 MO12 HOW OFTN LEAVE BEDROOM

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life" and "slept". Otherwise, display "sleeps".

QUESTION TEXT:

SHOW CARD MO1

In the last month {of {his/her} life}, how often did {you/SP} leave the room where {you sleep/{he/she} {sleeps/slept}}? Would you say every day, most days, some days, rarely, or never?

CODES

1	EVERY DAY (7 DAYS A WEEK)	
2	MOST DAYS (5-6 DAYS A WEEK)	
3	SOME DAYS (2-4 DAYS A WEEK)	
4	RARELY (ONCE A WEEK OR LESS)	
5	NEVER	
	REFUSED	
	DON'T KNOW	

PROGRAMMER INSTRUCTIONS:

If MO12 = 5 (never leaves room), set DIDN'T LEAVE ROOM SLEEPS flag = 1 (yes).

BOX	MO13	BOX MO13	NOT ON FILE
	If DECEASED flag = 1 (N Else if DECEASED = 1 (N Else if MO12 = 5 (NEVE Else if CANE flag = 1 (Y Otherwise, go to BOX	R), go to MO23. ES), go to MO13.	to MO25.

MO18

R2 MO18 GOT HELP INSIDE

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life" and "lived". Otherwise, display "lives" and "{your/his/her} home {or building}".

mo2insdhlp

If STRUCTURE flag = 2 (multi-unit), display "or building".

If FACILITY flag = 1 (YES), display "a staff person from the place where {you live/{he/she} {lives/lived}".

QUESTION TEXT:

In the last month {of {his/her} life}, did anyone ever help {you/SP} get around inside {{your/his/her} home {or building}}?

IF NEEDED: This includes family, friends, {a staff person from the place where {you live/{he/she}

CODES

YES
NO
REFUSED
DON'T KNOW

BOX MO19A BOX MO19A NOT ON FILE

If DECEASED flag = 1 (YES) and MO18 = 2 (NO), RF, or DK, go to MO25. Else if MO18 = 2 (NO), RF, or DK, go to MO21. Otherwise, go to MO19A.

MO19A	op2insdhlp	R2 MO19A HELPS SP INSIDE HOUSE
	op2relatnshp	R2 RELASHIP TO SP UPDATE AND NEW

DISPLAY INSTRUCTIONS:

Display HELPER RELATIONSHIP CODE LIST.

If DECEASED flag = 1 (YES), display "lived". Otherwise, display "lives" and "{your/SP's} home {or building}".

If FACILITY flag = 1 (YES), display "a staff person from the place where {you live/{he/she} {lives/lived},".

If STRUCTURE flag = 2 (multi-unit), display "or building".

Display person roster with FIRST NAME, LAST NAME, and RELATIONSHIP TO SP. Allow entry for FIRST NAME, LAST NAME, and RELATIONSHIP TO SP fields.

If FACILITY flag=1(YES) or RETIREMENT COMMUNITY flag=1(YES), display SERVICE/SOMEONE FROM THE PLACE SP LIVES/DIED on the person roster.

Display "first" and "last" in underlined text.

QUESTION TEXT:

Who helped with that (getting around inside {{your/SP's} home {or building}})?

IF NEEDED: This includes family, friends, {a staff person from the place where {you live/{he/she} {lives/lived}},} or someone paid to help {you/{him/her}.

PROBE: Anyone else?

SELECT ALL THAT APPLY

IF PERSON NAMED IS NOT ON THE ROSTER, PRESS CTRL/P TO ADD A PERSON

MO19b. [What is (his/her) first name?] CONFIRM SPELLING MO19c. [What is (his/her) last name?] CONFIRM SPELLING MO19d. [What is {his/her) relationship to {you/SP}?] PRESS F1 FOR HELP SCREEN

2	SPOUSE/PARTNER
3	DAUGHTER
4	SON
5	DAUGHTER-IN-LAW

6	SON-IN-LAW
7	STEPDAUGHTER
8	STEPSON
9	SISTER
10	BROTHER
11	SISTER-IN-LAW
12	BROTHER-IN-LAW
13	MOTHER
14	STEPMOTHER
15	MOTHER-IN-LAW
16	FATHER
17	STEPFATHER
18	FATHER-IN-LAW
19	GRANDDAUGHTER
20	GRANDSON
21	NIECE
22	NEPHEW
23	AUNT
24	UNCLE
25	COUSIN
26	STEPDAUGHTER'S SON/DAUGHTER
27	STEPSON'S SON/DAUGHTER
28	DAUGHTER-IN-LAW'S SON/DAUGHTER
29	SON-IN-LAW'S SON/DAUGHTER
30	BOARDER/RENTER
31	PAID AIDE/HOUSEKEEPER/EMPLOYEE
32	ROOMMATE
33	EX-WIFE/EX-HUSBAND
34	BOYFRIEND/GIRLFRIEND
35	NEIGHBOR
36	FRIEND
37	SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED
38	CO-WORKER
39	MINISTER, PRIEST, OR OTHER CLERCY
40	PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR
	THERAPIST
91	OTHER RELATIVE
92	OTHER NONRELATIVE
OGRAMMER INST	TRUCTIONS:

PRO

For each roster selection/addition at MO19, set HELPSAROUNDINSIDE flag = 1 (yes).

BOX MO20	BOX MO20	NOT ON FILE	
If DECEASED fla	ag = 1 (YES), go to MO25.		
Otherwise, go	:o MO20.		
MO25	mo2bedhlp	R2 MO25 GOT HELP OUT OF BED	

DISPLAY INSTRUCTIONS:

If FACILITY flag = 1 (yes), display "a staff person from the place where $\{you live/\{he/she\} \{lives/lived\}\},$ ".

If DECEASED flag = 1 (YES), display "of {his/her} life" and "lived". Otherwise, display "lives".

QUESTION TEXT:

In the last month {of {his/her} life}, did anyone ever help {you/SP} get out of bed?

IF NEEDED: This includes family, friends, {a staff person from the place where {you live/{he/she} {lives/lived}},} or someone paid to help {you/him/her}.

CODES

1 2		YES NO REFUSED DON'T KNOW		
BOX	MO25A	BOX MO25A	NOT ON FILE	
	Accommodatio	2 (NO), RF, or DK, go to MO27.	RF, or DK, go to Section DM - Duration of Mobility	
MO25	5A	op2bedhlp	R2 MO25A HELPS SP OUT OF BED	

op2relatnshp

DISPLAY INSTRUCTIONS:

Display HELPER RELATIONSHIP CODES.

Display PERSON ROSTER with FIRST NAME, LAST NAME, and RELATIONSHIP TO SP. Allow entry for FIRST NAME, LAST NAME, and RELATIONSHIP TO SP fields.

R2 OTHR PRSN RELATIONSHIP TO SP

If FACILITY flag=1(YES) or RETIREMENT COMMUNITY flag=1(YES), display SERVICE/SOMEONE FROM THE PLACE SP LIVES/DIED on the PERSON ROSTER.

Display "first" and "last" in underlined text

QUESTION TEXT:

Who helped {you/SP} do that (get out of bed)?

PROBE: Anyone else?

SELECT ALL THAT APPLY

IF PERSON NAMED IS NOT ON THE ROSTER, PRESS CTRL/P TO ADD A PERSON.

MO25b. [What is (his/her) first name?] CONFIRM SPELLING

MO25c. [What is (his/her) last name?] CONFIRM SPELLING

MO25d. [What is (his/her) relationship to {you/SP}?] PRESS F1 FOR HELP SCREEN

2	SPOUSE/PARTNER
3	DAUGHTER
4	SON
5	DAUGHTER-IN-LAW
6	SON-IN-LAW

7	STEPDAUGHTER
7 8	STEPSON
9	SISTER
9 10	BROTHER
10	SISTER-IN-LAW
12	BROTHER-IN-LAW
	MOTHER
13	STEPMOTHER
14	MOTHER-IN-LAW
15 16	FATHER
	STEPFATHER
17 18	FATHER-IN-LAW
	GRANDDAUGHTER
19	GRANDSON
20 21	NIECE
22	NECE
22	AUNT
23	UNCLE
24 25	COUSIN
25	STEPDAUGHTER'S SON/DAUGHTER
20	STEPSON'S SON/DAUGHTER
27 28	DAUGHTER-IN-LAW'S SON/DAUGHTER
29	SON-IN-LAW'S SON/DAUGHTER
30	BOARDER/RENTER
31	PAID AIDE/HOUSEKEEPER/EMPLOYEE
32	ROOMMATE
33	EX-WIFE/EX-HUSBAND
34	BOYFRIEND/GIRLFRIEND
35	NEIGHBOR
36	FRIEND
37	SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED
38	CO-WORKER
39	MINISTER, PRIEST, OR OTHER CLERCY
40	PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR
ı~	THERAPIST
91	OTHER RELATIVE
92	OTHER NONRELATIVE
2	

PROGRAMMER INSTRUCTIONS:

For each roster selection/addition at MO25, set HELPSOUTBED flag = 1 (yes).

BOX MO26 BOX MO26 NOT ON FILE

If DECEASED flag = 1 (YES), go to Section DM - Duration of Mobility Accommodations.

Otherwise, go to MO26.

Derived Variables from Items in MO Section		
mo2douthelp	R2 D GO OUTSIDE USING HELP	
mo2dinsdhelp	R2 D MOVE INSIDE WITH HELP	
mo2dbedhelp	R2 D HELP TO GET OUT OF BED	

Flag Variables Set in MO Section		
fl2didntleav	R2 F MO SP DID NOT LEAVE HOME	
fl 2 ntlvrmslp	R2 F MO SP DID NOT LEAVE BEDROOM	

NHATS Round 2: Last Month of Life

Section DM [DURATION OF MOBILITY ACCOMMODATIONS] Sequence: 22

BOX DM1 BOX DM1 NOT ON FILE

If DECEASED flag=1 (YES) and [Month of Death=LAST INT interview month or the month after the LAST INT interview month (LAST INT interview month+1) or Month of Death=DK or RF], go to Section SC – Self-Care Activities. Else if [LAST INT MO6, MO18, and MO25=2 (NO), RF, or DK] and [CURRENT INT MO6, MO18, or MO25 = 1 (YES)], go to DM3C. Else if [LAST INT MO6, MO18, or MO25 = 1 (YES)] and [CURRENT INT MO6, MO18, and MO25 = 2 (NO), RF,

OR DK], GO TO DM3D. Else if [LAST INT MO6, MO18, OR MO25 = 1 (YES)] and [CURRENT INT MO6, MO18, OR MO25 = 1 (YES)], go to DM3E.

Otherwise, go to DM1.

DM1

dm2helpmobil

R2 DM1 GET HELP WITH MOBILITY

DISPLAY INSTRUCTIONS:

IF DECEASED flag = 1 (YES), display "Between" and "and {MONTH AND YEAR OF DEATH}" and "inside, or going outside".

Otherwise, display "Since" and "{your/his/her} home {or building}, or {leaving {your/his/her} home/leaving {your/his/her} building}".

If STRUCTURE flag = 2 (MULTI-UNIT), display "or building", and "leaving {your/his/her} building". Otherwise, display "leaving {your/his/her} home".

Display "year" in bold underlined text

QUESTION TEXT:

{Between/Since} {LAST INT MONTH AND YEAR} {and {MONTH AND YEAR OF DEATH}}, did {you/SP} ever get help with getting out of bed, getting around {inside, or going outside} {{your/his/her} home {or building}, or {leaving {your/his/her} home/leaving {your/his/her} building}}?

CODES

1	YES	
2	NO	BOX DM4
	REFUSED	BOX DM4
	DON'T KNOW	BOX DM4

dm2helpstmo

DM3C

R2 DM3C MONTH MOBIL HELP STARTED

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life".

If DM1 = 1 (YES), do not display the first sentence and display "any of these activities".

Otherwise, display question intro according to the following instructions: If CURRENT INT MO25 = 1 (YES), display "getting out of bed". If CURRENT INT MO18 = 1 (YES) and DECEASED flag = 1 (YES), display "getting around inside". Otherwise if CURRENT INT MO18 = 1 (YES), display "getting around {your/his/her} home {or building}". If CURRENT INT MO6 = 1 (YES) and DECEASED flag = 1 (YES), display "going outside". Otherwise if CURRENT INT MO6 = 1 (YES), display "leaving {your/his/her} home/leaving {your/his/her} building".

If more than one activity displayed, display "and" between each one, and "any of these activities". Otherwise, if only one activity displayed, display "that".

If STRUCTURE flag = 2 (MULTI-UNIT), display "or building", and "leaving {your/his/her} building.

Display "first" in bold underlined text

QUESTION TEXT:

{In the last month {of {his/her} life} {you/SP} got help with {getting out of bed} {{getting around
{your/his/her} home {or building}}/ {{leaving {your/his/her} home/leaving {your/his/her} building }}
{{getting around inside} {going outside}}, and at the time of the last interview in {LAST INT MONTH
AND YEAR}, {you were/SP was} not getting this help.}

In what month since {LAST INT MONTH AND YEAR}, did {you/SP} first get help with {that/any of these activities}?

CODES

-			
1	JANUARY		
2	FEBRUARY		
3	MARCH		
4	APRIL		
5	MAY		
6	JUNE		
7	JULY		
8	AUGUST		
9	SEPTEMBER		
10	OCTOBER		
11	NOVEMBER		
12	DECEMBER		
90	LAST INTERVIEW INFORMATION INCORRECT	BOX DM4	
	REFUSED	BOX DM3D	
	DON'T KNOW	BOX DM3D	

DM3C1

R2 DM3C1 YEAR MOBIL HELP STARTED

QUEST	ION TEXT:
	Was that {MONTH FROM DM3C} 2011 or {MONTH FROM DM3C} 2012?

dm2helpstyr

CODES

1 2011 2 2012

BOX DM₃D

BOX DM3D

NOT ON FILE

If [LAST INT MO6, MO18, and MO25 = 2 (NO), RF, or DK] and [CURRENT INT MO6, MO18, or MO25 = 1 (YES)], go to BOX DM4.

Otherwise, go to DM3D.

DM3D dm2helpendmo

R2 DM3D MONTH MOBIL HELP ENDED

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life".

If DM1 = 1 (YES), do not display the first sentence and display "any of these activities".

Otherwise display question intro according to the following instructions:

If LAST INT MO25 = 1 (YES), display "getting out of bed".

If LAST INT MO18 = 1 (YES) and DECASED flag = 1 (YES), display "getting around inside". Otherwise if LAST INT MO18 = 1 (YES), display "getting around {your/his/her} home {or building}".

IF LAST INT MO6 = 1 (YES) and DECEASED flag = 1 (YES), display "going outside". Otherwise if LAST INT MO6 =

1 (YES), display "leaving {your/his/her} home/leaving {your/his/her} building".

If more than one activity displayed, display "and" between each one and "any of these activities". Otherwise, if only one activity displayed, display "that".

If STRUCTURE flag = 2 (MULTI-UNIT), display "or building", and "leaving {your/his/her} building".

Display "last" in the phrase "last get help" in bold underlined text.

QUESTION TEXT:

{At the time of the last interview in {LAST INT MONTH AND YEAR}, {you/SP} got help with {getting out of bed} {{getting around {your/his/her} home {or building}} {{leaving {your/his/her} home/leaving {your/his/her} building}}, {going outside}}, and in the last month {of{his/her} life} {you were/SP was} not getting this help.}

In what month since {LAST INT MONTH AND YEAR}, did {you/SP} last get help with {that/any of these activities}?

CODES

ODLD			
1	JANUARY		
2	FEBRUARY		
3	MARCH		
4	APRIL		
5	MAY		
6	JUNE		
7	JULY		
8	AUGUST		
9	SEPTEMBER		
10	OCTOBER		
11	NOVEMBER		
12	DECEMBER		
90	LAST INTERVIEW INFORMATION INCORRECT	BOX DM4	
	REFUSED	BOX DM4	
	DON'T KNOW	BOX DM4	

DM3D1

R2 DM3D1 YEAR MOBIL HELP ENDED

QUESTION TEXT:

	Was that {MONTH FROM DM3D} 2011 or {MONTH FROM DM3D} 2012?
CODES	
1	2011
2	2012

dm2helpendyr

Go to BOX DM4.

DM3E dm2nohelp

R2 DM3E NO MOBIL HELP MTH PLUS

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life" and "Between {LAST INT MONTH AND YEAR} and {MONTH AND YEAR DIED}". Otherwise, display "Since {LAST INT MONTH AND YEAR}".

If LAST INT MO25 = 1 (YES), display "getting out of bed".

IF LAST INT MO18 = 1 (YES), and DECEASED flag = 1 (YES), display "getting around inside". Otherwise if LAST INT MO18 = 1 (YES), display "getting around $\{your/his/her\}$ home {or building}".

If LAST INT MO6 = 1 (YES) and DECEASED flag = 1 (YES), display "going outside". Otherwise if LAST INT MO6 =

1 (YES), display "leaving {your/his/her} home/leaving {your/his/her} building".

If more than one activity displayed, display "and" between each one.

If STRUCTURE flag = 2 (MULT-UNIT), display "or building" and "leaving {your/his/her} building".

QUESTION TEXT:

In the last month {of his/her} life} {you/SP} got help with {getting out of bed} {{getting around {your/his/her} home {or building}} {leaving {your/his/her} home/leaving {your/his/her} building}} {going outside}}, and at the time of the last interview in {LAST INT MONTH AND YEAR} {you were/{he/she} was} also getting help like this.

{Between {LAST INT MONTH AND YEAR} and {MONTH AND YEAR DIED}/Since {LAST INT MONTH AND YEAR}}, did {you/he/she} go without help like this for a month or more?

CODES

1	YES	
2	NO	BOX DM4
90	LAST INTERVIEW INFORMATION INCORRECT	BOX DM4
	REFUSED	BOX DM4
	DON'T KNOW	BOX DM4

DM3F QUESTION TEXT:	dm2nohelpmos	R2 DM3F MONTHS OF NO MOBIL HELP	
For about ho	ow many months altogether did {yo	u/SP} go without help like this?	
ENTER NUMBER			
	Range REFUSED DON'T KNOW	1 to 24	
BOX DM4	BOX DM4	NOT ON FILE	
If [LAST INT		AIR flag, and SCOOTER flag <> 1 (YES)] and [CURRENT INT	

CANE flag, WALKER flag, WHEELCHAIR flag, and SCOOTER flag <> 1 (YES)], go to DM6D.

If [LAST INT CANE flag, WALKER flag, WHEELCHAIR flag, or SCOOTER flag = 1 (YES)] and [CURRENT INT CANE flag, WALKER flag, WHEELCHAIR flag, or SCOOTER flag = 1 (YES)], go to DM6E.

DM4 dm2lstyrcane

R2 DM4 IN LST YR USE CANE WALKER

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "Between" and "and {MONTH AND YEAR OF DEATH}".

Otherwise, display "Since".

QUESTION TEXT:

{Between/Since} {LAST INT MONTH AND YEAR} {and {MONTH and YEAR of DEATH}}, did {you/SP} ever use a cane, walker, wheelchair, or scooter?

CODES

1	YES		
2	NO	BOX DM7	
	REFUSED	BOX DM7	
	DON'T KNOW	BOX DM7	

DM6C

dm2devstmo

R2 DM6C MONTH DEVICE USE STARTED

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life".

If DM4 = 1 (YES), do not display first sentence and display "any of these devices". Otherwise, display question text according to the following directions: If CURRENT INT CANE flag = 1 (YES), display "a cane". If CURRENT INT WALKER flag = 1 (YES), display "a walker". If CURRENT INT WHEELCHAIR flag = 1 (YES), display "a wheelchair". IF CURRENT INT SCOOTER flag = 1 (YES), display "a scooter".

If more than one device displayed, display "and" between each one and "these devices." Otherwise, if only one device displayed, display "this device".

If more than one device displayed, display "any of these devices". Otherwise, if only one device displayed, display name of device.

Display "first" in bold underlined text.

QUESTION TEXT:

{In the last month {of {his/her} life}, {you/SP} used {a cane} {a walker} {a wheelchair} {a scooter} and at the time of the last interview in {LAST INT MONTH AND YEAR}, {you were/SP was} not using {this device/these devices}.}

In what month since {LAST INT MONTH AND YEAR} did {you/SP} first use {{a cane/a walker/ a wheelchair/ a scooter}/any of these devices}?

1	JANUARY
2	FEBRUARY
3	MARCH
4	APRIL
5	MAY
6	JUNE
7	JULY
8	AUGUST
9	SEPTEMBER
10	OCTOBER

11 12 90	NOVEMBER DECEMBER LAST INTERVIEW INFORMATI REFUSED DON'T KNOW	ON INCORRECT	BOX DM7 BOX DM6D BOX DM6D
DM6C1 QUESTION TEXT:	dm2devstyr	R2 DM6C1 YEA	AR DEVICE USE STARTED
	1ONTH FROM DM6C} 2011 or {MONT	TH FROM DM6C} 2012?	
CODES 1 2	2011 2012		
BOX DM6D	BOX DM6D	NOT ON FILE	
DM6D DISPLAY INSTRUCT	go to DM6D. dm2devendmo IONS:	R2 DM6D MO	NTH DEVICE USE ENDED
	IONS: (YES), display "of {his/her} life".		
-	not display first sentence and display	ullany of these devises!	1
Otherwise display q If LAST INT CANE fla If LAST INT WALKEF If LAST INT WHEELC INT SCOOTER flag = If more than one de	uestion intro according to the follow g = 1 (YES), display "a cane". t flag = 1 (YES), display "a walker". HAIR flag = 1 (YES), display "a wheele 1 (YES), display "a scooter". vice displayed, display "and" between he device displayed, display "this device displayed, displayed, displayed, display "this device displayed, display display "this device displayed, display this device displayed, display this device displayed, display this device displayed, display this device displayed, displayed, display "this device displayed, displayeed, displayed, displayed, displayed, displayeed,	ring instructions: chair". If LAST en each one and "any of	
	phrase "last use" in bold underlined		
QUESTION TEXT:			
{At the time wheelchair	e of the last interview in {LAST INT M {{a scooter} and in the last month {o of these devices}.}		
In what mo devices}?	nth since {LAST INT MONTH AND YE.	AR} did {you/SP} last use	e {this device/any of these

1	JANUARY
2	FEBRUARY
3	MARCH
4	APRIL
5	MAY
6	JUNE
7	JULY
8	AUGUST

9	SEPTEMBER	
10	OCTOBER	
11	NOVEMBER	
12	DECEMBER	
90	LAST INTERVIEW INFORMATION INCORRECT	BOX DM7
	REFUSED	BOX DM7
	DON'T KNOW	BOX DM7

DM6D1

dm2devendyr

R2 DM6D1 YEAR DEVICE USE ENDED

QUESTION TEXT:

Was that {MONTH FROM DM6D} 2011 or {MONTH FROM DM6D} 2012?

CODES

1 2011 2 2012

PROGRAMMER INSTRUCTIONS:

Go to BOX DM7.

DM6E dm2nodev

R2 DM6E NO DEVICE MONTH PLUS

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life".

For both sentences:

If more than one device displayed, display "and" between each one.

First sentence fill: If CURRENT INT CANE flag = 1 (YES), display "a cane". If CURRENT INT WALKER flag = 1 (YES), display "a walker". If CURRENT INT WHEELCHAIR flag = 1 (YES), display a "wheelchair". If CURRENT INT SCOOTER flag = 1 (YES), display "a scooter".

Second sentence fill: If LAST INT CANE flag = 1 (YES), display "a cane". If LAST INT WALKER flag = 1 (YES), display "a walker". If LAST INT WHEELCHAIR flag = 1 (YES), display "a wheelchair". If LAST INT SCOOTER flag = 1 (YES), display "a scooter."

QUESTION TEXT:

In the last month {of {his/her} life}, {you/SP} used {a cane} {a walker} {a wheelchair} {a scooter}. At the time of the last interview in {LAST INT MONTH AND YEAR}, {you were/{he/she} was} using {a cane} {a walker} {a wheelchair} {a scooter}.

Since {LAST INT MONTH AND YEAR}, did {you/SP} go without using any devices for a month or more?

CODES

1	YES	
2	NO	BOX DM7
90	LAST INTERVIEW INFORMATION INCORRECT	BOX DM7
	REFUSED	BOX DM7
	DON'T KNOW	BOX DM7

DM6F

dm2nodevmos

R2 DM6F MONTHS OF NO DEVICE

QUESTION TEXT:

For about how many months altogether did {you/SP} go without devices?

ENTER NUMBER

BOX DM7

Range REFUSED 1 to 24 DON'T KNOW NOT ON FILE

If DECEASED flag = 1 (YES), go to Section SC - Self-Care Activities. Otherwise, go to Section DT - Driving and Transportation.

BOX DM7

Derived Variables from Items in DM Section		
dmds2dintvl	R2 D MTHS FROM LAST INT TO CURR INT OR DEATH	
dm2dmohlp	R2 D MONTHS OF MOBILITY HELP	
dm2dmodev	R2 D MONTHS OF MOBILITY DEVICE HELP	
dm2dmohlpgr	R2 D MOBILITY HELP GROUP	
dm2dmodevgr	R2 D MOBILITY DEVICE GROUP	
dm 2 flag	R2 D SPECIAL CASES DM SECTION ROUTE	

NHATS Round 2: Last Month of Life

Section So	C [SELF-CARE ACTIVIT	IES] Sequ	ience: 25
SC1PRE	SC1PRE	NOT ON FILE	
	ONS: flag = 1 (YES), display "SP ate". isplay "you eat/SP eats".		
	a few questions about how {{you D ENTER TO CONTINUE	J eat/SP eats}/SP ate}.	
SC1	sc2eatdev	R2 SC1 EVER USE ADAPTED UTENSILS	
DISPLAY INSTRUCTI	ONS: oted" in bold underlined text.		
	flag = 1 (YES), display "of {his/hei	r} life".	
QUESTION TEXT:		,	
In the last m	onth {of {his/her} life}, did {you/S is/her}} food?	5P} ever use adapted utensils to help {you/{him/her}} eat or	
IF NEEDED: high sides.	Adapted utensils include things li	ike easy-to-grip silverware, knives that rock, and plates with	
CODES 1 2 7	YES NO ALWAYS FED THROUGH C REFUSED DON'T KNOW	DR TUBE	
BOX SC2	BOX SC2	NOT ON FILE	
If SC1 = 7 (FE	EDING TUBE), go to SC7PRE.		
Else if DECE	ASED flag = 1 (YES), go to SC3.		
Else if SC1 =	1 (YES), go to SC2.		
Otherwise, g	go to SC3.		

SC3

DISPLAY INSTRUCTIONS:

sc2eathlp

If FACILITY flag = 1 (YES), display "a staff person from the place where {you live/{he/she} {lives/lived},". If DECEASED flag = 1 (YES), display "of {his/her} life" and "lived". Otherwise, display "lives".

R2 SC3 DID ANYONE HELP YOU EAT

QUESTION TEXT:

In the last month {of {his/her} life}, did anyone ever help {you/SP} eat, for instance, by cutting up food

or feeding {you/{him/her}}?

IF NEEDED: This includes family, friends, {a staff person from the place where {you live/{he/she} {lives/lived},} or someone paid to help {you/{him/her}}.

CODES

1	YES
2	NO
	REFUSED
	DON'T KNOW

BOX SC3ABOX SC3ANOT ON FILEIf SC3=1 (YES), go to SC3a.Else if DECEASED flag=1 (YES), go to SC7PRE.Otherwise, go to SC5.

SC3Aop2eathlpR2 SC3A HELPS SP WITH EATING

op2relatnshp

R2 RELASHIP TO SP UPDATE AND NEW

DISPLAY INSTRUCTIONS:

Display HELPER RELATIONSHIP CODES.

Display PERSON ROSTER with FIRST NAME, LAST NAME, and RELATIONSHIP TO SP. Allow entry for FIRST NAME, LAST NAME, and RELATIONSHIP TO SP fields.

If FACILITY flag = 1 (YES) or RETIREMENTCOMMUNITY flag = 1 (YES), display SERVICE/SOMEONE FROM THE PLACE SP LIVES/DIED on the PERSON ROSTER.

Display "first" and "last" in underlined text.

QUESTION TEXT:

Who helped {you/SP} eat?

PROBE: Anyone else?

SELECT ALL THAT APPLY

IF PERSON NAMED IS NOT ON THE ROSTER, PRESS CTRL/P TO ADD A PERSON. SC3b. [What is (his/her) first name?] CONFIRM SPELLING SC3c. [What is (his/her) last name?] CONFIRM SPELLING SC3d. [What is (his/her) relationship to {you/SP}?] PRESS F1 FOR HELP SCREEN

2	SPOUSE/PARTNER
3	DAUGHTER
4	SON
5	DAUGHTER-IN-LAW
6	SON-IN-LAW
7	STEPDAUGHTER
8	STEPSON
9	SISTER
10	BROTHER
11	SISTER-IN-LAW
12	BROTHER-IN-LAW

13	MOTHER	
14	STEPMOTHER	
15	MOTHER-IN-LAW	
16	FATHER	
17	STEPFATHER	
18	FATHER-IN-LAW	
19	GRANDDAUGHTER	
20	GRANDSON	
21	NIECE	
22	NEPHEW	
23	AUNT	
24	UNCLE	
25	COUSIN	
26	STEPDAUGHTER'S SON/DAUGHTER	
27	STEPSON'S SON/DAUGHTER	
28	DAUGHTER-IN-LAW'S SON/DAUGHTER	
29	SON-IN-LAW'S SON/DAUGHTER	
30	BOARDER/RENTER	
31	PAID AIDE/HOUSEKEEPER/EMPLOYEE	
32	ROOMMATE	
33	EX-WIFE/EX-HUSBAND	
34	BOYFRIEND/GIRLFRIEND	
35	NEIGHBOR	
36	FRIEND	
37	SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED	
38	CO-WORKER	
39	MINISTER, PRIEST, OR OTHER CLERCY	
40	PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR	
	THERAPIST	
91	OTHER RELATIVE	
92	OTHER NONRELATIVE	
PROGRAMMER INSTRUCTIONS:		

For each roster selection/addition at SC3, set HELPSWITHEATING flag = 1 (yes).

BOX SC4	BOX SC4	NOT ON FILE		
If DECEASED fl Otherwise, go	ag=1 (YES), go to SC7PRE. to SC4.			
SC7PRE	SC7PRE	NOT ON FILE		
DISPLAY INSTRUCTION	I S: ng = 1 (YES), display "SP got".			
Otherwise, disp	Otherwise, display "you get/SP gets".			
	ew questions about how {{you	get/SP gets}/SP got} cleaned up.		
SC7	sc2showrbat1			
	sc2showrbat2	R2 SC7 SP SHOWERED R2 SC7 SP TOOK BATHS IN A TUB		

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life" and "{he/she} took".

Otherwise, display "you take/{he/she} takes".

QUESTION TEXT:

In the last month {of {his/her} life}, how did {you/SP} usually clean {yourself/himself/herself} up? By taking a shower, bathing in a tub, or washing up some other way?

IF NEEDED: Do not include whirlpool baths {you take/{he/she} takes}/{{he/she} took} for therapy.

SELECT ALL THAT APPLY

CODES	Code All That Apply
1	SHOWERED
2	TOOK BATHS IN A TUB
3	WASHED UP SOME OTHER WAY

3 WASHED OF SOME OTHER

REFUSED DON'T KNOW

PROGRAMMER INSTRUCTIONS:

If SC7 = 1 (showered) and SC7 \neq 2 (took baths) and SC7 \neq 3 (washed up), set SHOWERING flag = 1 (yes). If SC7 = 2 (took baths) and SC7 \neq 1 (showered) and SC7 \neq 3 (washed up), set TAKINGBATHS flag = 1 (yes). If SC7 = 3 (washed up) and SC7 \neq 1 (showered) and SC7 \neq 2 (took baths), set WASHINGUP flag = 1 (yes).

BOX SC7A BOX SC4A NOT ON FILE

If DECEASED flag = 1 (YES) and SC7 = 1 (SHOWERED), 2 (BATHS), or 3 (WASH OTHER WAY), go to SC7A.

Else if DECEASED flag <> 1 (YES) and more than one response to SC7, go to SC8.

Else if DECEASED flag <> 1 (YES) and only one response at SC7, go to BOX SC9.

Otherwise, if SC7 = RF or DK, go to SC16PRE.

SC7A

sc2bdevdec

R2 SC7A USE BATH DEVICE IN LML

DISPLAY INSTRUCTIONS:

If SC7=1 display "showering". If SC7=2 display "bathing".

If SC7=3 display "washing up".

If more than one answer displayed, separate by "or".

QUESTION TEXT:

In the last month of {his/her} life, did {SP} ever use grab bars or a shower or tub seat when {showering/bathing/washing up}?

IF NEEDED: A grab bar is designed to help you steady yourself. It may be attached to the wall or built into the shower or tub. A shower or tub seat is a chair, stool, or bench used in the shower or bathtub. Some seats are placed in the shower or tub, others are built in.

1	YES
2	NO
	REFUSED

PROGRAMMER INSTRUCTIONS:

Go to SC11.

SC11 sc2bathhlp **R2 SC11 ANYN HLP SHOWR BATH OTHR DISPLAY INSTRUCTIONS:** If SC7 = 1 (showered) or SHOWERING flag = 1 (YES), display "shower". If SC7 = 2 (took baths) or TAKINGBATHS flag = 1 (YES), display "take a bath". If SC7 = 3 (washed up) or WASHINGUP flag = 1 (YES), display "wash up". If more than one answer displayed, separate by "or". If FACILITY flag = 1 (YES), display "a staff person from the place where {you live/{he/she} {lives/lived}". If DECEASED flag = 1 (YES), display "of {his/her} life" and "lived". Otherwise, display "lives". **QUESTION TEXT:** In the last month {of {his/her} life}, did anyone ever help {you/SP} {shower/ take a bath/wash up}? IF NEEDED: This includes family, friends, {a staff person from the place where {you live/{he/she} {lives/lived},} or someone paid to help {you/{him/her}}. CODES YES 1 2 NO REFUSED DON'T KNOW BOX SC11A NOT ON FILE **BOX SC11A** If SC11=1 (YES), go to SC11a. Else if DECEASED flag=1 (YES), go to SC16PRE. Otherwise, go to SC13. SC11A op2bathhlp R2 SC11A HELPS SP WITH BATHING op2relatnshp **R2 RELASHIP TO SP UPDATE AND NEW DISPLAY INSTRUCTIONS:** If SHOWERING flag = 1 (yes), display "shower". If TAKINGBATHS flag = 1 (yes), display "take a bath". If WASHINGUP flag = 1 (yes), display "wash up". Display HELPER RELATIONSHIP CODES. Display PERSON ROSTER with FIRST NAME, LAST NAME, and RELATIONSHIP TO SP. Allow entry for FIRST NAME, LAST NAME, and RELATIONSHIP TO SP fields. If FACILITY flag = 1 (YES) or RETIREMENTCOMMUNITY flag = 1 (YES), display SERVICE/SOMEONE FROM THE PLACE SP

IT FACILITY flag = 1 (YES) of RETIREMENT COMMUNITY flag = 1 (YES), display SERVICE/SOMEONE FROM THE PLACE LIVES/DIED on the PERSON ROSTER.

Display "first" and "last" in underlined text.

QUESTION TEXT:

Who helped {you/SP} {shower/take a bath/wash up}?

PROBE: Anyone else?

SELECT ALL THAT APPLY

IF PERSON NAMED IS NOT ON THE ROSTER, PRESS CTRL/P TO ADD A PERSON.

SC11b. [What is (his/her) first name?] CONFIRM SPELLING SC11c. [What is (his/her) last name?] CONFIRM SPELLING

SC11d. [What is (his/her) relationship to {you/SP}?] PRESS F1 FOR HELP SCREEN

CODES

2	SPOUSE/PARTNER
3	DAUGHTER
4	SON
5	DAUGHTER-IN-LAW
6	SON-IN-LAW
7	STEPDAUGHTER
8	STEPSON
9	SISTER
10	BROTHER
11	SISTER-IN-LAW
12	BROTHER-IN-LAW
13	MOTHER
14	STEPMOTHER
15	MOTHER-IN-LAW
16	FATHER
17	STEPFATHER
18	FATHER-IN-LAW
19	GRANDDAUGHTER
20	GRANDSON
21	NIECE
22	NEPHEW
23	AUNT
24	UNCLE
25	COUSIN
26	STEPDAUGHTER'S SON/DAUGHTER
27	STEPSON'S SON/DAUGHTER
28	DAUGHTER-IN-LAW'S SON/DAUGHTER
29	SON-IN-LAW'S SON/DAUGHTER
30	BOARDER/RENTER
31	PAID AIDE/HOUSEKEEPER/EMPLOYEE
32	ROOMMATE
33	EX-WIFE/EX-HUSBAND
34	BOYFRIEND/GIRLFRIEND
35	NEIGHBOR
36	FRIEND
37	SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED
38	CO-WORKER
39	MINISTER, PRIEST, OR OTHER CLERCY
40	PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR
	THERAPIST
91	OTHER RELATIVE
92	OTHER NONRELATIVE

PROGRAMMER INSTRUCTIONS:

For each roster selection/addition at SC11, set HELPSWITHBATHING flag = 1 (YES).

BOX SC12	BOX SC12	NOT ON FILE	
	SED flag = 1 (YES), go to SC16PRE. se, go to SC12.		
SC16PRE	SC16PRE	NOT ON FILE	
IF NEEDE aging an	ve a few questions about using the toil	et. rrsonal, but they are very important for research on	
SC16	sc2usvartoi1	R2 SC16 SP USED PORTABLE COMMODE	
	sc2usvartoi2	R2 SC16 SP USED PADS UNDERGMT	
	sc2usvartoi3	R2 SC16 USED GRABBARS FR TOILET	
	sc2usvartoi4	R2 SC16 USED RAISED TOILET SEAT	
DISPLAY INSTRU Use "Sam	CTIONS: le Question Stem" display		
DISPLAY	"In the last month" IN BOLD UNDERLII	NED TEXT	
	a, do not display question text in brack e, display question text in brackets.	ets.	
	, if IS3 = 1 (SP is male), display ", portab l, if IS3 = 1 (SP is male), display ", portab		
If TOILETGRABBAR flag = 1 (yes) or DECEASED flag=1 (YES), display variable text {c}. If RAISEDTOILET flag = 1 (yes) or DECEASED flag=1 (YES), display variable text {d}.			
	SED flag = 1 (YES), display "of {his/her} l e, display "{have you/has SP} ever used		
QUESTION TEXT:			
{[]In the	ast month {of {his/her} life}, {{have you	u/has SP} ever used}/{did SP ever use}{]}	
{variable	text [a-d]}		
RESPONS	5E [1] a. a portable commode { portable 5E [2] b. disposable pads or undergarm s/her}} clothes?	e urinal,} or bedpan? ents to help prevent accidentally wetting or soiling	
IF NEEDE	ISE [3] c. grab bars around the toilet? D: A grab bar is designed to help you s at goes over the toilet. Do not include t	teady yourself. It may be attached to the wall or part of a towel racks.}	
	ISE [4] d. a raised toilet or raised toilet D: This includes a toilet seat that is elev	seat? vated higher than usual, either because the toilet or the	

IF NEEDED: This includes a toilet seat that is elevated higher than usual, either because the toilet or the seat is raised, or a seat with arms that fits over the toilet. Do not include portable commodes {portable urinals,} or bedpans.}

CODES

1	YES
2	NO
	REFUSED
	DON'T KNOW

PROGRAMMER INSTRUCTIONS:

Array the responses and variable text columns in the panel. Display 'variable text' in the a-d sequence until all rows have been displayed.

SC17 sc2toilhlp

R2 SC17 ANYON HLP YOU USE TOILET

DISPLAY INSTRUCTIONS: If FACILITY flag = 1 (YES), display "a staff person from the place where {you live/{he/she} {lives/lived}". If DECEASED flag = 1 (YES), display "of {his/her} life" and "lived". Otherwise, display "lives".

QUESTION TEXT:

In the last month {of {his/her} life}, did anyone ever help {you/SP} use the toilet? IF NEEDED: This includes family, friends, {a staff person from the place where {you live/{he/she} {lives/lived},} or someone paid to help {you/{him/her}}.

CODES

1	YES
2	NO
	REFUSED
	DON'T KNOW

BOX	SC17A	BOX SC171	NOT ON FILE	
	If SC17 = 1 (YES), go to	o SC17A.		
	Else if DECEASED flag	; = 1 (YES), go to SC21PRE	I.	

Otherwise, go to SC19.

SC17A

op2toilhlp

op2relatnshp

R2 SC17A HELPS SP WITH TOILETING R2 RELASHIP TO SP UPDATE AND NEW

DISPLAY INSTRUCTIONS:

Display HELPER RELATIONSHIP CODES.

Display PERSON ENTRY with FIRST NAME, LAST NAME, and RELATIONSHIP TO SP. Allow entry for FIRST NAME, LAST NAME, and RELATIONSHIP TO SP fields.

If FACILITY flag = 1 (YES) or RETIREMENTCOMMUNITY flag = 1 (YES), display SERVICE/SOMEONE FROM THE PLACE SP LIVES/DIED on the PERSON ROSTER.

Display "first" and "last" in underlined text

QUESTION TEXT:

Who helped {you/SP} use the toilet?

PROBE: Anyone else?

SELECT ALL THAT APPLY

IF PERSON NAMED IS NOT ON THE ROSTER, PRESS CTRL/P TO ADD A PERSON.

SC17b. [What is (his/her) first name?] CONFIRM SPELLING
SC17c. [What is (his/her) last name?] CONFIRM SPELLING
SC17d. [What is (his/her) relationship to {you/SP}?] [PRESS F1 FOR HELP SCREEN]

CODES

	2	SPOUSE/PARTNER
	3	DAUGHTER
	4	SON
	5	DAUGHTER-IN-LAW
	6	SON-IN-LAW
	7	STEPDAUGHTER
	8	STEPSON
	9	SISTER
	10	BROTHER
	11	SISTER-IN-LAW
	12	BROTHER-IN-LAW
	13	MOTHER
	14	STEPMOTHER
	15	MOTHER-IN-LAW
	16	FATHER
	17	STEPFATHER
	18	FATHER-IN-LAW
	19	GRANDDAUGHTER
	20	GRANDSON
	21	NIECE
	22	NEPHEW
	23	AUNT
	24	UNCLE
	25	COUSIN
	26	STEPDAUGHTER'S SON/DAUGHTER
	27	STEPSON'S SON/DAUGHTER
	28	DAUGHTER-IN-LAW'S SON/DAUGHTER
	29	SON-IN-LAW'S SON/DAUGHTER
	30	BOARDER/RENTER
	31	PAID AIDE/HOUSEKEEPER/EMPLOYEE
	32	ROOMMATE
	33	EX-WIFE/EX-HUSBAND
	34	BOYFRIEND/GIRLFRIEND
	35	NEIGHBOR
	36	FRIEND
	37	SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED
	38	CO-WORKER
	39	MINISTER, PRIEST, OR OTHER CLERCY
,	40	PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR
		THERAPIST
	91	OTHER RELATIVE
	92	OTHER NONRELATIVE

PROGRAMMER INSTRUCTIONS:

For each roster selection/addition at SC17, set HELPSWITHTOILETING flag = 1 (YES).

```
BOX SC18
```

BOX SC18

NOT ON FILE

If DECEASED flag = 1 (YES), go to SC21PRE

Otherwise, go to SC18.

SC21PRE

SC21PRE

NOT ON FILE

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "a person".

Otherwise, display "{you/SP}".

QUESTION TEXT:

The next few questions are about getting dressed. By getting dressed we mean changing out of the clothes {{you/SP}/a person} slept in.

PRESS 1 AND ENTER TO CONTINUE

SC21 sc2dresoft

R2 SC21 OFTEN YOU GET DRESSED

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life".

QUESTION TEXT:

SHOW CARD SC4

In the last month {of {his/her} life}, did {you/SP} get dressed every day, most days, some days, rarely, or never?

CODES

1	EVERY DAY (7 DAYS A WEEK)
2	MOST DAYS (5-6 DAYS A WEEK)
3	SOME DAYS (2-5 DAYS A WEEK)
4	RARELY (ONCE A WEEK OR LESS)
5	NEVER
)	REFUSED
	DON'T KNOW

BOX SC22

BOX SC22

NOT ON FILE

If SC21=1, 2, 3 or 4, go to SC22.

Else if DECEASED flag = 1 (YES), go to Section DS – Duration of Self Care Activities

Otherwise, go to Box SC27.

SC22

sc2dresdev

R2 SC22 USE SPECL ITEMS TO DRESS

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life".

QUESTION TEXT:

In the last month {of {his/her} life}, did {you/SP} use any special items to get dressed, such as a button hook, reacher or grabber, or clothes that are designed to get on and off easily?

SC23 sc2dreshlp R2 SC23 ANYONE HELP GET DRESSED

DISPLAY INSTRUCTIONS:

If IS3 = 2 (SP is female), display "or bra".

DISPLAY "In the last month" IN BOLD UNDERLINED TEXT

If FACILITY flag = 1 (YES), display "a staff person from the place where {you live/{he/she} {lives/lived},". If DECEASED flag = 1 (YES), display "of {his/her} life" and "lived". Otherwise, display "lives".

QUESTION TEXT:

In the last month {of {his/her} life}, did anyone ever help {you/SP} get dressed, for instance, by getting clothing over {your/{his/her}} head, helping with clothing behind {your/{his/her}} back like a belt {or bra}, or helping {you/{him/her}} put on socks or shoes?

IF NEEDED: This includes family, friends, {a staff person from the place where {{you live/{he/she} {lives/lived},} or someone paid to help {you/{him/her}}.

CODES

1	YES
2	NO
	REFUSED
	DON'T KNOW

BOX SC23A BOX SC23A

NOT ON FILE

If SC23 = 1 (YES), go to SC23A.

Else if DECEASED flag = 1 (YES), go to Section DS – Duration of Self Care Activities.

Otherwise, go to SC25.

SC23A

op2dreshlp op2relatnshp

R2 SC23A HELPS SP WITH DRESSING R2 RELASHIP TO SP UPDATE AND NEW

DISPLAY INSTRUCTIONS:

Display HELPER RELATIONSHIP CODES.

Display PERSON ROSTER with FIRST NAME, LAST NAME, and RELATIONSHIP TO SP. Allow entry for FIRST NAME, LAST NAME, and RELATIONSHIP TO SP fields.

If FACILITY flag = 1 (YES) or RETIREMENTCOMMUNITY flag = 1 (YES), display SERVICE/SOMEONE FROM THE PLACE SP LIVES/DIED on the PERSON ROSTER.

Display "first" and "last" in bold underlined text.

QUESTION TEXT:

Who helped {you/SP} get dressed?

PROBE: Anyone else?

SELECT ALL THAT APPLY

IF PERSON NAMED IS NOT ON THE ROSTER, PRESS CTRL/P TO ADD A PERSON.

SC23b. [What is (his/her) first name?] CONFIRM SPELLING SC23c. [What is (his/her) last name?] CONFIRM SPELLING

SC23d. [What is (his/her) relationship to {you/SP}?] PRESS F1 FOR HELP SCREEN

CODES

2	SPOUSE/PARTNER
3	DAUGHTER
4	SON
5	DAUGHTER-IN-LAW
6	SON-IN-LAW
7	STEPDAUGHTER
8	STEPSON
9	SISTER
10	BROTHER
11	SISTER-IN-LAW
12	BROTHER-IN-LAW
13	MOTHER
14	STEPMOTHER
15	MOTHER-IN-LAW
16	FATHER
17	STEPFATHER
18	FATHER-IN-LAW
19	GRANDDAUGHTER
20	GRANDSON
21	NIECE
22	NEPHEW
23	AUNT
24	UNCLE
25	COUSIN
26	STEPDAUGHTER'S SON/DAUGHTER
27	STEPSON'S SON/DAUGHTER
28	DAUGHTER-IN-LAW'S SON/DAUGHTER
29	SON-IN-LAW'S SON/DAUGHTER
30	BOARDER/RENTER
31	PAID AIDE/HOUSEKEEPER/EMPLOYEE
32	ROOMMATE
33	EX-WIFE/EX-HUSBAND
34	BOYFRIEND/GIRLFRIEND
35	NEIGHBOR
36	FRIEND
37	SOMEONE/SERVICE AT THE PLACE SP LIVES/LIVED
38	CO-WORKER
39	MINISTER, PRIEST, OR OTHER CLERCY
59 40	PSYCHIATRIST, PSYCHOLOGIST, COUNSELOR, OR
4V	THERAPIST
01	OTHER RELATIVE
91 92	OTHER NELATIVE OTHER NONRELATIVE
74	

PROGRAMMER INSTRUCTIONS:

For each roster selection/addition at SC23, set HELPSWITHDRESSING flag = 1 (YES).

BOX SC24

Otherwise, go to SC24.

Derived Variables from Items in SC Section		
sc2deatdevi	R2 D USES DEVICES WHILE EATING	
sc2deathelp	R2 D HAS HELP EATING	
sc2dbathdevi	R2 D USES DEVICES WHILE BATHING	
sc2dbathhelp	R2 D HAS HELP WHILE BATHING	
sc2dtoildevi	R2 D USES DEVICES WHILE TOILETING	
sc2dtoilhelp	R2 D HAS HELP WHILE TOILETING	
sc2dresdevi	R2 D USES DEVICES WHILE DRESSING	
sc2dreshelp	R2 D HAS HELP WHILE DRESSING	

Flag variables set in SC Section	
fl2showering	R2 F SC SP USES SHOWER
fl2takingbth	R2 F SC SP TAKES BATHS
fl 2 washingup	R2 F SC SP WASHES OTHER WAY

NHATS Round 2: Last Month of Life

Section	DS [DURATION C	DF SELF CARE ACCOMMODATIONS]	Sequence: 26
BOX DS1	BOX DS1	NOT ON FILE	
INT i Parti Else	terview month (LAST INT inter ipation. [LAST INT SC3, SC11, SC17, and	th of Death=LAST INT interview month or the month af rview month+1) or Month of Death=DK or RF], go to Se d SC23=2 (NO), RF, or DK] and [CURRENT INT SC3, SC11,	ection PA –
Else	23 = 1 (YES)], go to DS3C. [LAST INT SC3, SC11, SC17, or S DK], go to DS3D.	Sc23 = 1 (YES)] and [CURRENT INT SC3, SC11, SC17, and S	5C23 = 2 (NO),
to D		SC23 = 1 (YES)] and [CURRENT INT SC3, SC11, SC17 or SC	23 = 1 (YES), go

DS1 ds2gethlpeat

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "Between {LAST INT MONTH AND YEAR} and {MONTH AND YEAR SP DIED}"

Otherwise, display "Since {LAST INT MONTH AND YEAR}".

QUESTION TEXT:

{Between {LAST INT MONTH AND YEAR} and {MONTH AND YEAR SP DIED}/Since {LAST INT MONTH AND YEAR}}, did {you/SP} ever get help with eating, getting cleaned up, using the toilet, or getting dressed?

CODES

1	YES	DS3C
2	NO	BOX DS4
	REFUSED DON'T KNOW	BOX DS4 BOX DS4

DS₃C

ds2helpstmo

R2 DS3C MONTH SELF CARE HLP START

R2 DS1 GET HELP WITH EATING, ETC

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life".

If DS1 = 1 (YES), do not display first sentence and display "any of these activities".

Otherwise, display question intro according to the following instructions: If CURRENT INT SC3 = 1 (YES), display "eating". If CURRENT INT SC11 = 1 (YES), display "getting cleaned up". If CURRENT INT SC17 = 1 (YES), display "using the toilet". If CURRENT INT SC23 = 1 (YES), display "getting dressed".

If more than one activity displayed, display "and" between each one and "any of these activities".

Otherwise, if only one activity displayed, display "that".

Display "first" in bold and underlined text.

QUESTION TEXT:

{In the last month {of {his/her} life}, {you/SP} got help with {eating} {getting cleaned up} {using the toilet} {getting dressed}, and in {LAST INT MONTH AND YEAR}, {you were/SP was} not getting this help.}

In what month since {LAST INT MONTH AND YEAR}, did {you/SP} first get help with {that/any of these activities}?

CODES

1	JANUARY		
2	FEBRUARY		
3	MARCH		
4	APRIL		
5	MAY		
6	JUNE		
7	JULY		
8	AUGUST		
9	SEPTEMBER		
10	OCTOBER		
11	NOVEMBER		
12	DECEMBER		
90	LAST INTERVIEW INFORMATION INCORRECT	BOX DS4	
	REFUSED	BOX DS3D	
	DON'T KNOW	BOX DS3D	

DS3C1ds2helpstyrR2 DS3C1 YEAR SELF CARE HELP STARTEDQUESTION TEXT:Was that {MONTH FROM DS3C} 2011 or {MONTH FROM DS3C} 2012?CODES1201122012

BOX DS₃D

BOX DS₃D

ds2helpendmo

NOT ON FILE

If [LAST INT SC3, SC11, SC17, and SC23 = 2 (NO), RF, or DK] and [CURRENT INT SC3, SC11, SC17, or SC23 = 1 (YES)] go to BOX DS4.

Otherwise, go to DS3D.

DS3D

R2 DS3D MONTH SELF CARE HELP ENDED

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life".

If DS1 = 1 (YES), do not display first sentence and display "any of these activities".

Otherwise display question intro according to the following instructions: If LAST INT SC3 = 1 (YES), display "eating". IF LAST INT SC11 = 1 (YES), display "getting cleaned up". IF LAST INT SC17 = 1 (YES), display "using the toilet". If LAST INT SC23 = 1 (YES), display "getting dressed".

If more than one activity displayed, display "and" between each one and "any of these activities". Otherwise if only one activity displayed, display "that".

Display "last" in the phrase "last get help" in bold underlined text.

QUESTION TEXT:

{In {LAST INT MONTH AND YEAR}, {you/SP} got help with {eating} {getting cleaned up} {using the toilet} {getting dressed} and in the last month {of {his/her} life}, {you were/{he/she} was} not getting this help.}

In what month since {LAST INT MONTH AND YEAR}, did {you/SP} last get help with {that/any of these activities}?

CODES

1	JANUARY		
2	FEBRUARY		
3	MARCH		
4	APRIL		
5	MAY		
6	JUNE		
7	JULY		
8	AUGUST		
9	SEPTEMBER		
10	OCTOBER		
11	NOVEMBER		
12	DECEMBER		
90	LAST INTERVIEW INFORMATION	BOX DS4	
	INCORRECT	BOX DS4	
	REFUSED	BOX DS4	
	DON'T KNOW		

DS3D)1 ds2helpendyr	R2 DS3D1 YEAR SELF CARE HELP ENDED		
QUEST	ION TEXT:			
	Was that {MONTH FROM DS3D} 2011 or {MONT	TH FROM DS3D} 2012?		
CODES				
1	2011			
2	2012			
PROGRAMMER INSTRUCTIONS: Go to BOX DS4.				

DS3E

ds2nohelp

R2 DS3E NO SELF CARE HELP MTH PLUS

DISPLAY INSTRUCTIONS:

If DECEASED flag = 1 (YES), display "of {his/her} life" and "Between {LAST INT MONTH AND YEAR} and {MONTH AND YEAR DIED}". Otherwise, display "Since {LAST INT MONTH AND YEAR}".

Display question intro according to the following instructions: If CURRENT INT SC3 = 1 (YES), display "eating". If CURRENT INT Sc11 = 1 (YES), display "getting cleaned up". If CURRENT INT SC17 = 1 (YES), display "using the toilet". If CURRENT INT Sc23 = 1 (YES), display "getting dressed".

If more than one activity displayed, display "and" between each one.

QUESTION TEXT:

In the last month {of {his/her} life}, {you/SP} got help with {eating} {getting cleaned up} {using the toilet} {getting dressed}, and in {LAST INT MONTH AND YEAR} {you were/{he/she} was} also getting help like this.

	en {LAST INT MONTH AND YEAR} and {MONTH AN AR}}, did {you/{he/she}} go without help like this f			
CODES 1 2 90	YES NO LAST INTERVIEW INFORMATION INCO REFUSED DON'T KNOW	BOX DS4 DRRECT BOX DS4 BOX DS4 BOX DS4		
DS3F QUESTION TEXT		2 DS3F MONTHS OF NO SELF CARE HELP		
	out how many months altogether did {you/SP} go	without help like this?		
ENTER NUMBEF	R Range REFUSED DON'T KNOW	1 to 24		
BOX DS4	BOX DS4 N	IOT ON FILE		
If DECEASED flag = 1 (YES), go to Section PA – Participation. Otherwise, go to Section MC- Medical Care Activities.				
Derived Var	iables from Items in DS Section			
ds2dschlp	R2 D MONTHS OF SELF CARE HELP			
ds2dschlpgr	R2 D SELF CARE HELP GROUP			
ds2flag	R2 D SPECIAL CASES DS SECTION ROUTE			

NHATS Round 2: Last Month of Life

Sectio	n PA	[PARTICIPATION]	Sequence: 28		
BOX I	PA1PRE	BOX PA1PRE	NOT ON FILE		
	If DECEASED flag	g=1 (YES), go to PA25A.			
	Otherwise, go to PA1PRE.				
PA25/	A	pa2dofavact	R2 PA25A GET TO DO FAV ACT LST YR		
DISPLA	Y INSTRUCTIONS	:			
			ne last interview in {LAST INT MONTH AND YEAR} and the time H}, did {he/she} get to do this".		
	Otherwise, displa done this activity		nterview in {LAST INT MONTH AND YEAR}, {have you/has SP}		
	For "LAST INT PA	25 TEXT" display text respons	e from LAST INT PA25.		
QUESTI	ON TEXT:				
		ST INTERVIEW, {SP}'S FAVORI [.] TEXT}.	TE ACTIVITY WAS		
	IF NO ACTIVITY LISTED, DO NOT READ QUESTION AND ENTER 95.				
	IF ACTIVITY LISTED, ASK:				
	During the last interview, we learned that {your/{SP}'s} favorite activity was {LAST INT PA25 TEXT}.				
	{Since the last interview in {LAST INT MONTH AND YEAR}, {have you/has SP} done this activity/Between the last interview in {LAST INT MONTH AND YEAR} and the time of {SP}'s death in {MONTH AND YEAR OF DEATH}, did {he/she} get to do this}?				
CODES					
1		'ES			
2					
95		NO ACTIVITY LISTED REFUSED			
		ON'T KNOW			
	_				

BOX PA26 BOX PA26 NOT ON FILE

If DECEASED flag = 1 (YES), go to Section CL - Closing. Else, if PA25a = 1 (YES) or 2 (NO), go to PA26. Otherwise, go to Section SD - Smoking

Derived Variables From Items in PA Section

pa1dv2favact

R1 D VERSION 2 FAVORITE ACTIVITY